

## Specifications

Weight  
5.3 kg

Safety Payload UNI/PdR 105:2021  
10 kg

Counterbalance System  
Fixed

Counterbalance Weight  
4 kg

Maximum Height  
164.5 cm

Min Height  
41 cm

Bubble Spirit Level (No.)  
1

Center of gravity  
55 mm

Carrying Bag Included  
110125

Center Column  
no center column

Certifications  
None

Closed Length  
83 cm

Color  
Black

Top Attachment  
1/4" screw, 3/8" screw

Ball Flat  
75 Ball

Powered by (batteries)  
0

Easy Link

Yes

Front Tilt  
-80° / +90°

Head Type  
Video/Fluid Head

Leg Type  
Twin

Leg Lock Type  
Flip Lock

Leg Sections  
3

Legs Tube Diameter  
16, 25 mm

Material  
Aluminum

Maximum Working Temperature  
60 °C

Minimum Working Temperature  
-20 °C

Pan Bar Included  
Yes

Pan Drag  
continuously adjustable from 0 to max level

Panoramic Rotation  
360 °

Plate Type  
504PLONG

Quick Release  
Yes

Spreader  
mid level - variable arm length with 'click stop' set positions

Tilt Drag  
continuously adjustable from 0 to max level

Accessory Compatibility

MVAPANBARM; MVAPANBARL; 502HLV; 509HLV; 114MV; 181B; 165MV;