





Emulsions



Dwell Water Based Paints (Emulsions)



British Standard/RAL colors available.



Emulsions



Dwell Paint takes no responsibility for slight variation in color reproduction.



Description:

Dwell Paints water-based emulsions are eco-friendly (Low VOC) and crafted using premium-grade pure acrylic and copolymer emulsions, ensuring both performance and sustainability.

Characteristics:

- 🐙 Weather & Alkali Resistant Ideal for exterior use
- 🔭 Smooth Finishes Available in Matt, Silk, and Gloss textures
- \(\frac{1}{2}\) Quick-Dry Formula Easy to apply with a fast drying time
- Z Excellent Coverage Fewer coats, more color impact

Recommended Applications:

Perfect for surfaces like concrete, plaster, gypsum, and wood.

Theoretical Coverage Efficiency:

Covers approximately 7.5–10.5 m 2 per litre, depending on surface texture, thickness, and application technique.

Application and Thinning Instructions:

Use a roller, brush, or spray. For thinning, mix in 10–15% clean water if required.

Drying Time:

• Touch Dry: 30 minutes to 1 hour

• Fully Cured: 24 hours

Color Options:

Go beyond the basics with Dwell Paints' Computerized Color Picking System, offering a wide range of customized shades (excluding Dwell Plastic Emulsion and Dwell Acrylic Emulsion I).

Choose Excellence Everytime





Dwell Paints Private Ltd.

Office: Factory:

Police Line Road, Gewal Bigha, Gaya, Bihar - 823001, India

Tel: +91 9142730939

Keshav Nagar, Maranpur, Gaya, Bihar - 823001, India Tel: +91 9334700316

www.dwellpaints.com