



CPVC | UPVC | SWR | AGRICULTURAL
Pipe & Fittings



Hot & Cold Water
Plumbing Solution



Welcome to ACCON PIPE & FITTINGS, a leading provider of high-quality PVC pipes and fittings. With a rich history and a commitment to excellence, we have been at the forefront of the industry, delivering reliable solutions to meet the diverse needs of our customers.

Our Story

Established 2019, ACCON PIPE & FITTINGS has evolved into a trusted name in the PVC pipe and fittings sector. Our journey began with a vision to revolutionize the industry by providing durable, efficient, and sustainable solutions. Over the years, we have grown, adapted, and consistently exceeded expectations.

Mission Statement

At ACCON PIPE & FITTINGS, our mission is to be the preferred choice for PVC pipes and fittings by offering innovative, reliable, and environmentally friendly products. We strive to contribute to the success of our customers by providing solutions that stand the test of time.

Why Choose Us?

Quality Assurance : Rigorous quality control measures ensure that our products meet the highest standards.

Customer-Centric Approach : We prioritize our customers, working closely to understand and address their specific requirements

Innovation and Technology : We leverage the latest technology and innovation to deliver products that meet the evolving needs of the industry.



cPVC PLUMBING SYSTEM

USE FOR HOT AND COLD WATER APPLICATION

Made of chlorinated polyvinyl chloride, ACCON CPVC Pipes & Fittings are manufactured according to ASTM D-2846 respectively. ACCON CPVC Pipes & Fittings offer a long-lasting and cost-effective solution for hot and cold water in plumbing and potable water applications.

Application:

- Hot & Cold Water Plumbing
- Corrosive Fluid Transportation
- Hospital & Academic Institutes
- Hotels & Resorts
- Chemical Fluid
- Carrying Drinking Water
- Residential & Industrial Use

PRODUCT FEATURES:



Corrosion
Resistant



High Strength



UV Resistant



Effective Cost



Easy to Install



Fire Resistant



Withstands temp.
up to 93° C

CPVC PIPES AS PER ASTM D-2846



CPVC PIPES SDR - 11			
Size		Pack (3 Mtr.)	Rate Per Pc. (3 Mtr.)
Inch	MM		
½"	15	75	154.00
¾"	20	60	239.00
1"	25	40	385.00
1 ¼"	32	25	590.00
1 ½"	40	20	830.00
2"	50	10	1401.00




CPVC PIPES SDR - 13.5			
Size		Pack (3 Mtr.)	Rate Per Pc. (3 Mtr.)
Inch	MM		
½"	15	75	125.00
¾"	20	60	205.00
1"	25	40	335.00
1 ¼"	32	25	492.00
1 ½"	40	20	675.00
2"	50	10	1160.00

CPVC PLAIN FITTINGS AS PER ASTM D-2846 SDR11



ELBOW 90°				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	70×9	630	11.92
1"	25	40×8	320	23.64
1 ¼"	32	25×7	175	44.68
1 ½"	40	12×9	108	73.30
2"	50	5×10	50	181.00



TEE				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	50×9	450	15.91
1"	25	25×9	225	31.96
1 ¼"	32	12×10	120	59.64
1 ½"	40	8×10	80	97.44
2"	50	4×10	40	240.00



COUPLER				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	100×10	1000	7.98
1"	25	50×10	500	15.50
1 ¼"	32	30×9	270	30.80
1 ½"	40	20×9	180	48.30
2"	50	10×8	80	106.00



ELBOW 45°				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	70×12	840	14.44
1"	25	40×10	400	25.70
1 ¼"	32	25×8	200	43.34
1 ½"	40	15×8	120	77.66
2"	50	6×10	60	160.00



UNION				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	35×12	420	41.00
1"	25	20×11	220	68.00
1 ¼"	32	15×9	135	112.00
1 ½"	40	10×10	100	168.00
2"	50	4×10	40	364.00



ENDCAP				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	100×15	1500	7.50
1"	25	80×10	800	12.00
1 ¼"	32	55×9	495	21.50
1 ½"	40	30×10	300	37.50
2"	50	15×10	150	82.00



REDUCER TEE				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
1"×¾"	25×20	25×10	250	31.92
1 ¼"×1"	32×25	12×10	120	61.62
1½"×¾"	40×20	10×9	90	87.80
1½"×1"	40×25	10×9	90	108.52
1½"×1 ¼"	40×32	9×10	90	113.84
2"×1"	50×25	5×9	45	216.00
2"×1 ¼"	50×32	5×9	45	223.00
2"×1½"	50×40	4×10	40	230.00



REDUCER COUPLER				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
1"×¾"	25×20	60×10	600	15.28
1 ¼"×¾"	32×20	40×10	400	31.74
1 ¼"×1"	32×25	35×10	350	31.40
1½"×1"	40×25	36×9	324	43.34
1½"×1 ¼"	40×32	20×10	200	50.10
2"×1"	50×25	20×8	160	88.44
2"×1 ¼"	50×32	15×10	150	99.00
2"×1½"	50×40	15×8	120	130.00



FEMALE THREADED ADAPTOR				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	80×10	800	13.22
1"	25	40×10	400	29.00
1 ¼"	32	25×9	225	50.78
1 ½"	40	15×10	150	86.10
2"	50	10×8	80	130.00
¾"×½"	20×15	100×10	1000	13.20



MALE THREADED ADAPTOR				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	100×10	1000	11.50
1"	25	50×10	500	18.90
1 ¼"	32	35×9	315	34.18
1 ½"	40	20×10	200	57.00
2"	50	12×8	96	110.00
¾"×½"	20×15	100×10	1000	12.49




SOCKET TANK NIPPLE				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	40×9	360	38.00
1"	25	20×11	220	60.00
1 ¼"	32	15×9	135	98.00
1 ½"	40	12×8	96	141.00
2"	50	5×10	50	260.00



REDUCER BUSH				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
1"×¾"	25×20	100×10	1000	10.18
1 ¼"×1"	32×25	50×12	600	16.12
1½"×¾"	32×20	50×12	600	27.00
1½"×1"	40×25	25×15	375	33.00
1½"×1 ¼"	40×32	25×15	375	35.00
2"×1"	50×25	10×10	100	85.00
2"×1 ¼"	50×32	10×10	100	89.00
2"×1½"	50×40	10×10	100	102.00



CROSS TEE				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	40×9	360	27.00
1"	25	20×8	160	52.00
1 ¼"	32	9×10	90	84.00



REDUCER ELBOW 90°				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
1"×¾"	25×20	40×10	400	27.32
1 ¼"×1"	32×25	25×8	200	37.00

CPVC BRASS FITTINGS AS PER ASTM D-2846 SDR11



BRASS ELBOW				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	25×10	250	80.10
1"	25	15×10	150	141.00
¾"×½"	20×15	25×14	350	45.40
1"×½"	25×15	20×10	200	64.80
1"×¾"	25×20	20×8	160	96.00



BRASS TEE				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	20×10	200	81.00
1"	25	15×8	120	160.70
¾"×½"	20×15	25×14	350	54.80
1"×½"	25×15	15×10	150	80.00
1"×¾"	25×20	15×10	150	102.20



BRASS FTA				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	25×14	350	78.67
1"	25	15×12	180	129.20
1 ¼"	32	10×10	100	255.00
1 ½"	40	8×10	80	390.00
2"	50	5×10	50	522.00
¾"×½"	20×15	25×16	400	52.13
1"×½"	25×15	25×12	300	59.00
1"×¾"	25×20	20×12	240	84.00



BRASS MTA				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	25×10	050	98.50
1"	25	15×10	150	151.50
1 ¼"	32	10×10	100	315.00
1 ½"	40	5×12	60	464.00
2"	50	5×10	50	615.00
¾"×½"	20×15	25×14	350	65.69
1"×½"	25×15	25×12	300	80.38
1"×¾"	25×20	20×12	240	110.00



BRASS FTA (HEXAGONE)				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	20×16	320	196.00
1"	25	15×10	150	266.00
¾"×½"	20×15	25×16	400	125.00
1"×½"	25×15	20×12	240	151.00
1"×¾"	25×20	15×16	240	218.00



BRASS MTA (HEXAGONE)				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20×20	25×14	350	152.00
1"	25×25	15×12	180	208.00
¾"×½"	20×15	25×16	400	110.00
1"×½"	25×15	20×15	300	128.00
1"×¾"	25×20	15×16	240	155.00



CONCEALD VALVE				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	1×50	50	565.00
1"	25	1×50	50	745.00




3 IN 1 MIXER ADAPTOR 6"				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾" × ½"	20×15	1×50	50	290.00

CPVC COMMON FITTINGS AS PER ASTM D-2846 SDR11



BALL VALVE				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	68×1	68	128.00
1"	25	35×1	35	178.00
1 ¼"	32	5×5	25	330.00
1 ½"	40	4×5	20	690.00
2"	50	2×5	10	980.00



STEP OVER BEND				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	20×10	200	70.00
1"	25	15×10	150	99.00
1 ¼"	32	6×10	60	150.00
1 ½"	40	4×10	40	190.00
2"	50	3×10	30	230.00



LONG BEND				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	25×10	250	51.00
1"	25	15×8	120	85.00
1 ¼"	32	10×8	80	141.00
1 ½"	40	8×8	64	162.00
2"	50	4×8	32	197.00



CPVC SOLVENT CEMENT			
Size	Inner Pack	Master Packing	Rate Per Pc.
ML			
50ml	48×8	384	75.00
118ml	32×8	256	115.00
237ml	16×8	128	209.00
500ml	6×8	48	399.00



NAIL CLAMP				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	100×50	5000	3.85
1"	25	100×30	3000	5.00
1 ¼"	32	50×40	2000	7.00
1 ½"	40	50×30	1500	9.00
2"	50	25×30	750	16.00



METAL CLAMP				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"	20	100×30	3000	6.00
1"	25	100×22	2200	8.00
1 ¼"	32	100×18	1800	9.00
1 ½"	40	100×14	1400	10.00
2"	50	100×10	1000	12.00



END PLUG				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
½"	15	150×10	1500	5.00



TRANSACTION BUSH (U to C)				
Size		Inner Pack	Master Packing	Rate Per Pc.
Inch	MM			
¾"×¾"	20×20	100×10	1000	13.00
1"×1"	25×25	70×10	700	20.00



SWR SYSTEM (RING FIT & SELF FIT) FOR DRAINAGE SOLUTION

Accon is a uPVC drainage system for soil, Waste and rain water. It is unique system that is joined together by simply pushing the spigot into socket end. The spigot end is held strongly in the socket by the Co-moulded Yellow rubber ring Provided in the groove. This Co-moulded ring ensures leak proof joints that can withstand high pressure, prevent chocking and allows thermal expansion and contraction. This system thus does not require to paste or to thread.

Application:

- Sewerage & Waste Water Lines
- Hospital & Academic Institutes
- Rainwater Drainage
- Residential Purpose
- Industrial Use
- Offices Purpose Use

PRODUCT FEATURES:




Light Weight



High Strength



UV Resistant



Non Conductive



Easy to Install



Leakproof Joints

SWR PIPE (RINGFIT)



SWR RING FIT – TYPE – A			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75		
4"	110		



SWR RING FIT – TYPE – B			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75		
4"	110		

SWR FITTINGS (RINGFIT)– NON ISI



BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	60	57.00
4"	110	40	107.00



DOOR BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	48	84.00
4"	110	30	164.00



SINGLE TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	72	89.00
4"	110	40	155.00



DOOR TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	60	128.00
4"	110	24	224.00



COUPLER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	100	52.00
4"	110	60	93.00



SHOE BEND 45°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	135	59.00
4"	110	48	88.00



REDUCER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	60	78.00



REDUCER TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	34	149.00



SINGLE -Y			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	56	110.00
4"	110	19	230.00



SINGLE DOOR-Y			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	54	135.00
4"	110	16	265.00



CROSS TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	45	101.00
4"	110	16	233.00



CLEANING PIPE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	82	96.00
4"	110	30	180.00



RUBBER RING			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	1000	8.00
4"	110	1000	10.00



DOOR CAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	200	20.00
4"	110	125	35.00

SWR COMMON FITTINGS



NAHANI TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	55	116.00
4"×3"	110×90	50	126.00
4"×4"	110×110	43	132.00



VENT COWL			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	275	25.00
3"	90	380	37.00
4"	110	275	43.00



MULTIFLOOR TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	40	155.00



PIPE CLIP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	650	15.00
4"	110	350	22.00



PVC SOLVENT CEMENT			
Size	Inner Pack	Master Packing	Rate Per Pc.
ML			
100ml	32×8	256	81.00
237ml	16×8	128	137.00
473ml	6×8	48	225.00




P - TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×4"	110×110	20	275.00
4 ½"×4"	125×110	20	305.00



Q - TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"X4"	110X110	17	375.00
4½"X4"	125X110	17	395.00



S - TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"X4"	110X110	15	480.00
4½"X4"	125X110	15	500.00



SOCKET PLUG			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	100	41.00
4"	110	80	55.00

SWR FITTINGS (SELFFIT) – NON ISI



BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	60	49.00
4"	110	40	99.00



DOOR BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	48	76.00
4"	110	30	150.00



SINGLE TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	72	73.00
4"	110	32	138.00



DOOR TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	60	110.00
4"	110	24	194.00



COUPLER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	100	36.00
4"	110	60	69.00



SHOE BEND 45°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	140	50.00
4"	110	52	79.00



REDUCER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	60	70.00



REDUCER TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	28	140.00



SINGLE -Y			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	60	98.00
4"	110	19	211.00



SINGLE DOOR-Y			
Size		Master Packing	Rate Per Pc.
Inch	MM		
2 ½"	75	54	125.00
4"	110	16	260.00



CROSS TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	45	98.00
4"	110	16	210.00



CLEANING PIPE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	82	93.00
4"	110	30	168.00



SWR FITTINGS (RINGFIT)- ISI



BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	80	76.00
4"	110	42	136.00



DOOR BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	72	110.00
4"	110	35	215.00



SINGLE TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	72	106.00
4"	110	26	210.00



DOOR TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	45	156.00
4"	110	24	289.00



COUPLER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	113	62.00
4"	110	64	118.00



SHOE BEND 45°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	120	72.00
4"	110	56	126.00



REDUCER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	80	115.00



REDUCER TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	32	205.00



SINGLE -Y			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	-	-
4"	110	20	315.00



SINGLE DOOR-Y			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	-	-
4"	110	-	-



CROSS TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	45	120.00
4"	110	16	240.00



CLEANING PIPE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	-	-
4"	110	30	190.00



SWR FITTINGS (SELFFIT)-ISI



BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	84	71.00
4"	110	42	133.00



DOOR BEND 87.5°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	72	102.00
4"	110	35	207.00



SINGLE TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	72	98.00
4"	110	26	198.00



DOOR TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	45	152.00
4"	110	24	278.00



COUPLER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	120	53.00
4"	110	64	107.00



SHOE BEND 45°			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	125	67.00
4"	110	56	128.00



REDUCER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	80	98.00



REDUCER TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"×2 ½"	110×75	32	195.00



SINGLE -Y			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	-	-
4"	110	20	315.00



SINGLE DOOR-Y			
Size		Master Packing	Rate Per Pc.
Inch	MM		
2 ½"	75	-	-
4"	110	-	-



CROSS TEE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	45	98.00
4"	110	16	210.00



CLEANING PIPE			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2 ½"	75	-	-
4"	110	30	168.00



RIGID AGRICULTURE SYSTEM FOR AGRICULTURE SOLUTIONS

ACCON offers wide range of uPVC Pressure Pipe & Fittings used for Agriculture and Water Distribution System. ACCON uPVC Pressure Pipes are manufactured as per IS 4985 standard covering complete range from 20 mm to 160 mm with various pressure ratings as defined in the standard

ACCON uPVC Pressure Pipes are manufactured as per IS 7834 standard covering complete range from 20 mm to 160 mm with various pressure ratings as defined in the standard

Application:

- Rural & Urban Distribution System
- Industrial Process Line
- Agriculture & Irrigation Scheme
- Tubewell Connections
- Protecting Covering for Power & Communication Cables

PRODUCT FEATURES:



Light Weight



High Strength



UV Resistant



Effective Cost



Easy to Install



Long Life Cycle



Leakproof Joints

RIGID AGRICULTURE FITTINGS



ELBOW (PN-4)			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
½"	20	200	7.59
¾"	25	200	9.49
1"	32	200	12.32
1 ¼"	40	200	18.80
1 ½"	50	200	25.00
2"	63	160	34.00
2 ½"	75	110	45.00
3"	90	70	62.00
4"	110	55	95.00
5"	140	24	224.00
6"	160	16	298.00



TEE (PN-4)			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
½"	20	150	8.53
¾"	25	150	12.42
1"	32	150	15.18
1 ¼"	40	150	30.40
1 ½"	50	130	35.00
2"	63	65	43.00
2 ½"	75	75	63.00
3"	90	50	83.00
4"	110	40	130.00
5"	140	18	295.00
6"	160	10	430.00



ELBOW - ECOFIT			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2"	63	-	-
2 ½"	75	-	-
3"	90	-	-
4"	110	60	80.00



TEE - ECOFIT			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2"	63	-	-
2 ½"	75	-	-
3"	90	-	-
4"	110	40	110.00



COUPLER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
½"	20	250	4.73
¾"	25	250	6.64
1"	32	250	8.53
1 ¼"	40	250	15.40
1 ½"	50	120	17.00
2"	63	180	32.00
2 ½"	75	100	36.00
3"	90	64	52.00
4"	110	60	68.00
5"	140	36	140.00
6"	160	24	195.00



ENDCAP PLAIN			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
½"	20	250	4.61
¾"	25	250	5.80
1"	32	250	7.63
1 ¼"	40	250	13.32
1 ½"	50	230	17.00
2"	63	150	26.00
2 ½"	75	180	32.00
3"	90	115	49.00
4"	110	72	62.00
5"	140	30	130.00
6"	160	24	175.00



REDUCER COUPLER			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
¾"X½"	25X20	200	5.68
1X½"	32X20	200	7.59
1X¾"	32X25	200	7.89
1½"X1"	50X32	150	18.90
1½"X1¼"	50X40	150	18.90
2"x1"	63X32	126	25.00
2"x1¼"	63X40	126	25.00
2"x1½"	63X50	126	30.00
2½"X1"	75X32	96	38.00
2½"X1¼"	75X40	96	38.00
2½"X1½"	75X50	96	39.00
2½"X2"	75X63	96	38.00
3"X1"	90X32	112	55.00
3"X1¼"	90X40	112	55.00
3"X1½"	90X50	112	55.00
3"X2"	90X63	112	54.00
3"X2½"	90X75	112	54.00
4"X1"	110X32	64	71.00
4"X1¼"	110X40	64	70.00
4"X1½"	110X50	64	70.00
4"X2"	110X63	64	69.00
4"X2½"	110X75	64	68.00
4"X3"	110X90	64	67.00
5"X2"	140X63	30	150.00
5"X2½"	140X75	30	156.00
5"X3"	140X90	30	158.00
5"X4"	140X110	30	160.00
6"X2½"	160X75	36	190.00
6"X3"	160X90	36	190.00
6"X4"	160X110	36	190.00
6"X5"	160X140	36	190.00



REDUCER BUSHING			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2½"X2"	75X63	96	45.00
3"X2"	90X63	80	49.00
3"X2½"	90X75	80	49.00
4"X½"	110X50	96	68.00
4"X2"	110X63	96	66.00
4"X2½"	110X75	96	64.00
4"X3"	110X90	96	64.00



MULTIFLOOR TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"X2½"	110X75	40	155.00



NAHANI TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"x2 ½"	110x75	55	116.00
4"x3"	110x90	50	126.00
4"x4"	110x110	43	132.00



SHOE ELBOW			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2"	63	144	24.00
2 ½"	75	140	47.00
3"	90	72	60.00
4"	110	52	76.00



P - TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"X4"	110X110	20	275.00
4½"X4"	125X110	22	305.00



S - TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"X4"	110X110	15	480.00
4½"X4"	125X110	15	500.00




Q - TRAP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
4"X4"	110X110	17	375.00
4½"X4"	125X110	17	395.00



PIPE CLIP			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2½"	75	650	15.00
4"	110	350	22.00



VENT COWL			
Size		Std. (Packing)	Rate Per Pc.
Inch	MM		
2½"	75	275	25.00
3"	90	380	37.00
4"	110	275	43.00



Save
WATER

