

NDC 0591-3265-82

Finaplix[™]

Trenbolone Acetate 100 mg/ml

For I.M. use only



Formula: C₂₀H₂₄O₃ Molecular Mass: 312.4 g/mol

Active Half-Life: 3-4 Days

Anabolic Activity: 500%

Androgenic Activity: 500%

Dosage: 300-500mg per week

Description: Trenbolone Acetate Is an incredibly fast acting form of the most effective drug ever manufactured. It is highly valued for its ability to increase muscle hardness, definition, and raw strength, without unwanted water retention and fat mass gains



10ml Multi Dose Vial

NDC 0591-3245-52

Trenabol™

Trenbolone Enanthate 200

For I.M. use only

Rx Only (III



Formula: C₂₅H₃₄O₃ Molecular Mass: 382.54 g/mol

Active Half-Life: 8-9 Days

Anabolic Activity: 500% Androgenic Activity: 500% Dosage: 200-600mg per week

Description: Trenbolone Enanthate a long acting form of the most effective drug ever manufactured. It is highly valued for its ability to increase muscle hardness, definition, and raw strength, without unwanted water retention and fat mass gains. The form will provide you an outbursting power and strength among with substantial growth of quality muscle bulk within a lot of weeks!







NDC 0591-3337-48

Decadura

Nandrolone Decanoate 250

For I.M. use only

Rx Only (III



Formula: C28H44O3

Molecular Mass: 428.6472 g/mol

Active Half-Life: 14-15 Days

Anabolic Activity: 125%

Androgenic Activity: 37%

Dosage: 500-700mg per week

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.



10ml Multi Dose Vial

NDC 0591-3342-62

Decadura

Nandrolone Decanoate 400

Rx Only (III



For I.M. use only Formula: C28H44O3

Molecular Mass: 428.6472 g/mol

Active Half-Life: 14-15 Days

Anabolic Activity: 125%

Androgenic Activity: 37%

Dosage: 500-700mg per week

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.







NDC 0591-3337-48

Decadura

Nandrolone Decanoate 250

For I.M. use only

Rx Only (III



Formula: C28H44O3

Molecular Mass: 428.6472 g/mol

Active Half-Life: 14-15 Days

Anabolic Activity: 125%

Androgenic Activity: 37%

Dosage: 500-700mg per week

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.



10ml Multi Dose Vial

NDC 0591-3342-62

Decadura

Nandrolone Decanoate 400

Rx Only (III



For I.M. use only Formula: C28H44O3

Molecular Mass: 428.6472 g/mol

Active Half-Life: 14-15 Days

Anabolic Activity: 125%

Androgenic Activity: 37%

Dosage: 500-700mg per week

Description: Nandrolone Decanoate is considered to be a classic drug for muscle bulk gain. Due to significant retention of water in muscles during the cycle, bulk growth occurs to be significantly faster. Combines well with long esters of testosterone. With a half-life of around 6-7 days, it has slow release intended for long cycles.







NDC 0591-3369-45

Testaveron

Testosterone Enanthate 250

For I.M. use only

Rx Only (III

Formula: C₂₆H₄₀O₃

Molecular Mass: 400.59 g/mol

Active Half-Life: 7-8 Days

Anabolic Activity: 100%

Androgenic Activity: 100%

Dosage: 250-1500mg per week

Description: Testosterone Enanthate is one of the best mass building anabolics known to man and is a highly recommended as the base of any mass building cycle. Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable as part of a potent stack.



10ml Multi Dose Vial

NDC 0591-3354-32

Propiomax

Testosterone Propionate 100

For I.M. use only Formula: C,,H,,O,

Molecular Mass: 344.49 g/mol

Active Half-Life: 2-4 Days

Anabolic Activity: 100%

Androgenic Activity: 100%

Dosage: 200-700mg per week

Description: Testosterone Propionate it is highly recommended as the base of both mass building and cutting cycles. Testosterone is responsible for promoting health and well-being through enhanced libido, energy, immunity, increased fat loss, gaining and maintaining lean muscle mass, preventing Osteoporosis (loss of bone density), and possible protection against heart disease. It combines excellently with many other compounds both oral and injectable (preferably short esters) as part of a potent stack.







NDC 0591-3352-46

Stanaject

Stanozolol

For I.M. use only Rx Only

Formula : C₂₁H₃₂N₂O Molecular Mass : 328.49 g/mol

elecular Mass : 328.49 g/mol Active Half-Life : 7-8 Days

Anabolic Activity: 320% Androgenic Activity: 30%

Dosage: 300-600mg per week

Description: stanozolol is a man-made steroid, similar to the a naturally occurring steroid testosterone. stanozolol is used in the treatment of hereditary angioedema, which causes episodes of swelling of the face, extremities, genitals, bowel wall, and throat. stanozolol may decrease the frequency and severity of these attacks.



10ml Multi Dose Vial

NDC 0591-3156-99

Hexabol[®]

Trenbolone Hexahydrobenzylcarbonate 76.5

Rx Only (III

For I.M. use only Formula: C₂₆H₃₄O₄

Molecular Mass : 410.55 g/mol

Active Half-Life: 6-7 Days

Anabolic Activity: 500%

Androgenic Activity: 500%

Dosage: 100-300mg per week

Description: Trenbolone hexahydrobenzylcarbonate is a synthetic, injected anabolic–androgenic steroid (AAS) of the nandrolone group and an androgen ester–specifically, the C17 β hexahydrobenzylcarbonate

(cyclohexylmethylcarbonate) ester of trenbolone – which was marketed in France for medical use in humans but has since been discontinued.







NDC 0591-3352-46

Stanaject

Stanozolol

For I.M. use only Rx Only

Formula : C₂₁H₃₂N₂O Molecular Mass : 328.49 g/mol

elecular Mass : 328.49 g/mol Active Half-Life : 7-8 Days

Anabolic Activity: 320% Androgenic Activity: 30%

Dosage: 300-600mg per week

Description: stanozolol is a man-made steroid, similar to the a naturally occurring steroid testosterone. stanozolol is used in the treatment of hereditary angioedema, which causes episodes of swelling of the face, extremities, genitals, bowel wall, and throat. stanozolol may decrease the frequency and severity of these attacks.



10ml Multi Dose Vial

NDC 0591-3156-99

Hexabol[®]

Trenbolone Hexahydrobenzylcarbonate 76.5

Rx Only (III

For I.M. use only Formula: C₂₆H₃₄O₄

Molecular Mass : 410.55 g/mol

Active Half-Life: 6-7 Days

Anabolic Activity: 500%

Androgenic Activity: 500%

Dosage: 100-300mg per week

Description: Trenbolone hexahydrobenzylcarbonate is a synthetic, injected anabolic–androgenic steroid (AAS) of the nandrolone group and an androgen ester–specifically, the C17 β hexahydrobenzylcarbonate

(cyclohexylmethylcarbonate) ester of trenbolone – which was marketed in France for medical use in humans but has since been discontinued.



