

PRODUTETS CATLOG




















Gill Global was established with a mission to provide our valued clients with impeccable service in the field of advance and update, finest quality hand crafted Electro Surgical Instruments, Single-Use Surgical Instruments. Align with our team of professionals; we always strive for a Full satisfaction of a customer which is necessary for long terms business relations. We are also continuously developing new products, upgrading our instruments in all possible ways through technological enhancements and investigating under improved methods.

We are a company that sets high standards. Our growth has come from offering an unparalleled variety of innovative, high-quality products and services resulting from the dedication of our employees.

Full satisfaction of a customer is necessary for long terms business relations. We are committed to establish a life long partnership with all of our customers. Our commitment to quality, based on our continuous monitoring at every stage of the manufacturing process has placed us at par with international standards, while maintaining very competitive prices.























MACINTOSH

Integrated flexible Laryngoscope (Fiber Optic) Cold light Guide.

MACINTOSH	Fig	Working Length
SB - 1001-01	1	72 mm
SB - 1001-02	2	88 mm
SB - 1001-03	3	112 mm
SB - 1001-04	4	134 mm

FEATURES

303/304 Surgical Stainless Steel Smooth edges. Rounded tip and high quality surface finish large fiber blades offers more light no black mark fully autoclavable and easy to clean stain finish.


MACINTOSH

Flexible interchangeable blade (fiber optic) cold light guide.

MACINTOSH	Fig	Working Length
SB - 1003-02	2	80 mm
SB - 1003-03	3	92 mm
SB - 1003-04	4	116 mm
SB - 1003-05	5	135 mm

FEATURES:

303/304 Surgical stainless steel Smooth edges. Rounded tip and high quality surface finish removable light guides design allow easier cleaning and extends blade life provides with 4mm fiber optic bundles for light pass gives true tissue color.







MACINTOSH

Flexible fix tube fiber optic cold light guide.

MACINTOSH	Fig	Working Length
SB - 1005-01	1	70 mm
SB - 1005-02	2	88 mm
SB - 1005-03	3	112 mm
SB - 1005-04	4	134 mm

FEATURES

303/304 Surgical Stainless Steel Smooth Edges. Rounded tip and high quality surface finish provides with 3mm Fiber Optic Offers no black marks fully autoclavable and easier to clean stain finish.






MACINTOSH

Flexible fix tube fiber optic cold light guide.

MACINTOSH	Fig	Working Length
SB - 1007-02	2	92 mm
SB - 1007-03	3	113 mm
SB - 1007-04	4	135 mm
SB - 1007-05	5	155 mm

FEATURES

303/304 Surgical Stainless Steel Smooth Edges. Rounded tip and high quality surface finish. Three spring ball bearings gives secure fit and firm support supplied with LED or halogen bulb satin finish.





LED/ Halogen Bulb





Integrated Laryngoscope (Fiber Optic)

Cold Light Guide

MACINTOSH	Fig	Working Length
SB - 1009-01	1	72 mm
SB - 1009-02	2	90 mm
SB - 1009-03	3	112 mm
SB - 1009-04	4	135 mm



FEATURES

303/304 Surgical Stainless Steel Smooth Edges. Rounded tip and high quality surface finish large Fiber bundles offers more light no black marks fully Autocleavable and easier to clean satin finish.







FEATURES


303/304 Surgical Stainless Steel Smooth Edges. high quality surface finish provides with 3mm Fiber Optic offers no Black Maks fully Autoclavable and easier to clean satin finish.



MILLER	Fig	Working Length
SB - 1011-00	00	45 mm
SB - 1011-0	0	55 mm
SB - 1011-01	1	80 mm
SB - 1011-02	2	130 mm
SB - 1011-03	3	170 mm
SB - 1011-04	4	180 mm







LED/ Halogen Bulb









Cold Light Guide

MACINTOSH	Fig	Working Length
SB - 1013-01	1	80 mm
SB - 1013-02	2	92 mm
SB - 1013-03	3	116 mm
SB - 1013-04	4	135 mm




FEATURES

303/304 Surgical Stainless Steel
Smooth Edges. Rounded tip and high quality
surface finish. Removable Light guides design allow
easier cleaning and extends blade life
provides with 4mm Fiber Optic bundles
for light pass gives true tissue color satin finish.



LED/ Halogen Bulb













Macintosh Fix Tube (Fiber Optic)

Cold Light Guide

MACINTOSH	Fig	Working Length
SB - 1017-01	1	70 mm
SB - 1017-02	2	88 mm
SB - 1017-03	3	112 mm
SB - 1017-04	4	134 mm



303/304 Surgical Stainless Steel Smooth Edges. Rounded tip and High quality surface finish. Provides with 3mm Fiber Optic Bundles for light pass gives true tissue color fully autoclavable and easier to clean satin finish.



LED/ Halogen Bulb






Miller Fix Tube (Fiber Optic)

Cold Light Guide

MILLER	Fig	Working Length
SB - 1019-00	00	45 mm
SB - 1019-0	0	57 mm
SB - 1019-01	1	80 mm
SB - 1019-02	2	130 mm
SB - 1019-03	3	170 mm
SB - 1019-04	4	180 mm



303/304 Surgical Stainless Steel Smooth Edges. High quality surface finish. **Provides with 3mm Fiber Optic Bundles** for light pass gives true tissue color fully autoclavable and easier to clean satin finish.









FEATURES

303/304 Surgical Stainless Steel
Smooth Edges. Rounded tip and high quality
surface finish. Three Spring ball bearing gives secure
fit and firm support supplied with LED or Halogen Bulb
Satin finish.

Macintosh Conventional

MACINTOSH	Fig	Working Length
SB- 1021-00	00	60 mm
SB- 1021-0	0	68 mm
SB- 1021-01	1	92 mm
SB- 1021-02	2	113 mm
SB- 1021-03	3	135 mm
SB+ 1021-04	4	155 mm

LED/ Halogen Bulb






MILLER	Fig	Working Length
SB-1023-00	00	60 mm
sp-1023-0	0	70 mm
SB - 1023-01	1	92 mm
SB - 1023-02	2	113 mm
SB - 1023-03	3	135 mm
SB - 1023-04	4	155 mm

LED/ Halogen Bulb

FEATURES

303/304 Surgical Stainless Steel Smooth Edges. High quality surface finish. Three spring ball bearing gives secure fit and firm support supplied with LED or Halogen Bulb Satin finish.









Macintosh Conventional Eco

MACINTOSH	Fig	Working Length
SB - 1025-01	1	80 mm
SB - 1025-02	2	92 mm
SB - 1025-03	3	116 mm
SB - 1025-04	4	135 mm

FEATURES

303/304 Surgical Stainless Steel Smooth Edges. Rounded tip and High quality surface finish. Three spring ball bearings gives secure fit and firm support supplied with LED 2.5v 5000 Lux satin finish






MILLER	Fig	Working Length
SB- 1027-00	00	45 mm
SB- 1027-0	0	57 mm
SB- 1027-01	1	80 mm
SB- 1027-02	2	130 mm
SB- 1027-03	3	170 mm
SB- 1027-04	4	180 mm

FEATURES

303/304 Surgical Stainless Steel
Smooth Edges. High quality surface finish.
Three spring ball bearing gives secure fit and firm support supplied with LED 2.5v 5000 Lux satin finish









Macintosh F/O Fix Tube (GS 100)

Cold Light Guide

MACINTOSH	Fig	Working Length
SB - 1029-01	1	80 mm
SB - 1029-02	2	92 mm
SB - 1029-03	3	116 mm
SB - 1029-04	4	135 mm
	SB - 1029-01 SB - 1029-02 SB - 1029-03	SB - 1029-02 2 SB - 1029-03 3

FEATURES

303/304 Surgical Stainless Steel Smooth Edges. Rounded tip and high quality surface finish. Provides with 3mm Fiber Optic offer no black marks fully autoclavable and easier to clean finish



Single USE Laryngoscope

Macintosh


Flexible conventional blade

MACINTOSH	Fig	Working Length
SB - 1031-01	1	76 mm
SB - 1031-02	2	88 mm
SB - 1031-03	3	112 mm
SB - 1031-04	4	130 mm

FEATURES

Premium quality Surgical Stainless Steel
Spatula provides with unbreakable
plastic base Unique heal design prevents
Blade from touching the handle clearly
Marked and packed single patient use
smooth edges, rounded tip and high quality
surface finish low cost then reusable one.











MACINTOSH

Flexible Blade Fiber Optic

MACINTOSH	Fig	Working Length
SB - 1033-01	1	76 mm
SB - 1033-02	2	88 mm
SB - 1033-03	3	112 mm
SB - 1033-04	4	130 mm

FEATURES


Premium quality surgical stainless steel
Spatula provides with unbreakable
plastic base unique heal design prevents
blade form touching the handle clearly
marked and packed single patient use
Fiber Optic tube black jacket end lit fiber
smooth edges, rounded tip and high quality
surface finish low cost reusable one.

Flexible Conventional Blade

MACINTOSH	Fig	Working Length
SB - 1035-01	1	76 mm
SB - 1035-02	2	88 mm
SB - 1035-03	3	112 mm
SB - 1035-04	4	130 mm

FEATURES

Premium quality surgical stainless steel spatula provides with unbreakable plastic base unique heal design prevents blade from touching the handle clearly marked and packed single patient use smooth edges, rounded tip and high quality surface finish low cost reusable one











Macintosh F/O Fix Single Use

MACINTOSH	Fig	Working Length
SB - 1037-01	1	82 mm
SB - 1037-02	2	92 mm
SB - 1037-03	3	116 mm
SB - 1037-04	4	135 mm

Features

Tip to heal 303/304 Surgical Stainless steel Smooth edges, Rounded tip and high quality surface finish.

Three spring ball bearings gives secure fit and firm support Fiber Optic tube back jacket and Lit fiber, satin finish.



LED/Halogen Bulb



Macintosh Eco Single Use

MACINTOSH	Fig	Working Length
SB - 1039-01	1	82 mm
SB - 1039-02	2	92 mm
SB - 1039-03	3	116 mm
SB - 1039-04	4	135 mm

Features

Tip to heal 303/304 Surgical stainless steel smooth edges, rounded tip and high quality surface finish.

Three spring ball bearings gives secure fit and firm support plastic sleeve 2.5v LED 5000 Lux Brighness satin finish.







Macintosh Single Use (Fiber Optic)

MACINTOSH	Fig	Working Length
SB - 1041-01	1	79 mm
SB - 1041-02	2	88 mm
SB - 1041-03	3	112 mm
SB - 1041-04	4	130 mm

FEATURES

Tip to Spatula 303/304 Surgical Stainless Steel Heel silver smooth edges, Rounded tip and High quality surface finish.

Three spring ball bearings gives secure fit and firm support fiber optic tube black jacket and LIT Fiber, satin finish








MACINTOSH	Fig	Working Length
SB - 1043-01	1	76 mm
SB - 1043-02	2	88 mm
SB - 1043-03	3	112 mm
SB - 1043-04	4	130 mm

Features

Tip to Spatula 303/304 Surgical Stainless Steel Heel silver smooth edges, Rounded tip and High quality surface finish.

Three spring ball bearings gives secure fit and firm support fiber optic Acrylic Rod satin finish











MACINTOSH	Fig	Working Length
SB - 1045-01	1	76 mm
SB - 1045-02	2	88 mm
SB - 1045-03	3	112 mm
SB - 1045-04	4	130 mm

Features

Tip to Spatula 303/304 Surgical Stainless steel heel plastic (ABS) smooth edges, rounded tip and high quality surface finish.


Two spring ball bearings gives secure fit and firm support fiber Optic tube black jacket and LIT Fiber, satin finish






Miller Single Use (Fiber Optic)

MILLER	Fig	Working Length
SB - 1047-00	00	45 mm
SB - 1047-0	0	55 mm
SB - 1047-01	1	80 mm
SB - 1047-02	2	130 mm
SB - 1047-03	3	170 mm
SB - 1047-04	4	180 mm



Features

Spatula 303/304 Surgical Stainless steel Heel plastic (ABS) smooth edges, High quality surface finish Two spring ball bearings gives secure fit and firm support fiber optic tube black jacket end Lit fiber, satin finish











Macintosh Single Use (Fiber Optic)

MACINTOSH	Fig	Working Length
SB - 1049-01	1	76 mm
SB - 1049-02	2	88 mm
SB - 1049-03	3	112 mm
SB - 1049-04	4	130 mm

FEATURES

Tip to Spatula 303/304 Surgical Stainless Steel Heel plastic (ABS) smooth edges, rounded tip and high quality surface finish.

Two Spring ball bearings gives secure fit and firm support fiber acrylic rod satin finish








MACINTOSH	Fig	Working Length
SB - 1051-01	1	83 mm
SB - 1051-02	2	95 mm
SB - 1051-03	3	120 mm
SB - 1051-04	4	138 mm

Features

Tip to Spatula 303/304 Surgical Stainless Steel Unique Heel design smooth edges, rounded tip and high quality surface finish.


Two spring ball bearings gives secure fit and firm support 2.5 single and double LED Design satin finish













MILLER	Fig	Working Length
SB - 1053-00	00	45 mm
SB - 1053-0	0	55 mm
SB - 1053-01	1	82 mm
SB - 1053-02	2	130 mm
SB - 1053-03	3	135 mm
SB - 1053-04	4	185 mm

Features

Tip to Spatula 303/304 Surgical Stainless Steel Unique heel design smooth edges, High Quality surface finish Two spring ball bearings gives secure fit and firm support 2.5 single and double LED Design satin finish






Macintosh Conventional Single Use

MACINTOSH	Fig	Working Length
SB - 1055-01	1	80 mm
SB - 1055-02	2	92 mm
SB - 1055-03	3	116 mm
SB - 1055-04	4	133 mm

Tip to Spatula 303/304 Surgical Stainless Steel Unique Heel Design Smooth Edges, Rounded tip and **High Quality Surface Finish** Two Spring ball hearings gives secure fit and

firm support 2.5 Single LED Design 5000 Lux Brightness **Satin Finish**









Conventional Standard



Fiber Standard



Single Use Handles



Hard Box & Soft Pouches



SB - 1059-01




SB - 1059-02



SB - 1059-03





















SB - 1063-02







FEATURES

Equipped with an easy to use Bayonet Connecting system with high quality Professional metal head and chrome plated knurled battery handle making the surface a secure grip in the hand with extra bright light of 2.5v LED bulb illumination provided through Fiber Optic system. Three times high quality magnifying lens. Requires: 20xC Batteries (Not included with set) Packing: In Black soft zipper pouch with 10 specula having Dia 2.5, & 4.0mm





FEATURES

Equipped with an easy to use Bayonet Connecting system with high quality Professional metal head and chrome plated knurled battery handle making the surface a secure grip in the hand with extra bright light of 2.5v LED bulb illumination provided through Fiber Optic system. Three times high quality magnifying lens. Requires: 20xC Batteries (Not included with set) Packing: In Black soft zipper pouch with 10 specula having Dia 2.5, & 4.0mm

Fiber Optic Metal Otoscope SB-1066-01



FEATURES

Standard Metal Otoscope with bayonet connecting head fitting ideal for pneumatic tympanic membrane test and very day ENT use. 2.5v LED white light. Available in satin and polish finish. Requires: 2xC Batteries (Not Included with set)

Packing: in black soft zipper pouch with 10 specula Having Dia 2.5mm & 4.0mm

Conventional **Metal Otoscope** SB-1067-01






FEATURES

High Quality Professional Parker Otoscope with extra bright light 2.5v LED Illumination Three times high quality magnifying lens. Available in satin and polish finish.

Requires: 2xC Batteries (Not included with set) Packing: in black soft zipper pouch with 10 specula having Dia 2.5mm & 4.0mm

Conventional Parker Metal Otoscope









FEATURES

High Quality Professional Parker Otoscope with screw fitting illumination light.

20.5v LED Metal Handle & Plastic head CPP. Rheostat dimmer

Requires: 2xC Batteries (Not included with set)
Packing: In black soft zipper pouches with 10

Specula having Dia 2.5mm & 4.0mm

Conventional Parker Metal Otoscope SB-1070-01



FEATURES

2.5v Standard illumination LED Bulb.
Chrome Plated Handle and 4x Magnifying
Glasses. Reusable Speculum Size 0, 2.5, 3.5
and 4mm include. Connecting for pneumatic
otoscope battery handle with rheostat for
adjustment of illumination.

Supply: German bulb technology for super

view with 3 reusable ear specula.

Requires: 2xC Batteries (Not included with set)

Packing: In black soft zipper pouches

Available in satin and polish finish.

Conventional Metal Otoscope SB-1071-01





FEATURES

Open System with rotatable lens and optional speculum for convenient procedures 2.5v Otoscope.

Requires: 2xC Batteries (Not included with set)
Packing: In black soft zipper pouches with 3 VET
reusable specula having Dia 4.0, 5.0, 7.0mm






FEATURES

Having special focal distance with two fold magnification. Bayonet closure. 2.5v Otoscope. Requires: 2xC Batteries (Not included with set) Packing: In black soft zipper pouches with 3 VET reusable specula having Dia 4.0, 5.0, 7.0mm

Conventional Veterinary Metal Otoscope SB-1072-01

Conventional Veterinary Metal Otoscope SB-1073-01







Fiber Optic Pocket Style SB-1075-01



FEATURES

High Quality Pocket Sized mini Fiber Optic Otoscope with extra bright light 2.5v with 3x 4mm bundle with enhanced LED technology. Requires: 2x AA Batteries (Not included with set) Packing: In Gray or black pouch with 10 disposable specula Dia2.5mm & 40.0mm

Available Colors:







Conventional Pocket Style SB-1077-01



FEATURES

High Quality Pocket Sized mini Fiber Optic Otoscope with extra bright light 2.5v with 3x Magnification lens. Distal fiver optic illumination 4mm bundle with enhanced LED technology. Requires: 2x AA Batteries (Not included with set) Packing: In Gray or black pouch with 10 disposable













FEATURES

Top Quality Ophthalmoscope with fixation star aperture in pocket format. Quality optic in mini-formet, Ideal for rounds and house calls. Attachment clip with integrated on/off switch. Secure, switches off automatically when returned to the pocket. High quality handle. white upper section/refined plastic shockproof, sturdy, non-slip. Enhanced LED Light Technology concentrated white light for perfect illumination and a brilliant image. 4 different apertures, A full-functin instrument incl, Fixation star, Range of lense, 20D to +20D, 2-piece handle and head, Easy to maintain, flexible

Replaceable Batteries Size AA Supply: Bristle and Hard Plastic case Packing



Ophthalmoscope SB-1080-01

The Ophthalmoscope is a tool used in medicine to examine the interior of the eye, studying the inner parts of the eye, such as the optic disk, retinal blood cessels, retinal, choroid and macula, can help diagnose diseases of the eyes.

Ophthalmoscope SB-1081-01



SB-1082-01 **FEATURES**

GM Ophthalmoscope set pin contacting fitting ophthalmoscope head pin contact fitting lens selection wheel permits choice of corrective lenses from 0 to-25 and 0 to +40 diameters single large circle aperture, rheostat for adjustment of illumination 2 battery handle choice

Require: 2xC Size batteries (Not Included with sets) Supply: Hard Case



Parker mini ophthalmoscope 2.5v LED Bulb light for true tissue color and consistent long lasting illumination 24 color coded lenses -25 to +40 for excellent resolution (Red for - Green for +) Rubber eye brow rest to prevent scratching for eye-glassess illumination lens dial for clear identification for adopter settings.

Require: 2 x AA Size batteries (Not Included with

Supply: Soft pouch or plastic hard case.


www.gilllsurgical.com info@gillsurgical.com



SB-1084-01

Parker mini ophthalmoscope 2.5v LED Bulb light for true tissue color and consistent long lasting illumination 24 color coded lenses -25 to +40 for excellent resolution (Red for - Green for +) Rubber eye brow rest to prevent scratching for eye-glassess illumination lens dial for clear identification for adopter settings.

Require: 2 x C Size batteries (Not Included with sets) Supply: Soft pouch or plastic hard case.


















f-1 Tower Building opposite Family Hospital Lahore, Pakistan Manufacturing: Daska Road 10 kilometer Sialkot, Pakistan









