

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/1/2016 Revision date: 5/9/2024 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : SUSPENSION 5 NT +

Product code : 7972

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Millers Oils Ltd Hillside Oilworks Rastrick Common HD6 3DP Brighouse, West Yorkshire United Kingdom

T +44 (0)1484 713201, F +44 (0)1484 721263

h.s@millersoils.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0)1484 713201

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhal.), Category 4 H332

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if inhaled.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H332 - Harmful if inhaled.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dec-1-ene, dimers, hydrogenated	CAS-No.: 68649-11-6 EC-No.: 500-228-5 REACH-no: 01-2119493069- 28	≥ 50	Acute Tox. 4 (Inhalation:gas), H332 Asp. Tox. 1, H304
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE; GAS OIL - UNSPECIFIED	CAS-No.: 64742-46-7 EC-No.: 265-148-2 REACH-no: 01-2119826592- 36	≥ 1 – < 10	Asp. Tox. 1, H304
Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate	EC-No.: 947-946-9 REACH-no: 01-2120772600- 59	≥ 1 – < 10	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 4, H413
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, RS, CH); substance with a Community workplace exposure limit	CAS-No.: 80-62-6 EC-No.: 201-297-1 EC Index-No.: 607-035-00-6 REACH-no: 01-2119452498- 28	< 1	Flam. Liq. 2, H225 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317
Amines, C10-C14-tert-alkyl	CAS-No.: 68955-53-3 EC-No.: 701-175-2 REACH-no: 01-2119456798- 18	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC substance with national workplace exposure limit(s) (AT, BE, CZ, DE, EE, ES, FI, FR, GB, GR, HR, IE, IT, LV, NL, PL, PT, SI, CH); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 REACH-no: 01-2119484627- 25	< 1	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse.

5/9/2024 (Revision date) EN (English) 2/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

First-aid measures after ingestion : Get medical advice/attention if you feel unwell. Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid breathing vapours. See section 8 of the SDS for more

information on personal protective equipment.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local

legislation. Absorb spilled material with sand or earth.

Other information : Dispose of materials or solid residues at an authorized site.

5/9/2024 (Revision date) EN (English) 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Not expected to present a significant hazard under anticipated conditions of normal use.

Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid

breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Methyl methacrylate	
IOEL TWA	50 ppm	
IOEL STEL	100 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU	
United Kingdom - Occupational Exposure Limits		
Local name	Methyl methacrylate	
WEL TWA (OEL TWA)	208 mg/m³	
	50 ppm	
WEL STEL (OEL STEL)	416 mg/m³	
	100 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

0.1.4. DNEL aliu PNEC			
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE; GAS OIL - UNSPECIFIED (64742-46-7)			
DNEL/DMEL (Workers)			
Acute - systemic effects, inhalation	5002.67 mg/m³		
Long-term - systemic effects, dermal	2.91 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	16.4 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	1.25 mg/kg bodyweight/day		
PNEC (Oral)			
PNEC oral (secondary poisoning)	17 g/kg food		
methyl methacrylate; methyl 2-methylprop-2-6	enoate; methyl 2-methylpropenoate (80-62-6)		
DNEL/DMEL (Workers)			
Acute - local effects, dermal	1.5 mg/cm ²		
Acute - local effects, inhalation	416 mg/m³		
Long-term - systemic effects, dermal	13.67 mg/kg bodyweight/day		
Long-term - local effects, dermal	1.5 mg/cm ²		
Long-term - systemic effects, inhalation	348.4 mg/m³		
Long-term - local effects, inhalation	208 mg/m³		
DNEL/DMEL (General population)			
Acute - local effects, dermal	1.5 mg/cm²		
Acute - local effects, inhalation	208 mg/m³		
Long-term - systemic effects,oral	8.2 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	74.3 mg/m³		
Long-term - systemic effects, dermal	8.2 mg/kg bodyweight/day		
Long-term - local effects, dermal	1.5 mg/cm ²		
Long-term - local effects, inhalation	104 mg/m³		
PNEC (Water)			
PNEC aqua (freshwater)	0.94 mg/l		
PNEC aqua (marine water)	0.094 mg/l		
PNEC aqua (intermittent, freshwater)	0.94 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	10.2 mg/kg dwt		
PNEC sediment (marine water)	0.102 mg/kg dwt		
PNEC (Soil)	PNEC (Soil)		
PNEC soil	1.48 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	10 mg/l		
-			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Molybdenum trioxide, reaction products with bis(O,O-bis(2-ethylhexyli) hydrogen dithiophosphate DNELIDMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation A 93 mg/m² DNELDMEL (General population) Long-term - systemic effects, ornal Long-term - systemic effects, ornal Long-term - systemic effects, tontalistion Long-term - systemic effects, tontalistion Long-term - systemic effects, dermal DNELDMEL (Workers) Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation 12.5 mg/m² DNELDMEL (Workers) Long-term - systemic effects, inhalation DNELDMEL (General population) Long-term - systemic effects, inhalation DNEC (Water) PNEC (Water) PNEC (Sealue (freshwater) DNEC (Sealue (freshwater) DNEC (Sediment) PNEC seque (freshwater) DNEC (Sediment) PNEC sediment (freshwater) DA24 mg/kg dwt PNEC sediment (freshwater) DNEC (Sediment) PNEC sevenge treatment plant D (A28 mg/kg dwt PNEC (Sediment) DNEL CMEL (Workers) Long-term - systemic effects, inhalation DNELDMEL (General population) DNEC (General pop	Mark below we for evidence of the money decidence with	his 10.0 his /2 sthulb smill hudge gan dithis absorbets	
Long-term - systemic effects, inhalation 4.93 mg/m² DNELDMEL (General population) Long-term - systemic effects, inhalation 0.87 mg/m² Long-term - systemic effects, inhalation 0.87 mg/m² Long-term - systemic effects, inhalation 0.87 mg/m² Long-term - systemic effects, dermal 0.5 mg/kg bodyweight/day Aminas, C10-C14-tort-alkyl (68955-53-3) DNELDMEL (Workers) Long-term - systemic effects, inhalation 12.5 mg/m² Long-term - systemic effects, inhalation 12.1 mg/m² DNELDMEL (General population) Long-term - systemic effects, inhalation 2.5 mg/m² Long-term - systemic effects, inhalation 12.1 mg/m² DNELDMEL (General population) Long-term - systemic effects, inhalation 2.5 mg/m² Long-term - systemic effects, inhalation 1.2 mg/m² PNEC Mayou (feet systemic effects, inhalation 1.2 mg/m² PNEC aqua (freshwater) PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC sediment (freshwater) 0.214 mg/kg dw/l PNEC sediment (freshwater) 0.214 mg/kg dw/l PNEC sediment (marine water) 0.428 mg/kg dw/l PNEC sediment (marine water) 0.428 mg/kg dw/l PNEC (Gail) PNEC (Gral) PNEC (Gral) PNEC (SerP) PNEC servage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7)		bis[O,O-bis(2-ethylnexyl)] nydrogen dithiophosphate	
Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, cral Long-term - systemic effects, dermal O.5 mg/kg bodyweight/day Long-term - systemic effects, dermal O.5 mg/kg bodyweight/day Amines, C10-C14-tert-alkyl (68955-53-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 12.5 mg/m² Long-term - systemic effects, inhalation 12.1 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation 1.2 mg/m² PNEC (Water) PNEC (Water) PNEC (qual (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (marine water) PNEC soil 0.428 mg/kg dwt PNEC (Oral) PNEC (SETP) PNEC (SETP) PNEC (SETP) PNEC (Serro - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	` '		
DNEL/DMEL (General population) Long-term - systemic effects, inhalation 0.87 mg/m² Long-term - systemic effects, inhalation 0.87 mg/m² Long-term - systemic effects, dermal 0.5 mg/kg bodyweight/day Amines, C10-C14-tert-alkyl (68955-53-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 12.5 mg/m² Long-term - systemic effects, inhalation 12.1 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, oral 0.35 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.2 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation 1.2 mg/m² PNEL/DMEL (General population) Long-term - systemic effects, inhalation 1.2 mg/m² PNEC (Water) PNEC (Water) PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (infershwater) 0.001 mg/l PNEC aqua (infermittent, freshwater) 0.004 mg/l PNEC squa (infermittent, freshwater) 0.014 mg/kg dwt PNEC (Sediment) PNEC sediment (marine water) 0.214 mg/kg dwt PNEC (Soil) PNEC sediment (marine water) 0.428 mg/kg dwt PNEC (Soil) PNEC sediment (marine water) 0.471 mg/kg food PNEC (Soil) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation 5.58 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)			
Long-term - systemic effects, inhalation 0.87 mg/mg bodyweight/day Long-term - systemic effects, inhalation 0.87 mg/mg Long-term - systemic effects, demal 0.5 mg/kg bodyweight/day Amines, C10-C14-tert-alkyl (68955-53-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 12.5 mg/mg Long-term - systemic effects, inhalation 12.1 mg/mg DNEL/DMEL (General population) Long-term - systemic effects, inhalation 2.5 mg/mg Long-term - systemic effects, inhalation 1.2 mg/mg PNEL/DMEL (General population) Long-term - systemic effects, inhalation 2.5 mg/mg Long-term - systemic effects, inhalation 1.2 mg/mg PNEC (Mater) PNEC (aqua (freshwater) 0.001 mg/l PNEC aqua (marine water) 0.0001 mg/l PNEC aqua (marine water) 0.004 mg/l PNEC (Sediment) PNEC (Sediment) PNEC (Sediment) 2.14 mg/kg dwt PNEC (Sediment (marine water) 0.214 mg/kg dwt PNEC (Soil) PNEC (Soil		4.93 mg/m³	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal 0.5 mg/kg bodyweight/day Amines, C10-C14-tert-alkyl (68955-53-3) DNELDMEL (Workers) Long-term - systemic effects, inhalation 12.5 mg/m² Long-term - local effects, inhalation 12.1 mg/m² DNELDMEL (General population) Long-term - systemic effects oral Long-term - systemic effects, inhalation 2.5 mg/m² Long-term - systemic effects, inhalation 1.2 mg/m² PNEC (Water) PNEC quia (freshwater) PNEC quia (freshwater) PNEC quia (freshwater) PNEC quia (marnine water) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 5.58 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)			
Long-term - systemic effects, dermal Amines, C10-C14-tert-alkyl (68955-53-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, inhalation Long-term - local effects, inhalation DNEC (Water) PNEC quay (freshwater) PNEC quay (freshwater) PNEC aqua (intermittent, freshwater) D.0001 mg/l PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) DNEL sediment (marine water) DNEC sediment (marine water) DNEC soil DNEC (Soil) PNEC coral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC swage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNELDMEL (Workers) Long-term - systemic effects, inhalation DNELDMEL (General population) Long-term - systemic effects, inhalation DNELDMEL (General population) Long-term - systemic effects, oral DNELDMEL (General population) Long-term - systemic effects, oral	Long-term - systemic effects,oral	0.5 mg/kg bodyweight/day	
Amines, C10-C14-tert-alkyl (68955-53-3) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 12.5 mg/m² Long-term - local effects, inhalation 12.1 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation 1.2 mg/m² Long-term - systemic effects, inhalation 1.2 mg/m² PNEC (Water) PNEC (water) PNEC aqua (freshwater) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (sodiment) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC (soli) PNEC (oral) PNEC (oral) PNEC (oral) PNEC (oral) PNEC (STP) PNEC (STP) PNEC sewage treatment plant 0.635 mg/l 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m² DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - systemic effects, inhalation	0.87 mg/m³	
DNELDMEL (Workers) Long-term - systemic effects, inhalation 12.5 mg/m² Long-term - local effects, inhalation 12.1 mg/m² DNELDMEL (General population) Long-term - systemic effects, oral 0.35 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.5 mg/m² Long-term - local effects, inhalation 1.2 mg/m² PNEC (Water) PNEC (Water) PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (marine water) 0.0001 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC sediment (freshwater) 2.14 mg/kg dwt PNEC sediment (freshwater) 0.214 mg/kg dwt PNEC soil 0.428 mg/kg dwt PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC swage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNELDMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 5.58 mg/m³ DNELDMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - systemic effects, dermal	0.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation 12.5 mg/m³ Long-term - local effects, inhalation 12.1 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.35 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.5 mg/m³ Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Water) PNEC (Water) PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (marine water) 0.004 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC sediment (freshwater) 2.14 mg/kg dwt PNEC sediment (freshwater) 0.214 mg/kg dwt PNEC soil 0.428 mg/kg dwt PNEC (Oral) PNEC (Oral) DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 5.58 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Amines, C10-C14-tert-alkyl (68955-53-3)		
Long-term - local effects, inhalation 12.1 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.35 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.5 mg/m³ Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Water) PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (marine water) 0.0001 mg/l PNEC aqua (intermittent, freshwater) 0.0004 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC sediment (freshwater) 2.14 mg/kg dwt PNEC sediment (freshwater) 0.214 mg/kg dwt PNEC sediment (marine water) 0.428 mg/kg dwt PNEC (Soil) PNEC (Oral) PNEC (oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	DNEL/DMEL (Workers)		
DNELDMEL (General population) Long-term - systemic effects, inhalation	Long-term - systemic effects, inhalation	12.5 mg/m³	
Long-term - systemic effects, inhalation 2.5 mg/kg bodyweight/day Long-term - local effects, inhalation 1.2 mg/m² PNEC (Water) PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (marine water) 0.0001 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC sediment) PNEC sediment (freshwater) 2.14 mg/kg dwt PNEC sediment (freshwater) 0.214 mg/kg dwt PNEC sediment (marine water) 0.214 mg/kg dwt PNEC soil 0.428 mg/kg dwt PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - local effects, inhalation	12.1 mg/m³	
Long-term - systemic effects, inhalation Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC soil PNEC soil PNEC soil PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	DNEL/DMEL (General population)		
Long-term - local effects, inhalation 1.2 mg/m³ PNEC (Water) PNEC aqua (freshwater) 0.001 mg/l PNEC aqua (marine water) 0.0001 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC sediment) PNEC sediment (freshwater) 2.14 mg/kg dwt PNEC sediment (marine water) 0.214 mg/kg dwt PNEC sediment (marine water) 0.214 mg/kg dwt PNEC sediment (marine water) 0.428 mg/kg dwt PNEC soil 0.428 mg/kg dwt PNEC (Oral) PNEC Oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - systemic effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - systemic effects,oral	0.35 mg/kg bodyweight/day	
PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (sediment) PNEC (sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC (soil) PNEC (soil) PNEC (oral) PNEC (oral) PNEC (oral) PNEC (str) PNEC sewage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral	Long-term - systemic effects, inhalation	2.5 mg/m³	
PNEC aqua (freshwater) PNEC aqua (marine water) 0.0001 mg/l PNEC aqua (intermittent, freshwater) 0.004 mg/l PNEC (Sediment) PNEC (Sediment (freshwater) PNEC sediment (marine water) 0.214 mg/kg dwt PNEC (Soil) PNEC soil 0.428 mg/kg dwt PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - local effects, inhalation 2.73 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - local effects, inhalation	1.2 mg/m³	
PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC (Soil) PNEC soil PNEC soil PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC (Water)		
PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC (Soil) PNEC soil PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC aqua (freshwater)	0.001 mg/l	
PNEC (sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC (soil) PNEC (soil) PNEC (soil) PNEC (oral) PNEC oral (secondary poisoning) PNEC (str) PNEC sewage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC aqua (marine water)	0.0001 mg/l	
PNEC sediment (freshwater) PNEC sediment (marine water) 0.214 mg/kg dwt PNEC (Soil) PNEC soil 0.428 mg/kg dwt PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC aqua (intermittent, freshwater)	0.004 mg/l	
PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral DNEL/DMEL (Coral)	PNEC (Sediment)		
PNEC (Soil) PNEC soil 0.428 mg/kg dwt PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC sediment (freshwater)	2.14 mg/kg dwt	
PNEC (oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral DNEL/DMEL (General population)	PNEC sediment (marine water)	0.214 mg/kg dwt	
PNEC (Oral) PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC (Soil)		
PNEC oral (secondary poisoning) 4.71 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.635 mg/l DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC soil	0.428 mg/kg dwt	
PNEC (STP) PNEC sewage treatment plant DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC (Oral)		
DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC oral (secondary poisoning)	4.71 mg/kg food	
DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC (STP)		
DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	PNEC sewage treatment plant	0.635 mg/l	
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7)		
Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	DNEL/DMEL (Workers)		
Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - systemic effects, dermal	0.97 mg/kg bodyweight/day	
DNEL/DMEL (General population) Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - systemic effects, inhalation	2.73 mg/m³	
Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day PNEC (Oral)	Long-term - local effects, inhalation	5.58 mg/m³	
PNEC (Oral)	DNEL/DMEL (General population)		
	Long-term - systemic effects,oral	0.74 mg/kg bodyweight/day	
PNEC oral (secondary poisoning) 9.33 mg/kg food	PNEC (Oral)		
	PNEC oral (secondary poisoning)	9.33 mg/kg food	

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Not available Odour : Characteristic odour.

Odour threshold : Not available Melting point : Not available : Not available Freezing point : Not available Boiling point Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available pΗ : Not available

Viscosity, kinematic : Insoluble. Solubility : Not available Partition coefficient n-octanol/water (Log Kow) Vapour pressure : Not available Vapour pressure at 50°C : Not available

: 35.4 mm²/s @40oC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Density : Not available
Relative density : 0.833
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

SUSPENSION 5 NT +		
ATE CLP (gases)	4500 ppmv/4h	
ATE CLP (vapours)	11 mg/l/4h	
ATE CLP (dust,mist)	1.5 mg/l/4h	
Dec-1-ene, dimers, hydrogenated (68649-11-6)		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE; GAS OIL - UNSPECIFIED (64742-46-7)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	,	
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Molybdenum trioxide, reaction products with	bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate	
LD50 oral rat	6.81 ml/kg	
LD50 dermal rabbit	10 ml/kg	
Amines, C10-C14-tert-alkyl (68955-53-3)		
LD50 dermal rat	251 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 190 - 322	
DISTILLATES (PETROLEUM) HYDROTREATI	ED HEAVY PARAFFINIC (64742-54-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	> 5.53 mg/l/4h	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation	Not classified	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
,	Not classified	
· · · · · · · · · · · · · · · · · · ·	ED MIDDLE; GAS OIL - UNSPECIFIED (64742-46-7)	
NOAEL (animal/male, F0/P)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male	
STOT-single exposure :	Not classified	
methyl methacrylate; methyl 2-methylprop-2	-enoate; methyl 2-methylpropenoate (80-62-6)	
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Molybdenum trioxide, reaction products with	bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
DISTILLATES (PETROLEUM) HYDROTREATI	ED HEAVY PARAFFINIC (64742-54-7)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)	
Aspiration hazard :	Not classified	
SUSPENSION 5 NT +		
Viscosity, kinematic	35.4 mm²/s @40oC	
methyl methacrylate; methyl 2-methylprop-2	-enoate; methyl 2-methylpropenoate (80-62-6)	
Viscosity, kinematic	0.561 mm²/s	
Molybdenum trioxide, reaction products with	bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate	
Viscosity, kinematic	6 – 10 @100	
Amines, C10-C14-tert-alkyl (68955-53-3)		
Viscosity, kinematic	≈ 3.44 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

 $\label{thm:local_equation} \mbox{Hazardous to the aquatic environment, short-term}$

: Not classified

(acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
LC50 - Fish [1]	> 79 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	69 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 110 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	68 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	37 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	9.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '35 d'	
Molybdenum trioxide, reaction products with	bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate	
LC50 - Fish [1]	100 mg/l	
EC50 - Crustacea [1]	100 mg/l	
EC50 72h - Algae [1]	100 mg/l	
Amines, C10-C14-tert-alkyl (68955-53-3)		
LC50 - Fish [1]	1.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	0.24 – 6 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0.44 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
NOEC chronic fish	0.078 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '96 d'	

12.2. Persistence and degradability

SUSPENSION 5 NT +	
Persistence and degradability	Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dec-1-ene, dimers, hydrogenated (68649-11-6)		
Persistence and degradability	Not rapidly degradable	
DISTILLATES (PETROLEUM), HYDROTREATE	ED MIDDLE; GAS OIL - UNSPECIFIED (64742-46-7)	
Persistence and degradability	Not rapidly degradable	
methyl methacrylate; methyl 2-methylprop-2-	enoate; methyl 2-methylpropenoate (80-62-6)	
Persistence and degradability	Not rapidly degradable	
Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate		
Persistence and degradability	Not rapidly degradable	
Amines, C10-C14-tert-alkyl (68955-53-3)		
Persistence and degradability	Not rapidly degradable	
DISTILLATES (PETROLEUM) HYDROTREATED HEAVY PARAFFINIC (64742-54-7)		
Persistence and degradability	Not rapidly degradable	
12.3. Bioaccumulative potential		
SUSPENSION 5 NT +		
Bioaccumulative potential	No bioaccumulation data available.	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport				
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and ac	ronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.