

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/1/2018 Revision date: 12/19/2023 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : EPP DIESEL FILTER PRIMER
UFI : FCCQ-E0W6-J00G-KGSK

Product code : 8076

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Fuel additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Millers Oils Ltd Hillside Oilworks Rastrick Common HD6 3DP Brighouse – West Yorkshire United Kingdom T +44 (0)1484 713201 - F +44 (0)1484 721263

h.s@millersoils.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0)1484 713201

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|---------------------------|---------|------------------|------------------|
| United Kingdom | NHS 111/NHS 24/NHS Direct | | 111 0845 4647 | or call a doctor |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1 H304

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word (CLP) : Danger

Contains : HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

Precautionary statements (CLP) : P331 - Do NOT induce vomiting.

P405 - Store locked up.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P102 - Keep out of reach of children.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|------------|--|
| HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS substance with a Community workplace exposure limit | EC-No.: 926-141-6 REACH-no: 01-2119456620- 43 | ≥ 70 | Asp. Tox. 1, H304 |
| 2-ethylhexyl nitrate | CAS-No.: 27247-96-7 EC-No.: 248-363-6 REACH-no: 01-2119539586- 27 | ≥ 1 – < 10 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411 |
| 2-ethylhexan-1-ol substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, RO, SE, SI, SK, IS, NO, RS, CH); substance with a Community workplace exposure limit | CAS-No.: 104-76-7 EC-No.: 203-234-3 REACH-no: 01-2119487289- 20 | < 1 | Acute Tox. 4 (Inhalation:gas), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| Hydrocarbons, C10, aromatics, >1% naphthalene substance with a Community workplace exposure limit | CAS-No.: 64742-94-5 EC-No.: 919-284-0 REACH-no: 01-2119463588- 24 | < 1 | STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| naphthalene substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GR, HR, HU, IE, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, RS, CH); substance with a Community workplace exposure limit | CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2 | < 1 | Carc. 2, H351 Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal use.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Swallowing the liquid may cause aspiration into the lungs with the risk of chemical

pneumonitis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. See section 8 of the SDS for more information on personal

protective equipment.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. For large spills, confine the spill in a dike and

charge it with wet sand or earth for subsequent safe disposal.

Methods for cleaning up : Absorb spilled material with sand or earth. This material and its container must be disposed

of in a safe way, and as per local legislation.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS | | | |
|--|--|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| IOEL TWA [ppm] | 200 ppm | | |
| Hydrocarbons, C10, aromatics, >1% naphthalo | Hydrocarbons, C10, aromatics, >1% naphthalene (64742-94-5) | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| IOEL TWA | 50 mg/m³ | | |
| IOEL TWA [ppm] | 10 ppm | | |
| naphthalene (91-20-3) | | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| Local name | Naphthalene | | |
| IOEL TWA | 50 mg/m³ | | |
| IOEL TWA [ppm] | 10 ppm | | |
| Remark | (Year of adoption 2010) | | |
| Regulatory reference | COMMISSION DIRECTIVE 91/322/EEC; SCOEL Recommendations | | |
| 2-ethylhexan-1-ol (104-76-7) | | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| Local name | 2-ethylhexan-1-ol | | |
| IOEL TWA | 5.4 mg/m³ | | |
| IOEL TWA [ppm] | 1 ppm | | |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 | | |
| United Kingdom - Occupational Exposure Limits | | | |
| Local name | 2-ethylhexan-1-ol | | |
| WEL TWA (OEL TWA) [1] | 5.4 mg/m³ | | |
| WEL TWA (OEL TWA) [2] | 1 ppm | | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| b. 1.4. DNEL and FNEC | | |
|--|---------------------------|--|
| 2-ethylhexyl nitrate (27247-96-7) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 1 mg/kg bodyweight/day | |
| Long-term - local effects, dermal | 44 μg/cm² | |
| Long-term - systemic effects, inhalation | 0.35 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 25 μg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 87 μg/m³ | |
| Long-term - systemic effects, dermal | 0.52 mg/kg bodyweight/day | |
| Long-term - local effects, dermal | 22 μg/cm² | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.83 µg/l | |
| PNEC aqua (marine water) | 83 ng/l | |
| PNEC aqua (intermittent, freshwater) | 8.3 µg/l | |
| PNEC aqua (intermittent, marine water) | 0.83 µg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 0.47 mg/kg dwt | |
| PNEC sediment (marine water) | 47 μg/kg dw | |
| PNEC (Soil) | | |
| PNEC soil | 93.5 µg/kg dw | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 10 mg/l | |
| Hydrocarbons, C10, aromatics, >1% naphthalene (64742-94-5) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 12.5 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 151 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 7.5 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 32 mg/m³ | |
| Long-term - systemic effects, dermal | 7.5 mg/kg bodyweight/day | |
| naphthalene (91-20-3) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 3.57 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 25 mg/m³ | |
| Long-term - local effects, inhalation | 25 mg/m³ | |
| · | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| naphthalene (91-20-3) | | | |
|--|--------------------------------|--|--|
| PNEC (Water) | PNEC (Water) | | |
| PNEC aqua (freshwater) | 2.4 μg/l | | |
| PNEC aqua (marine water) | 2.4 µg/l | | |
| PNEC aqua (intermittent, freshwater) | 20 μg/l | | |
| PNEC (Sediment) | | | |
| PNEC sediment (freshwater) | 67.2 µg/kg dw | | |
| PNEC sediment (marine water) | 67.2 µg/kg dw | | |
| PNEC (Soil) | | | |
| PNEC soil | 53.3 µg/kg dw | | |
| PNEC (STP) | | | |
| PNEC sewage treatment plant | 2.9 mg/l | | |
| 2-ethylhexan-1-ol (104-76-7) | | | |
| DNEL/DMEL (Workers) | | | |
| Acute - local effects, inhalation | 53.2 mg/m³ | | |
| Long-term - systemic effects, dermal | 23 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 12.8 mg/m³ | | |
| Long-term - local effects, inhalation | 53.2 mg/m³ | | |
| DNEL/DMEL (General population) | DNEL/DMEL (General population) | | |
| Acute - local effects, inhalation | 26.6 mg/m³ | | |
| Long-term - systemic effects,oral | 1.1 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 2.3 mg/m³ | | |
| Long-term - systemic effects, dermal | 11.4 mg/kg bodyweight/day | | |
| Long-term - local effects, inhalation | 26.6 mg/m³ | | |
| PNEC (Water) | | | |
| PNEC aqua (freshwater) | 0.017 mg/l | | |
| PNEC aqua (marine water) | 0.0017 mg/l | | |
| PNEC aqua (intermittent, freshwater) | 0.17 mg/l | | |
| PNEC (Sediment) | | | |
| PNEC sediment (freshwater) | 0.284 mg/kg dwt | | |
| PNEC sediment (marine water) | 0.0284 mg/kg dwt | | |
| PNEC (Soil) | | | |
| PNEC soil | 0.047 mg/kg dwt | | |
| PNEC (Oral) | | | |
| PNEC oral (secondary poisoning) | 55 mg/kg food | | |
| PNEC (STP) | | | |
| PNEC sewage treatment plant | 10 mg/l | | |

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Pale yellow. Odour : mild. Odour threshold : Not available Not available Melting point Freezing point Not available Boiling point Not available Flammability Non flammable. **Explosive limits** Not available Lower explosion limit Not available Upper explosion limit : Not available 68 °C Flash point

Auto-ignition temperature : Not available

Decomposition temperature : Not available

pH : Not available

Viscosity, kinematic : 1.7 mm²/s @40oC

Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50°C : Not available

Density : Not available

Relative density : 0.822

12/19/2023 (Revision date) EN (English) 7/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS | | |
|--|---|--|
| LD50 oral rat | > 5000 mg/kg | |
| LD50 dermal | > 5000 mg/kg | |
| LC50 Inhalation - Rat (Dust/Mist) | ≤ mg/l/4h | |
| LC50 Inhalation - Rat (Vapours) | > 5000 mg/l/4h | |
| 2-ethylhexyl nitrate (27247-96-7) | | |
| LD50 oral rat | > 9640 mg/kg | |
| LD50 dermal rabbit | > 4820 mg/kg | |
| Hydrocarbons, C10, aromatics, >1% naphthalene (64742-94-5) | | |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| naphthalene (91-20-3) | |
|---|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LC50 Inhalation - Rat | > 0.4 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity) |
| 2-ethylhexan-1-ol (104-76-7) | |
| LD50 oral rat | ≈ 2047 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LC50 Inhalation - Rat | 0.89 – 5.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| Skin corrosion/irritation : | Not classified |
| Serious eye damage/irritation : | Not classified |
| Respiratory or skin sensitisation : | Not classified |
| Germ cell mutagenicity : | Not classified |
| Carcinogenicity : | Not classified |
| • | Not classified |
| naphthalene (91-20-3) | |
| LOAEL (animal/female, F0/P) | 50 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: |
| LOAEL (animal/female, F1) | 450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: |
| NOAEL (animal/female, F0/P) | 120 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: other: |
| STOT-single exposure : | Not classified |
| Hydrocarbons, C10, aromatics, >1% naphtha | lene (64742-94-5) |
| STOT-single exposure | May cause drowsiness or dizziness. |
| 2-ethylhexan-1-ol (104-76-7) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure : | Not classified |
| 2-ethylhexyl nitrate (27247-96-7) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 500 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days) |
| Hydrocarbons, C10, aromatics, >1% naphtha | lene (64742-94-5) |
| NOAEL (oral, rat, 90 days) | 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity) |
| naphthalene (91-20-3) | |
| LOAEL (oral, rat, 90 days) | 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) |
| LOAEC (inhalation, rat, vapour, 90 days) | 0.011 mg/l air Animal: rat, Guideline: EPA OPP 82-4 (90-Day Inhalation Toxicity), Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |
| NOAEL (oral, rat, 90 days) | 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
| 2-ethylhexan-1-ol (104-76-7) | |
| NOAEL (oral, rat, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, gas, 90 days) | 120 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study) |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : May be fatal if swallowed and enters airways.

| , 10 11 11 12 11 | may so tata. In ornalismos and siners all mayor |
|--|---|
| EPP DIESEL FILTER PRIMER | |
| Viscosity, kinematic | 1.7 mm ² /s @40oC |
| HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS | |
| Viscosity, kinematic | ≤ 2000000 mm²/s @40oC |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short–term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Not rapidly degradable

| . , , | | |
|--|---|--|
| HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS | | |
| LC50 - Fish [1] | > 1000 (2 – 5) mg/l | |
| EC50 - Crustacea [1] | > 1000 mg/l | |
| EC50 - Other aquatic organisms [1] | 1.4 mg/l | |
| EC50 72h - Algae [1] | > 1000 mg/l | |
| 2-ethylhexyl nitrate (27247-96-7) | | |
| LC50 - Fish [1] | 2 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| EC50 - Crustacea [1] | 0.83 mg/l Test organisms (species): Daphnia magna | |
| Hydrocarbons, C10, aromatics, >1% naphthalene (64742-94-5) | | |
| LC50 - Fish [1] | 2 – 5 mg/l | |
| EC50 - Crustacea [1] | 3 – 10 mg/l | |
| EC50 72h - Algae [1] | 1 – 3 mg/l | |
| naphthalene (91-20-3) | | |
| EC50 - Crustacea [1] | 2.16 mg/l Test organisms (species): Daphnia magna | |
| NOEC (chronic) | 0.59 mg/l Test organisms (species): Daphnia pulex Duration: '125 d' | |
| 2-ethylhexan-1-ol (104-76-7) | | |
| LC50 - Fish [1] | 17.1 mg/l Test organisms (species): Leuciscus idus melanotus | |
| LC50 - Fish [2] | 28.2 mg/l Test organisms (species): Pimephales promelas | |
| EC50 - Crustacea [1] | 39 mg/l Test organisms (species): Daphnia magna | |
| | | |

12/19/2023 (Revision date) EN (English) 10/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 2-ethylhexan-1-ol (104-76-7) | |
|------------------------------|--|
| EC50 72h - Algae [1] | 11.5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2] | 16.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

12.2. Persistence and degradability

| EPP DIESEL FILTER PRIMER | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| EPP DIESEL FILTER PRIMER | |
|---------------------------|------------------------------------|
| Bioaccumulative potential | No bioaccumulation data available. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Avoid release to the environment. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|----------------------------------|---------------|---------------|---------------|---------------|
| 14.1. UN number or ID number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|---------------|---------------|---------------|---------------|
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 | |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | |
| Acute Tox. 4 (Inhalation:gas) | Acute toxicity (inhalation:gas) Category 4 | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| Carc. 2 | Carcinogenicity, Category 2 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H312 | Harmful in contact with skin. | |
| H315 | Causes skin irritation. | |
| H319 | Causes serious eye irritation. | |
| H332 | Harmful if inhaled. | |
| H335 | May cause respiratory irritation. | |
| H336 | May cause drowsiness or dizziness. | |
| H351 | Suspected of causing cancer. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis | |

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.