

TECHNICAL DATA SHEET



Product code: 8376 **Sector:** Automotive (Passenger car & LCV)

Issue No: 5 **Issue Date:** 01/06/24

XF Premium MTF 75w90

Fully synthetic gear oil for use in gearboxes, transfer cases & differentials.

Application

A premium OEM gear oil formulated using the latest technology for gearbox applications requiring a 75w90 viscosity. Predominantly for European and Asian manufacturers.

Suitable for

API GL-4, GL-5

BMW Group Inc. Mini, Rolls Royce MTF LT-4, OSP
Fiat Chrysler Automobiles Inc. Abarth, Alfa Romeo, Dodge, Ferrari, Jeep, Lancia, Maserati (pre-2021) 9.55550-MZ11, 9.55550-DA7
Ford M2C203-A1, M2C201-A, M2C200-C (BOT 130), M2C200-B, M2C197-A, M2C175-A, N052145 VX00
General Motors Inc. Buick, Cadillac, Chevrolet, GMC, Opel, Saturn, Vauxhall (pre-2017),
GM 89021806/89021807, GM 89021677/89021678, GM 88900401/89021678, GM 1940757, GM 19351882/19351883, GM 9986285
Jaguar XH-21
Mercedes-Benz MB 235.8, 235.72, 235.0
Volvo 97309
VW Group Inc. Audi, Seat, Skoda, Bentley, Lamborghini, G51, G50, P/N G 005 000, TL 529 11 P/N G 052 911, TL 521 45 P/N G 052 145, TL 501 50 P/N G 050 150, Porsche P/N 999.917.546.00, P/N 999.917.067.00, P/N 000.043.210.12, P/N 000.043.207.76, P/N 000.043.204.20, P/N 000.043.204.19

BOT 328, BOT 130

Features & Benefits

- XF Premium gear oil provides enhanced low temperature flow when cold starting, instantly protecting the vital components of the gearbox from the very start of every journey.
- XF Premium gearbox oil maximises viscosity stability at high temperatures. This reduces gearbox wear giving superior component protection including gear teeth, shafts and bearings.
- Delivers outstanding lubrication and instant protection under hot and cold temperatures.
- XF Premium gear oil is specifically formulated for use in hybrid systems including self-charging hybrid electric vehicles (HEV) and plug in hybrid electric vehicles (PHEV).

Typical Characteristics

Density @ 15°C, g/ml	0.865
Kinematic Viscosity @ 100°C, cSt	14.0
Flash Point, °C	>220

Technical & Health and Safety

T: 01484 475060

E: technical@millersoils.co.uk

For H&S info or SDS, please visit our website

www.millersoils.co.uk

Footnotes: P/N – OEM Part Number