

# FLUED LUBES PRIVATE LIMITED

Your vehicle`s Blood...





FLUED LUBES PVT LTD is a company dealing in lubricants segment since 2022 .

Branch office is located at Ground Floor below Baroda UP Bank , hussainabad,linebazar Jaunpur

We provide Lubricants for all type of vehicle. (Two wheeler, four wheeler,bus, trucks,Hudra, JCB etc.)

# FLUED 20W40 SN / SM/ SL



Vehicle Compatibility: Two Wheelers. Vehicle Model Name : CB Shine, Crux, Vespa, Gladiator, HF Dawn, Platina, Discover, Discover 125 DTS-i

In normal running, deposits build up and impact engine performance. But FLUED 20W40 fights deposits, providing superior engine cleanliness to ensure smooth running.

When the engine stops, oil drains to the sump, leaving parts at risk of corrosion. FLUED 20W40 with Actibond molecules clings to critical engine parts, for improved corrosion protection, even while the engine is off

Very good thermal resistance and stability

Friction control capability

20W40	900 MI	1 liter
SN	414	456
SM	396	433
SL	376	408

# FLUED 15W50 SN



The Premium Quality Semi Synthetic Motor Cycle Engine Oil Tailor-made To Address The Highly Demanding Lubrication Requirements Of The High Powered Royal Enfield Bikes. FLUED 15W50 Is An Approved Product For The 400 Cc Bike Himalayan, Manufactured By M/s. Royal Enfield. The Product Can Also Be Used For Best Performance For All Of Royal Enfield Bikes, Viz. Thunderbird 500, Thunderbird 350, Classic Desert Storm 500, Lassic Battle Green, Classic Chrome, Classic 500, Classic 350, Bullet Electra Twinspark, Bullet 350 Twinspark, Bullet Electra Efi, Bullet Electra Delux, Bullet 500 Efi Etc.

**MRP:1297 Rs 2.5 liter**

# FLUED 15W50 SN



The Premium Quality Semi Synthetic Motor Cycle Engine Oil Tailor-made To Address The Highly Demanding Lubrication Requirements Of The High Powered Royal Enfield Bikes. FLUED 15W50 Is An Approved Product For The 400 Cc Bike Himalayan, Manufactured By M/s. Royal Enfield. The Product Can Also Be Used For Best Performance For All Of Royal Enfield Bikes, Viz. Thunderbird 500, Thunderbird 350, Classic Desert Storm 500, Lassic Battle Green, Classic Chrome, Classic 500, Classic 350, Bullet Electra Twinspark, Bullet 350 Twinspark, Bullet Electra Efi, Bullet Electra Delux, Bullet 500 Efi Etc.

**MRP:882 Rs 1.7 liter**

# FLUED 10W30 API SM



10W-30 is a four stroke scooter engine oil blended by the makers of FLUED 10W30 with synthetic technology boosted by the latest API SM advanced additive technology. It provides 81% more wear protection\* to enhance scooter engine life and improved fuel economy.

**MRP:445 Rs 1 liter**

**FLUED HYDRAULIC OIL AW 68 NO**

**3 liter/5 liter / 26 Liter**



Hydraulic oil 68 grade is most commonly used for hydraulics with vane-, piston-, or gear-type pumps, especially where pressures exceed 1000 psi. They can also be used to lubricate lightly loaded reciprocating compressors.

Product	3 Liter	5 liter	26 liter
GEAR Oil EP 68	1145 ₹	1908₹	7185 ₹



# FLUED GEAR OIL EP 90 No

1 liter/3 liter/5 liter / 26 Liter



EP 90 provides excellent lubrication of manual gear boxes of bus, passenger cars and trucks operating under high speed-low torque and low speed-high torque conditions. It is suitable for synchromesh gear box and hypoid, spiral bevel and steering worm gear box.

Product	1 liter	3 liter	5 liter	26 liter
GEAR Oil EP 90	405 ₹	1090₹	1870 ₹	7524₹



# FLUED 15W40 CH4/CF 4 /CI 4

15W-40 Full Synthetic Heavy Duty Diesel Engine Oil is designed and formulated to provide improved performance compared to conventional and semi-synthetic Flued 15W-40 products. It is suitable for virtually all modern low-emission heavy duty engines and older hard-working diesel engines.

Product	1 liter	3 liter	3.5	5 liter	7 liter	7.5 liter	10 liter	20 liter
15W40 CH4		1310₹	1455₹	2261₹	3602 ₹	3650₹	4880₹	9650₹
15W40 CF4	395₹	1358₹	1552₹	2150₹				
5W40 CI4		1517₹	1735₹	2410₹		3677₹		9650₹



# FLUED 5W40 SN

5W-40 Full Synthetic Heavy Duty Diesel Engine Oil is designed and formulated to provide improved performance compared to conventional and semi-synthetic Flued 5W-40 products. It is suitable for virtually all modern low-emission heavy duty engines and older hard-working diesel engines.

Product	3.5	5 liter
5W40 SN	2205 ₹	2878₹

# FLUED GREASE AP3 golden

Drop point: Minimum of 180°C

Corrosion preventive property rating: 1

Copper strip corrosion at 100°C for 24 hours: 1A

Wheel bearing leakage test: Maximum of 5 grams

AP3 grease is an all-purpose automotive grease that's recommended for wheel bearings in automobiles. It provides protection against rust and corrosion, and has good thermal and oxidation stability.



Product	250 gram	500 gram	1 KG	2 KG	3 KG	5 KG	10 KG
AP3 GOLDEN	98 ₹	205 ₹	355 ₹	720 ₹	1075 ₹	1670 ₹	2830 ₹

# FLUED GREASE RED GEL LITHIUM

Drop point: 190°C

Color: Golden yellow

Worked penetration at 25°C: 220–250

Base oil viscosity at 40°C: 115



Product	250 gram	500 gram	1 KG	2 KG	3 KG	5 KG	10 KG	18 KG
RED GEL LITHIUM			672 ₹	1349 ₹	2012 ₹	3249 ₹	6399 ₹	11298 ₹

# FLUED GREASE RED GEL CALCIUM

Drop Point 95 Degree to 100 Degree | Our grease is Calcium Grease Based.  
Our grease provides reliable lubrication in high-load and high-speed applications, reducing friction and preventing premature wear.

It is designed to reduce friction, protect against wear, and prevent contamination in machinery.

High Anti-Rust Capacity: It provides excellent protection against rust and corrosion, which is crucial in many industrial environments.

It is effective for lubricating bearings in electric motors and power generation equipment.



Product	250 gram	500 gram	1 KG	2 KG	3 KG	5 KG	10 KG	18 KG
RED GEL CALCIUM	145 ₹	245₹	452₹	990 ₹	1290 ₹	2095 ₹	4090 ₹	7370 ₹

## FLUED COOLANT GREEN (1X3)

Coolant is a substance, typically liquid, that is used to reduce or regulate the temperature of a system. An ideal coolant has high thermal capacity, low viscosity, is low-cost, non-toxic, chemically inert and neither causes nor promotes corrosion of the cooling system.

Product	1 liter
COOLANT	391



For More Details :Please Contact us +917007878900  
or

Email us : [fluedlubes@gmail.com](mailto:fluedlubes@gmail.com)  
[fluedlubesit@gmail.com](mailto:fluedlubesit@gmail.com)