




Compression Set Bottom - BTR AM375 - Style #435741_CPD

AM 375 - SP2024, Unisex/Non-Gendered, FA2024, 2024-2025

Summary



Compression Set Bottom - BTR AM375

Name	Compression Set Bottom - BTR AM375
Style No.	435741_CPD
Description	Base Layer
Division	AM 375 - SP2024
Category	Unisex/Non-Gendered
Season	FA2024
Year	2024-2025
Size Scale	<div><div>XL</div>-Sample size<div>S</div><div>M</div><div>L</div><div>XL</div><div>2XL</div><div>3XL</div><div>4XL</div></div>
Factory	Pt. Pancaprima Ekabrothers Garment Factory
COO	Vietnam
Main Fabric	61% Nylon 39% Spandex Single Jersey Weft Knit
New/Carryover	New Style
Style Status	In Development
Sample Development Status	1st Sample
MSRP	100
Wholesale Cost	50
FOB (Target Cost)	17.4
Target Margin (%)	50
Leadtime	180 day
MOQ	1000piece/style; 300piece/color
AM 375 Team # - Fall 2024	Be The Ram (BTR)
AM 375 - Developer Name	Sam Gaston
Created by/Author	12/11/2024
	Morgan Crane
	Moc01@colostate.edu



Compression Set Bottom - BTR AM375 - Style #435741_CPD

AM 375 - SP2024, Unisex/Non-Gendered, FA2024, 2024-2025

Color Variants



1. ● BTR - Oval Green 19-5513 TCX
Int. Code: Not Set
Ext. Code: Not Set



2. ● BTR - Khaki 16-0726 TPG
Int. Code: Not Set
Ext. Code: Not Set



3. ● BTR - Energy Green 12-0741 TCX
Int. Code: Not Set
Ext. Code: Not Set



fixed-07-1

1. ● BTR - Oval Green
Custom Code: 19-5513 TCX




CSU Spyder Compression Tights CSU Green Front-1

1. ● BTR - Oval Green
Custom Code: 19-5513 TCX



CSU Spyder Compression Tights CSU Green Back-1

1. ● BTR - Oval Green
Custom Code: 19-5513 TCX



- fixed-08-1
2. ● BTR - Khaki
Custom Code: 16-0726 TPG



CSU Spyder Compression Tights CSU Tan Front-1

2. ● BTR - Khaki
Custom Code: 16-0726 TPG



CSU Spyder Compression Tights CSU Tan Back-1

2. ● BTR - Khaki
Custom Code: 16-0726 TPG




fixed-09-1

3. ● BTR - Energy Green
Custom Code: 12-0741 TCX



CSU Spyder Compression Tights Energy Green Front-1

3. ● BTR - Energy Green
Custom Code: 12-0741 TCX




CSU Spyder Compression Tights Energy Green Back-1

3. ● BTR - Energy Green
Custom Code: 12-0741 TCX



Components (4)

- B1** No Fold Knit Elastic - Gaston FA24
- B2** BTR - Nylon Spandex Single Jersey Weft Knit
- B3** BTR - Nylon Spandex Single Jersey Weft Knit
- B4** BTR - Nylon Spandex Single Jersey Weft Knit




fixed-03-1





Construction Details (3)

- C1 ISO 607
- C2 ISO 607
- C3 ISO 607



fixed-03-2



Points of measure (10)

- D1 Waistband width
- D2 Waist
- D3 Waistband Length
- D4 Thigh Circumference
- D5 Ankle circumference
- D6 Hem Height
- D7 Hem Length
- D8 Crotch Seam Length
- D9 Crotch Seam Across Length Curve
- D10 Back Seam Rise Length

fixed-03-3



Asset 9@300x-1



side2-1



side-1



side3-1



Compression Set Bottom - BTR AM375 - Style #435741_CPD

AM 375 - SP2024, Unisex/Non-Gendered, FA2024, 2024-2025

BOM > Set 1 of 1






THUMBNAIL	COMPONENT	QTY	PLACEMENT	COO	SUPPLIER	1. ● BTR - OVAL GREEN CODE: 19-5513 TCX	2. ● BTR - KHAKI CODE: 16-0726 TPG	3. ● BTR - ENERGY GREEN CODE: 12-0741 TCX
FABRICS								
1	 BTR - Nylon Spandex Single Jersey Weft Knit CODE: fPWy5 Status : In Development Content (Fiber Content or Leather Type): 61% Nylon 39% Spandex Fabric Width (Fabrics only): 53" Weight in GSM (fabrics only): 187 Finishes (fabrics only): P/D Dye Method (Fabrics only): Piece Dyed	2 yd		China	Fujian Titex Textiles Industrial Co., Ltd	Not used	Not used	Not used
2	 BTR - Cotton Poly 2x2 Rib Knit CODE: fPWy6 Status : In Development Content (Fiber Content or Leather Type): 58% Cotton 42% Polyester Fabric Width (Fabrics only): 58" Weight in GSM (fabrics only): 280 Dye Method (Fabrics only): Piece Dyed	0.25 yd		China	Shaoxing Ivan Textile And Garment Co., Ltd	Not used	Not used	Not used
TRIMS								
3	 No Fold Knit Elastic - Gaston FA24 CODE: HDnDF Status : In Development Content (Fiber Content or Leather Type): 100% polyester Finishes (fabrics only): N/A Dye Method (Fabrics only): Piece Dyed Size (trims only): 1"	0.2 yd		China	Dongguan Wanjiang Xinxiang Weaving Factory	Not used	Not used	Not used
4	 BTR - Supply Thread CODE: 2NiIB Status : In Development Content (Fiber Content or Leather Type): polyester Finishes (fabrics only): N/A Dye Method (Fabrics only): Piece Dyed Size (trims only): TEX 70	1 yd		USA		Not used	Not used	Not used
LABELS								
5	 BTR - Ram Horn Pant Print CODE: D2Fbu Status : In Development Content (Fiber Content or Leather Type): PVC Dye Method (Fabrics only): N/A	1 Pieces		Factory Sourced	TBD	Not used	Not used	Not used
6	 Spyder Hourglass Heat Transfer - Gaston FA24 CODE: s475d Status : In Development Content (Fiber Content or Leather Type): PVC Finishes (fabrics only): Matte Dye Method (Fabrics only): N/A Size (trims only): 3/4"	1 Pieces		Factory Sourced	TBD	Not used	Not used	Not used
7	 BTR - Care Label CODE: 00039 Status : In Development	1 Pieces		China	Shanghai Rongxin Garment Accessories Co.	Not used	Not used	Not used



Compression Set Bottom - BTR AM375 - Style #435741_CPD

AM 375 - SP2024, Unisex/Non-Gendered, FA2024, 2024-2025

THUMBNAIL	COMPONENT	QTY	PLACEMENT	COO	SUPPLIER	1.  BTR - OVAL GREEN CODE: 19-5513 TCX	2.  BTR - KHAKI CODE: 16-0726 TPG	3.  BTR - ENERGY GREEN CODE: 12-0741 TCX
PACKAGING								
8	 BTR - Hang Tag CODE: 00038 Status : In Development Size (trims only): 3X4 in	1 Pieces		China	Guangzhou Honyun Apparel Accessories Co.	Not used	Not used	Not used
9	 BTR - Biodegradable Plastic Packaging CODE: 00035 Status : In Development	1 Pieces		China	JCBasic Garment Accessories (Shanghai) Co.	Not used	Not used	Not used
Components 9						Total 0.00	Total 0.00	Total 0.00







Hem Height




Hem Length



Crotch Seam Length



Crotch Seam Across Length Curve



Back Seam Rise Length

Sample Size: XL

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	S	M	L	XL	2XL	3XL	4XL
Waist	2RGjm4	Measure straight across top of waistband	true	Half	1/4 in	-1 in	-1 in	-1 in	16 1/2 in	1 in	1 in	1 in
Hip	2YpKYQ	Measure straight across 5" below the waistband	true	Half	1/4 in	0 in	-1 in	-1 in	17 in	1 in	1 in	1 in
Waistband width	6JhZ2R	Measure from top to bottom of waist band, perpendicular from the top edge	true	Full	1/8 in	-1/4 in	-1/4 in	-1/4 in	1 1/4 in	1/4 in	1/4 in	1/4 in
Waistband Length	X4x8Ly	Measure straight across from the bottom of the waistband	true	Half	1/4 in	-1 in	-1 in	-1 in	31 in	1 in	1 in	1 in
Thigh Circumference	hvJyYF	Measure straight across the leg 1.5" below the crotch level	true	Half	1/4 in	0 in	-1 in	-1 in	8 1/2 in	1 in	1 in	1 in
Ankle circumference	fVDHmK	Measure straight across ankle 1/4" above the top of the hem	true	Half	1/4 in	-1 in	-1 in	-1 in	4 1/2 in	1 in	1 in	1 in
Hem Height	E0bSPR	Measure perpendicular from the bottom of the hem to the stitch above it	false	Full	1/8 in	-1/4 in	-1/4 in	-1/4 in	3/4 in	1/4 in	1/4 in	1/4 in
Hem Length	8kCLgF	Measure straight across the bottom of the hem	false	Half	1/8 in	-1/8 in	-1/8 in	-1/8 in	4 in	1/8 in	1/8 in	1/8 in
Crotch Seam Length	nWwVyf	Measure from top of the seam at the waistband along the curve to the bottom of the seam where the crotch begins	true	Full	1/8 in	-1/8 in	-1/8 in	-1/8 in	9 1/2 in	1/8 in	1/8 in	1/8 in
Crotch Seam Across Length Curve	W0VKiD	Measure 3" below where the crotch seam begins at the waistband to the other crotch seam	true	Full	1/8 in	0 in	-1/8 in	-1/8 in	5 1/2 in	1/8 in	1/8 in	1/8 in
Back Seam Rise Length	1EPrD6	Measure from waistband to crotch CB	true	Full	1/8 in	0 in	-1/8 in	-1/8 in	8 in	1/8 in	1/8 in	1/8 in

Sample Size: XL

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	S	M	L	XL	2XL	3XL	4XL
Waist	2RGjm4	Measure straight across top of waistband	true	Half	1/4 in	13 1/2 in	14 1/2 in	15 1/2 in	16 1/2 in	17 1/2 in	18 1/2 in	19 1/2 in
Hip	2YpKYQ	Measure straight across 5" below the waistband	true	Half	1/4 in	15 in	15 in	16 in	17 in	18 in	19 in	20 in
Waistband width	6JhZ2R	Measure from top to bottom of waist band, perpendicular from the top edge	true	Full	1/8 in	1/2 in	3/4 in	1 in	1 1/4 in	1 1/2 in	1 3/4 in	2 in
Waistband Length	X4x8Ly	Measure straight across from the bottom of the waistband	true	Half	1/4 in	28 in	29 in	30 in	31 in	32 in	33 in	34 in
Thigh Circumference	hvJyYF	Measure straight across the leg 1.5" below the crotch level	true	Half	1/4 in	6 1/2 in	6 1/2 in	7 1/2 in	8 1/2 in	9 1/2 in	10 1/2 in	11 1/2 in
Ankle circumference	fVDHmK	Measure straight across ankle 1/4" above the top of the hem	true	Half	1/4 in	1 1/2 in	2 1/2 in	3 1/2 in	4 1/2 in	5 1/2 in	6 1/2 in	7 1/2 in
Hem Height	E0bSPR	Measure perpendicular from the bottom of the hem to the stitch above it	false	Full	1/8 in	0 in	1/4 in	1/2 in	3/4 in	1 in	1 1/4 in	1 1/2 in
Hem Length	8kCLgF	Measure straight across the bottom of the hem	false	Half	1/8 in	3 5/8 in	3 3/4 in	3 7/8 in	4 in	4 1/8 in	4 1/4 in	4 3/8 in
Crotch Seam Length	nWwVyf	Measure from top of the seam at the waistband along the curve to the bottom of the seam where the crotch begins	true	Full	1/8 in	9 1/8 in	9 1/4 in	9 3/8 in	9 1/2 in	9 5/8 in	9 3/4 in	9 7/8 in
Crotch Seam Across Length Curve	W0VKiD	Measure 3" below where the crotch seam begins at the waistband to the other crotch seam	true	Full	1/8 in	5 1/4 in	5 1/4 in	5 3/8 in	5 1/2 in	5 5/8 in	5 3/4 in	5 7/8 in
Back Seam Rise Length	1EPrD6	Measure from waistband to crotch CB	true	Full	1/8 in	7 3/4 in	7 3/4 in	7 7/8 in	8 in	8 1/8 in	8 1/4 in	8 3/8 in