

Compression Set Top - BTR AM375

Name	Compression Set Top - BTR AM375
Style No.	435741_CPS
Description	Base Layer
Division	AM 375 - SP2024
Category	Unisex/Non-Gendered
Season	FA2024
Year	2024-2025
Size Scale	M -Sample size
	<div>XXSXSMSLXL2XL3XL4XL</div>
Factory	Pt. Pancaprima Ekabrothers Garment Factory
COO	Vietnam
Main Fabric	61% Nylon 39% Spandex Single Jersey Weft Knit
New/Carryover	New Style
Style Status	In Development
Sample Development Status	1st Sample
MSRP	150
Wholesale Cost	75
FOB (Target Cost)	28.19
Target Margin (%)	50
Leadtime	180 day
MOQ	1000piece/style; 300piece/color
AM 375 Team # - Fall 2024	Be The Ram (BTR)
AM 375 - Developer Name	Sam Gaston
Created by/Author	12/11/2024
	Morgan Crane
	Moc01@colostate.edu



Compression Set Top - BTR AM375 - Style #435741_CPS

AM 375 - SP2024, Unisex/Non-Gendered, FA2024, 2024-2025

Color Variants



1. ● BTR - Oval Green 19-5513 TCX
Int. Code: Not Set
Ext. Code: Not Set



2. ● BTR - Khaki 16-0726 TPG
Int. Code: Not Set
Ext. Code: Not Set



3. ● BTR - Energy Green 12-0741 TCX
Int. Code: Not Set
Ext. Code: Not Set



Compression Top CSU Green Front-1
1. ● BTR - Oval Green
Custom Code: 19-5513 TCX



Compression Top CSU Green Back-1
1. ● BTR - Oval Green
Custom Code: 19-5513 TCX



fixed-04-1

1. ● BTR - Oval Green
Custom Code: 19-5513 TCX



Compression Top CSU Tan Front-1

2. ● BTR - Khaki
Custom Code: 16-0726 TPG



Compression Top CSU Tan Back-1

2. ● BTR - Khaki
Custom Code: 16-0726 TPG



fixed-05-1

2. ● BTR - Khaki
Custom Code: 16-0726 TPG



CSU Spyder Compression Top Energy Green Front-1

3. ● BTR - Energy Green
Custom Code: 12-0741 TCX



Compression Top Energy Green Back-1

3. ● BTR - Energy Green
Custom Code: 12-0741 TCX




fixed-06-1

3. ● BTR - Energy Green
Custom Code: 12-0741 TCX



Components (5)

- B1** BTR - Nylon Spandex Single Jersey Weft Knit
- B2** BTR - Nylon Spandex Single Jersey Weft Knit
- B3** BTR - Nylon Spandex Single Jersey Weft Knit
- B4** BTR - Cotton Poly 2x2 Rib Knit
- B5** BTR - Nylon Spandex Single Jersey Weft Knit




fixed-02-1




Construction Details (5)

- C1 ISO 607
- C2 ISO 607
- C3 ISO 607
- C4 ISO 607
- C5 ISO 607




fixed-02-2



Points of measure (11)

- D1** Collar height
- D2** Collar length
- D3** Across Chest
- D4** Across waist
- D5** Across shoulder
- D6** Sleeve length
- D7** Center Front Length
- D8** Center Back Length
- D9** Neck Drop Back
- D10** Neck Drop Front
- D11** Muscle Width circumference

fixed-02-3



Asset 9@300x-1




front horns-1




ram orange2-1




ram green1-1



ram green 2-1



ram orange1-1




ram horns-1




Compression Set Top - BTR AM375 - Style #435741_CPS

AM 375 - SP2024, Unisex/Non-Gendered, FA2024, 2024-2025

THUMBNAIL	COMPONENT	QTY	PLACEMENT	COO	SUPPLIER	1. ● BTR - OVAL GREEN CODE: 19-5513 TCX	2. ● BTR - KHAKI CODE: 16-0726 TPG	3. ● BTR - ENERGY GREEN CODE: 12-0741 TCX
FABRICS								
1		BTR - Nylon Spandex Single Jersey Weft Knit CODE: fPWy5 Status : In Development Content (Fiber Content or Leather Type): 61% Nylon 39% Spandex Fabric Width (Fabrics only): 53" Weight in GSM (fabrics only): 187 Finishes (fabrics only): P/D Dye Method (Fabrics only): Piece Dyed			China Fujian Titex Textiles Industrial Co., Ltd	Not used	Not used	Not used
2		BTR - Cotton Poly 2x2 Rib Knit CODE: fPWy6 Status : In Development Content (Fiber Content or Leather Type): 58% Cotton 42% Polyester Fabric Width (Fabrics only): 58" Weight in GSM (fabrics only): 280 Dye Method (Fabrics only): Piece Dyed			China Shaoxing Ivan Textile And Garment Co., Ltd	Not used	Not used	Not used
TRIMS								
3		BTR - Supply Thread CODE: 2NilB Status : In Development Content (Fiber Content or Leather Type): polyester Finishes (fabrics only): N/A Dye Method (Fabrics only): Piece Dyed Size (trims only): TEX 70			USA	Not used	Not used	Not used
LABELS								
4		BTR - Ram Horn Back Print CODE: D2Fbf Status : In Development Content (Fiber Content or Leather Type): PVC Dye Method (Fabrics only): N/A			Factory Sourced TBD	Not used	Not used	Not used
5		BTR - Ram Horn Front Print CODE: D2Fbj Status : In Development Content (Fiber Content or Leather Type): PVC Dye Method (Fabrics only): N/A			Factory Sourced TBD	Not used	Not used	Not used
6		Spyder Hourglass Heat Transfer - Gaston FA24 CODE: s475d Status : In Development Content (Fiber Content or Leather Type): PVC Finishes (fabrics only): Matte Dye Method (Fabrics only): N/A Size (trims only): 3/4"			Factory Sourced TBD	Not used	Not used	Not used
7		BTR - Care Label CODE: 00039 Status : In Development			China Shanghai Rongxin Garment Accessories Co.	Not used	Not used	Not used
PACKAGING								



THUMBNAIL	COMPONENT	QTY	PLACEMENT	COO	SUPPLIER	1.  BTR - OVAL GREEN CODE: 19-5513 TCX	2.  BTR - KHAKI CODE: 16-0726 TPG	3.  BTR - ENERGY GREEN CODE: 12-0741 TCX
8	 <div>BTR - Hang Tag CODE: 00038 Status : In Development Size (trims only): 3X4 in</div>			China	Guangzhou Honyun Apparel Accessories Co.	Not used	Not used	Not used
9	 <div>BTR - Biodegradable Plastic Packaging CODE: 00035 Status : In Development</div>			China	JCBasic Garment Accessories (Shanghai) Co.	Not used	Not used	Not used
Components 9						Total 0.00	Total 0.00	Total 0.00




Across Chest




Collar Height




Collar Length




Sleeve Length



Center Back Length



Across Shoulder




Muscle Width Circumference



Neck Drop Front



Neck Drop Back



44.

Armhole Front



Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XXS	XS	S	M	L	XL	2XL	3XL	4XL
Across Chest	EKbssF	Measure across chest 1" below armhole	true	Half	1/2 in	0 in	0 in	-1 in	18 3/4 in	1 in	1 in	1 in	1 in	1 in
Across waist	ZgcmG6	Measure waist of garment at 3" above hem	false	Half	1/2 in	0 in	0 in	-1 in	14 in	1 in	1 in	1 in	1 in	1 in
Collar height	GZNmXk	Measure width of collar from top to bottom	false	Full	1/8 in	0 in	0 in	-1/4 in	1 1/5 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Collar length	bG1tjL	Measure full length of collar from end to end on the front and back	false	Full	1/8 in	0 in	0 in	-1/4 in	16 9/10 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Sleeve length	djy2Jg	Measure full length of sleeve from top of armhole to the top of the wrist	true	Full	1/2 in	0 in	0 in	-1 in	20 in	1 in	1 in	1 in	1 in	1 in
Center Front Length	CY9O3o	Measure from the center of the front collar at the bottom to the CF middle of the hem	true	Full	1/2 in	0 in	0 in	-1 in	24 1/5 in	1 in	1 in	1 in	1 in	1 in
Center Back Length	lrKHaN	Measure from CB collar to CB hem	true	Full	1/2 in	0 in	0 in	-1 in	25 3/4 in	1 in	1 in	1 in	1 in	1 in
Across shoulder	oJrP3C	Measure straight across from armhole seam/edge to armhole seam/edge at shoulder seam	true	Full	1/2 in	0 in	0 in	-1 in	15 in	1 in	1 in	1 in	1 in	1 in
Muscle Width circumference	Y3x1dU	Measure from inner edge/seam to outer edge/fold 1" below armhole, parallel to sleeve opening	true	Half	1/4 in	0 in	0 in	-1/2 in	11 3/5 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in
Neck Drop Front	mRUWXp	Measure from imaginary line connecting shoulder to shoulder straight down to start of CF neckline	true	Full	1/8 in	0 in	0 in	-1/4 in	2 1/10 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Neck Drop Back	oHXByG	Measure from imaginary line connecting shoulder to shoulder straight down to CB neckline	true	Full	1/8 in	0 in	0 in	-1/4 in	3/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Armhole Front	44	Measure on front of garment from top of shoulder at neckline joining seam/edge to bottom of armhole, following contour of armhole. Gently lift collar away from neckline joining seam if needed.	true	Full	1/4 in	0 in	0 in	-1/2 in	12 1/5 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in



Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XXS	XS	S	M	L	XL	2XL	3XL	4XL
Across Chest	EKbssF	Measure across chest 1" below armhole	true	Half	1/2 in	17 3/4 in	17 3/4 in	17 3/4 in	18 3/4 in	19 3/4 in	20 3/4 in	21 3/4 in	22 3/4 in	23 3/4 in
Across waist	ZgcmG6	Measure waist of garment at 3" above hem	false	Half	1/2 in	13 in	13 in	13 in	14 in	15 in	16 in	17 in	18 in	19 in
Collar height	GZNmXk	Measure width of collar from top to bottom	false	Full	1/8 in	19/20 in	19/20 in	19/20 in	1 1/5 in	1 9/20 in	1 7/10 in	1 19/20 in	2 1/5 in	2 9/20 in
Collar length	bG1tjL	Measure full length of collar from end to end on the front and back	false	Full	1/8 in	16 13/20 in	16 13/20 in	16 13/20 in	16 9/10 in	17 3/20 in	17 2/5 in	17 13/20 in	17 9/10 in	18 3/20 in
Sleeve length	dJy2Jg	Measure full length of sleeve from top of armhole to the top of the wrist	true	Full	1/2 in	19 in	19 in	19 in	20 in	21 in	22 in	23 in	24 in	25 in
Center Front Length	CY9O3o	Measure from the center of the front collar at the bottom to the CF middle of the hem	true	Full	1/2 in	23 1/5 in	23 1/5 in	23 1/5 in	24 1/5 in	25 1/5 in	26 1/5 in	27 1/5 in	28 1/5 in	29 1/5 in
Center Back Length	IrKHaN	Measure from CB collar to CB hem	true	Full	1/2 in	24 3/4 in	24 3/4 in	24 3/4 in	25 3/4 in	26 3/4 in	27 3/4 in	28 3/4 in	29 3/4 in	30 3/4 in
Across shoulder	oJrP3C	Measure straight across from armhole seam/edge to armhole seam/edge at shoulder seam	true	Full	1/2 in	14 in	14 in	14 in	15 in	16 in	17 in	18 in	19 in	20 in
Muscle Width circumference	Y3x1dU	Measure from inner edge/seam to outer edge/fold 1" below armhole, parallel to sleeve opening	true	Half	1/4 in	11 1/10 in	11 1/10 in	11 1/10 in	11 3/5 in	12 1/10 in	12 3/5 in	13 1/10 in	13 3/5 in	14 1/10 in
Neck Drop Front	mRUWXp	Measure from imaginary line connecting shoulder to shoulder straight down to start of CF neckline	true	Full	1/8 in	1 17/20 in	1 17/20 in	1 17/20 in	2 1/10 in	2 7/20 in	2 3/5 in	2 17/20 in	3 1/10 in	3 7/20 in
Neck Drop Back	oHXByG	Measure from imaginary line connecting shoulder to shoulder straight down to CB neckline	true	Full	1/8 in	1/2 in	1/2 in	1/2 in	3/4 in	1 in	1 1/4 in	1 1/2 in	1 3/4 in	2 in
Armhole Front	44	Measure on front of garment from top of shoulder at neckline joining seam/edge to bottom of armhole, following contour of armhole. Gently lift collar away from neckline joining seam if needed.	true	Full	1/4 in	11 7/10 in	11 7/10 in	11 7/10 in	12 1/5 in	12 7/10 in	13 1/5 in	13 7/10 in	14 1/5 in	14 7/10 in