

# Precision in Every Joint.



**PetroTech**  
— GULF —



[petrotechgulf.com](http://petrotechgulf.com)



+971 4 223 0225



[info@petrotechgulf.com](mailto:info@petrotechgulf.com)



Shop No#60, 25th St,  
Naif Bazar Bldg, Nakheel, Naif,  
Deira, Dubai, UAE

# About Us

Welcome to PetroTech Gulf, a leading marine and oil field supplier based in Dubai, the dynamic hub of the Middle East. We specialize in providing high-quality pipes, fittings, and valves, with a commitment to excellence in every aspect of our business. Our unwavering dedication to quality and reliability has earned us the trust of our partners and a strong reputation in the industry.

At PetroTech Gulf, we understand the critical importance of superior products in ensuring the success of your projects. We source materials from dependable suppliers to guarantee that our offerings meet the highest standards of durability and performance. Our extensive range of products is specifically designed to address the diverse needs of the oil and gas sector, delivering solutions that are both efficient and cost-effective.

Our team of seasoned professionals brings years of experience and a deep understanding of the industry's demands, enabling us to provide tailored solutions that consistently exceed expectations.

## Core Values



# Pipes & Fittings

## Flanges

Product	Type	Range	Grade
Stainless Steel Flange (#150, #300 & PN16)	Slip-On, Weldneck, Blind, Threaded, Orifice, Spectacle Blinds, Spades & Spacers, Socket- Weld	1/2" - 36"	ASTMA 182 F304/F304L & 316/316L ASME B 16.5
Carbon Steel Flanges (#150, #300, PN16 & JIS)			ASTMA105 ASME B 16.5




## Low Pressure Threaded Fittings

Product	Type	Range	Grade
#150 LB (NPT & BSPT)	Elbow, Tee, Union, Hex Nipple, Red Bush, Male Plug, Street Elbow, Socket (plain, banded & Reducing)	1/8" - 4"	CF8M (316/316L) MSS SP 114



## Stainless Steel Buttweld Fittings

Product	Type	Range	Grade
Seamless & ERW Fittings (SCH10, SCH40, SCH80)	Elbow, Tee, Concentric Reducer, Eccentric Reducer, End Caps	1/2" - 12"	ASTMA182 F304/F304L & 316/316L ASME B 16.9



# Pipes & Fittings



## Pipes

Product	Type	Range	Grade
Pipes (SCH 10, SCH40, SCH80)	Seamless, ERW, SAW	1/4" - 24"	A 182 F304/304L & 316/316L



## High Pressure (Forged Fittings & O-Lets)


Product	Type	Range	Grade
Threaded & Socket Weld (3000, 6000 PSI)	Elbow, Tee, Union, Hex Nipple, Red Bush, Male Plug, Street Elbow, Half Coupling, Full Coupling, End Caps, Weld-O-lets, Thread-O-lets	1/8" - 4"	ASTMA 182 F304/F304L & 316/316L ASME B 16.5
			ASTMA105 ASME B 16.5



# Valves

## Ball Valves

Product	Type	Pressure	Range	Specification	Grade
Stainless Steel Valves	Low Pressure	1000 WOG	1/4" - 4"	Full Bore, Reduced Bore, Screwed (BSP & NPT), Socket Weld	ASTMA351 CF8M
	High Pressure	2000 PSI, 3000 PSI, 6000 PSI	1/4" - 2"	Screwed & Socket Weld	
	Flanged	#150 & PN16	1/2" - 8"	Flange Dimension	ASTM B16.5



## Check Valve

Product	Type	Range	Grade
Check Valve (#150 & Pn16) Threaded and Flanged	Vertical, Swing, Wafer Type, DISC	1/4" - 4"	ASTMA351 CF8M ASTMB16.5



## Globe & Gate Valve

Product	Type	Pressure	Range	Grade
Gate Valve	Threaded and Flanged	200 WOG, 600 WOG	1/2" - 2"	ASTMA351 CF8M ASTMB16.5
Globe Valve		#150, #300	1" - 12"	



# Valves

## Strainers



Product	Type	Range	Grade
Y-Strainers Threaded and Flanged	800WOG	1/4" - 4"	ASTMA351 CF8M ASTMB16.5

## Butterfly Valve



Product	Type	Range	DISC	Grade
CI Body & SS Body	Wafer Type & Lug Type	2" - 12"	Stainless Steel Disc	ASTMA351 CF8M ASTMB16.5
			Bronze Disc	
			DI Disc	

# Instrumentation

## Camlock Couplings & Clamps

Product	Type	Range
Camlock Coupling	A - F, DC & DP	1/2" - 6"
Clamps	Hose Clips	1/4" - 12"



## Gauges

Product	Type	Dial Size	Range	Connection
Pressure Gauges Dual Dial (PSI & BAR)	Back & Bottom Connection (Threaded & Flanged)	2" - 6"	1 BAR - 1000 BAR 15 PSI - 15000 PSI	1/8", 1/4", 1/2"
Temperature Gauges			0 - 650°C	



## Ferrules

Product	Material	Type	Dial Size
Ferrules	Carbon Steel, SS	R1, R2, 4 Wire	1/4" - 2"




# Instrumentation



## Double Compression Fittings

Product	Type	Range	Grade
Inch and MM Type	Male Connector, Female Connector, Straight Union, Union Tee, Union Elbow, Male Elbow, Female Elbow, Bulkhead, Socket-Weld	1/8" - 1"	ASTMA182
		4mm - 25mm	
		1/8" - 1"	



## Needle Valves

Product	Type	Range	Grade
Needle Valve	3000 PSI, 6000 PSI, 10000 PSI	1/4" - 1"	ASTMA182
Valve Manifold	As Per Requirement		



## Compression Tubing & Clamps

Product	Type	Range
Tubing	Seamless & ERW	1/8" - 1" 4mm - 25mm
Tube Clamps	Single & Twin	6mm - 50.8mm

# Instrumentation

## Pipe Repair Clamps

Product	Material	Range
Repair Clamps	Stainless Steel	1/2" - 12"
	Galvanized Iron	



## Single Bolt Clamp

Product	Material	Range
Single Bolt Clamp	Stainless Steel	1/2" - 12"
	Galvanized Iron	



# Instrumentation



Double Bolt Clamp

Product	Material	Range
Double Bolt Clamp	Stainless Steel	1/2" - 12"
	Galvanized Iron	



Double Ear Clamp

Product	Material	Range
Double Ear Clamp	Carbon Steel, Stainless Steel	7mm To 30mm



# Control Valves

## Pneumatic Actuated Ball Valve

Type	Range	Specification
Double & Single Acting	1/2" - 4"	SS Ball Valve 3 pcs body with ISO 5211 mounting



## Pneumatic Actuated Butterfly Valve

Type	Range	Specification
Double & Single Acting	2" - 12"	Cl body with ISO 5211 mounting



## "Y" Type Control Valve

Type	Range	Specification
Double & Single Acting (Normally Closed)	1/2" - 4"	Threaded & Flanged



## SS Solenoid Valve

Type	Range	Pressure	Coil
Double & Single Acting (Normally Closed)	1/4" - 2"	10 Bar	12V DC, 24V DC, 220V AC, 110V AC



# Get In Touch!



[petrotechgulf.com](http://petrotechgulf.com)



[info@petrotechgulf.com](mailto:info@petrotechgulf.com)



+971 4 223 0225



Shop No#60, 25th St,  
Naif Bazar Bldg, Nakheel,  
Naif, Deira, Dubai, UAE