



3M Science.
Applied to Life.™

Introducing the

3M™ Clean Sanding System Pneumatic and Electric Tools

Designed with technicians and shop owners in mind.

Engineered to integrate seamlessly into the 3M™ Clean Sanding System, and compatible with a variety of other dust extraction systems.

3M™ Clean Sanding System Tools

As part of the 3M™ Clean Sanding System, this new addition offers compact and ergonomic sanding tools designed to deliver high-quality surface preparation and finishing results, while helping to improve the performance of your 3M abrasives.



These tools feature a durable composite cover with soft grip material, providing comfort and durability during use.



Variable speed adjustment lets you choose the exact speed for your task



Thumb control designed to help you avoid accidental speed changes



The integrated muffler system helps reduce noise and protects the muffler from breakage



Ready to use out of the box with included backup pad



Using these sanders with a dust extraction system helps reduce dust in the air, creating a cleaner shop or workspace.

3M™ Clean Sanding System Pneumatic Tools

Use 3M™ Precision Orbital - Pneumatic sanders to efficiently sand metal, paint, filler and primer for automotive collision repair.



3M Part Number	Product Description	Quantity
33797	3M™ Precision Random Orbital Sander, 3 in (75 mm), 3/32 in (2.5 mm) Orbit, Vacuum-Ready	1 per box
33796	3M™ Precision Orbital Sheet Sander, 70 mm x 198 mm, Vacuum-Ready	1 per box



- + 3M™ Precision Random Orbital Sander, 3 in (75 mm) is ideal for spot repair and finishing applications.

- + Recessed aluminum lever helps to reduce pinch points, enhancing safety and ease of use.



3M™ Clean Sanding System Electric Tools

With electric power you can help increase mobility without the need for compressed air.



3M Part Number	Product Description	Quantity
33798	3M™ Electric Random Orbital Sander, 6 in (150 mm), 3/32 in (2.5 mm) Orbit, Plug Type B	1 per box
33804	3M™ Electric Random Orbital Sander, 3 in (75 mm), 3/32 in (2.5 mm) Orbit, Plug Type B	1 per box



- + Keep the repair area small with the 3M™ Electric Random Orbital Sander, 3 in (75 mm), 3/32 in (2.5 mm) Orbit

- + Brushless motor requires less maintenance, no brushes to replace
- + Multihole back-up pad and shroud for effective dust extraction



3M™ Clean Sanding System

With the 3M™ Clean Sanding System, you have a complete solution that can help create a cleaner workspace and more efficient cycle times.

Dust Extractor

3M™ Dust Extractor

33774 45 L, 120V, Plug Type B*

Random Orbital Sanders

3M™ Precision Random Orbital Sander - Pneumatic

33632 6 in (150 mm), 3/32 in (2.5 mm) Orbit**

33633 6 in (150 mm), 3/16 in (5 mm) Orbit**

33634 6 in (150 mm), 5/16 in (8 mm) Orbit**

33797 3 in (75 mm), 3/32 in (2.5 mm) Orbit**

38505 3 in (75 mm), 3/16 in (5 mm) Orbit**

3M™ Electric Random Orbital Sander

33779 6 in (150 mm), 3/16 (5 mm) Orbit, 120V, Plug Type B**

33798 6 in (150 mm), 3/32 in (2.5 mm) Orbit, 120V, Plug Type B**

33804 3 in (75 mm), 3/32 in (2.5 mm) Orbit, 120V, Plug Type B**

Orbital Sheet Sanders and Sanding Blocks

3M™ Precision Orbital Sheet Sander - Pneumatic

33796 198 mm x 70 mm**

3M™ Hook™ Dust Extraction Flexible Sanding Block

35825 133 mm x 67 mm

35826 178 mm x 67 mm

35827 273 mm x 67 mm

35828 406 mm x 67 mm

35829 Kit (273 mm, 178 mm, 133 mm included)

3M™ Hook™ Dust Extraction Flexible Radius Sanding Block

35830 133 mm x 66 mm

35831 178 mm x 66 mm

35832 273 mm x 66 mm

35833 Kit (273 mm, 178 mm, 133 mm included)

Hoses

3M™ Antistatic Pneumatic Hose

33645 3M™ Antistatic Pneumatic Hose, 5 m

33783 3M™ Antistatic Pneumatic Hose, 8 m

33790 3M™ Antistatic Pneumatic Hose, 10 m

3M™ Antistatic Electric Hose

33646 3M™ Antistatic Electric Hose, 5 m

3M™ Dust Free Hose (for use with flexible sanding blocks)

05215 3M™ Dust Free Hose Extension Kit, 20 ft

Organizational Accessories

Organizers, Handlers and Workstations

33784 3M™ Abrasives Organizer

33765 3M™ Dust Extractor Handle Extension

33653 3M™ Clean Sanding System Workstation

33654 3M™ Clean Sanding System Workstation Extension

Filter and Bags

33647 3M™ Dust Extractor Filter, 2 Filters/Pack

33648 3M™ Dust Extractor Filter Bag, 5 Filters/Pack

Accessories

30160 3M™ Hookit™ Low Profile Disc Back-up Pad, 6 in (150 mm), 53 Holes, Red Foam, 10/Case

30062 3M™ Hookit™ Clean Sanding Multi-Connection Disc Pad, 6 in (150 mm), 53 Holes, 5/Case

05771 3M™ Hookit™ Soft Interface Pad, 3 in, 10/Case

05777 3M™ Hookit™ Soft Interface Pad, 6 in (150 mm) x 1/2x3/4 in, 10/Case

33652 3M™ Dust Extractor Y-Connector

33771 3M™ Dust Extractor Straight Adaptor, 38 mm, 4/Case

33772 3M™ Dust Extractor Adaptor, 29 mm, 4/Case

33770 3M™ Random Orbital Sander Adaptor for Hose Assembly, 57 mm, 4/Case

* A unit of 33652 Y-connector and a unit of 33645 5 m hose included

** One unit of 30160 Back-up Pad included

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability. For industrial/occupational use only. Not for consumer sale or use.

Hookit and 3M are trademarks of 3M Company. All other trademarks are property of their respective owners. Please recycle.
© 3M 2025. All rights reserved. 60-4405-0282-5



Automotive Aftermarket Division
3M Center
Building 223-06S-07
St. Paul, MN 55144-1000

For more information, visit us at
[3M.com/cleansandingsystem](https://www.3M.com/cleansandingsystem)