

ARCHITECTS & INTERIOR DESIGNERS 1ST CHOICE

Innovative European Design

Extensive range of Exhaust Fans in Pakistan

exhaust fans

> Window Glass Exhaust Fan

New Arrival!

Inverter

4W 10W 11W

> Air Circulating Fan

Bathroom / Kitchen / Lift

16"

> Kitchen Exhaust Fan

6", 8", 10", 12"

> Ceiling Mount Exhaust Fan

10", 12" 14"

> Centrifugal In-Line Fan

New Arrival!

Sirocco Fan

> In-Line Duct Fan / Blower

4", 6", 8", 10", 12"

> Air Curtain 3ft, 4ft, 5ft, 6ft

New Arrival!

STRONG PRESSURE 21 MS

> Portable Ventilator Fan

8", 10", 12", 16", 18", 24", 32"

> Ventilation Accessories

"NEW ARRIVAL"

30 Watts BLDC Full Inverter

SAVE ELECTRICITY UPTO 50%

14" 2x2 18" 2x2

The World's most beautiful & luxurious Exhaust Fans.

- Innovative European Design.
- Fabulous, Unique & Stylish.
- Designers First Choice.
- 100% Pure Copper Winding.
- Consumer Satisfaction 100% Guarantee.
- 2 Year Warranty.



A Brief Introduction

VOLDAM: Pioneering Innovative Ventilation Solutions

Based in China, specializing in designing and manufacturing premium ventilation products, VOLDAM offers a wide range of innovative solutions for residential, commercial, and industrial sectors.

Our product lineup includes Energy Efficient False Ceiling Fans, European Design Exhaust Fans, Air Circulating Fans, Kitchen Exhaust Fans, Axial Fans, In-Line Duct Fans, Portable Ventilator Fans, Fresh Air Units, Door Air Curtains, Residential, Commercial and Industrial Ventilation Products.

Built with high-quality materials and engineered for exceptional performance, our products meet ISO-9001 QMS standards. Our R&D team continuously innovates to meet consumer needs, ensuring VOLDAM's reputation as an industry leader.

With a strong commitment to customer satisfaction, VOLDAM responds promptly to consumer needs, solidifying its reputation as an industry leader in exhaust fans and ventilation products.

Trusted by Pakistan's Leading Architects, Interior Designers, and Consultants, VOLDAM is the preferred choice for premium ventilation solutions. Experience unparalleled quality, style, and functionality with VOLDAM.

Ventilation Accessories

Ventilation essentials you need plus optional accessories to facilitate installation and help improve system operations.

Our range includes Flexible Pipe, Air Grille, Vent Cover, Duct Connector, Reducer, Gravity Shutter, Diffuser, Air Valve, etc.




VOLDAM[®]

Quality & Confidence

Trusted by Industry Experts

The Voldam brand is highly recommended by leading
Principal Architects, Interior Designers, Engineers
and HVAC Consultants.



The background of the entire image is a close-up, artistic photograph of a motor's internal copper windings. The copper wires are tightly packed and arranged in a circular pattern, creating a sense of depth and texture. The lighting is warm, highlighting the metallic sheen of the copper. In the top left corner, there is an orange rectangular box containing the VOLDAM logo and tagline.

VOLDAM[®]

Quality & Confidence

- **100% Pure Copper Winding Motor**
- **Exceptional Quality**
- **Safety & Performance**

High-Quality BLDC Motors and PCBA Manufacturing


“Reliability and Durability in Electronic Applications”

Voldam's in-house development and manufacturing of permanent magnet BLDC motors showcase its commitment to innovation and quality. With highly qualified engineers and advanced manufacturing techniques.

Voldam ensures its motors meet the highest standards of performance and reliability. Additionally, Voldam's expertise in manufacturing high quality PCBA which further enhances the efficiency and durability of its products, making it a trusted name in the industry.

Voldam's advanced manufacturing techniques and commitment to quality result in products that meet the highest standards. The controller PCBA for the BLDC motors features an advanced programmable microprocessor, integrating multiple control modes, protection features, and components for stable operation.

Voldam's 2-year warranty for PCBA and BLDC motors demonstrates their commitment to quality and reliability. This warranty provides customers with peace of mind, knowing that all Voldam products are backed by a comprehensive guarantee.



VOLDAM[®]

Quality & Confidence

Now Available in

30 - Watts

INVERTER



The founder of False Ceiling Fans in Pakistan.

VOLDAM Makes History!

**Introducing the Game-Changing 30 Watts
Inverter False Ceiling Fan.**

Voldam is proud to announce its groundbreaking achievement as the World's first company to invent and introduce Energy Efficient Advanced BLDC Motor Technology False Ceiling Fans in 30 Watts.

Energy Efficient. Save Electricity Upto 50%

FALSE CEILING FAN 14" 2X2 (INVERTER 30 WATTS)

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient Save Electricity Upto 50%
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.
- Operated with Remote Control. 3 Speed Adjustment.
- Strong Air Delivery. Low Voltage Protection.
- Auto Restart Memory Function.

The World's First 30 Watts Energy Efficient False Ceiling Fan

VOLDAM false ceiling fans offer a sleek, space-saving solution for homes and offices. Installed within false ceilings, these fans provide efficient air circulation while maintaining a minimalist aesthetic. Their advantages include energy efficiency, reduced noise, and improved air distribution, making them ideal for rooms with low ceilings or modern décor. Additionally, false ceiling fans come in various designs and styles, allowing for seamless integration with existing interior designs. They are also relatively easy to install and maintain, making them a practical choice for enhancing ventilation and comfort in any space. Overall, false ceiling fans offer a range of benefits that can enhance the comfort, functionality, and aesthetic appeal of a room.

Technical Specifications:

Model No.	Color	Mounting Size	Voltage (v)	Speed	Watts	RPM
SCF-350 inverter 14" 2x2	White	60 x 60 cm 600x600 mm 2 x 2 ceiling	220-240v~50Hz	Low	15	970
				Medium	30	1228
				Turbo	40	1360



NEW ARRIVAL 30 Watts BLDC Full Inverter


SAVE ELECTRICITY UPTO 50%

Rs.8700/-




SUPER SLIM

Dimension (mm)



Blade Size: 14"





FALSE CEILING FAN 18" 2X2 (INVERTER 30 WATTS)

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient Save Electricity Upto 50%
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.
- Operated with Remote Control. 3 Speed Adjustment.
- Strong Air Delivery. Low Voltage Protection.
- Auto Restart Memory Function.

The World's First 30 Watts Energy Efficient False Ceiling Fan

VOLDAM false ceiling fans offer a sleek, space-saving solution for homes and offices. Installed within false ceilings, these fans provide efficient air circulation while maintaining a minimalist aesthetic. Their advantages include energy efficiency, reduced noise, and improved air distribution, making them ideal for rooms with low ceilings or modern décor.

Additionally, false ceiling fans come in various designs and styles, allowing for seamless integration with existing interior designs. They are also relatively easy to install and maintain, making them a practical choice for enhancing ventilation and comfort in any space. Overall, false ceiling fans offer a range of benefits that can enhance the comfort, functionality, and aesthetic appeal of a room.

Technical Specifications:

Model No.	Color	Mounting Size	Voltage (v)	Speed	Watts	RPM
SCF-450 inverter 18" 2x2	White	60 x 60 cm 600x600 mm 2 x 2 ceiling	220-240v~50Hz	Low	15	885
				Medium	30	1104
				Turbo	40	1300



NEW ARRIVAL 30 Watts BLDC Full Inverter



SAVE ELECTRICITY UPTO 50%



- ✓ 18" BIG BLADE
- ✓ 18" BIG GRILLE
- ✓ BIG AIR FLOW

SUPER SLIM

Dimension (mm)



Blade Size: 18"



FALSE CEILING FAN 14" OPEN (INVERTER 30 WATTS)

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient Save Electricity Upto 50%
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.
- Operated with Remote Control. 3 Speed Adjustment.
- Strong Air Delivery. Low Voltage Protection.
- Auto Restart Memory Function.



The World's First 30 Watts Energy Efficient False Ceiling Fan

VOLDAM false ceiling fans offer a sleek, space-saving solution for homes and offices. Installed within false ceilings, these fans provide efficient air circulation while maintaining a minimalist aesthetic. Their advantages include energy efficiency, reduced noise, and improved air distribution, making them ideal for rooms with low ceilings or modern décor.

Additionally, false ceiling fans come in various designs and styles, allowing for seamless integration with existing interior designs. They are also relatively easy to install and maintain, making them a practical choice for enhancing ventilation and comfort in any space. Overall, false ceiling fans offer a range of benefits that can enhance the comfort, functionality, and aesthetic appeal of a room.

Technical Specifications:

Model No.	Color	Mounting Size	Voltage (v)	Speed	Watts	RPM
SCF-350-1 inverter 14" OPEN	6 Colors	60 x 60 cm 600x600 mm 2 x 2 ceiling	220-240v~50Hz	Low	15	970
				Medium	30	1228
				Turbo	40	1360



> Easy to install design onto Direct Ceiling.

NEW ARRIVAL 30 Watts BLDC Full Inverter

SAVE ELECTRICITY UPTO 50%

14"

OPEN

Rs.8700/-





SUPER SLIM

Dimension (mm)

181.5mm

105mm 16.5mm



VOLDAM®

Quality & Confidence

13



Innovative European Design False Ceiling Fan 14" Open



FALSE CEILING FAN 18" OPEN (INVERTER 30 WATTS)

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient Save Electricity Upto 50%
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.
- Operated with Remote Control. 3 Speed Adjustment.
- Strong Air Delivery. Low Voltage Protection.
- Auto Restart Memory Function.



The World's First 30 Watts Energy Efficient False Ceiling Fan

VOLDAM false ceiling fans offer a sleek, space-saving solution for homes and offices. Installed within false ceilings, these fans provide efficient air circulation while maintaining a minimalist aesthetic. Their advantages include energy efficiency, reduced noise, and improved air distribution, making them ideal for rooms with low ceilings or modern décor.

Additionally, false ceiling fans come in various designs and styles, allowing for seamless integration with existing interior designs. They are also relatively easy to install and maintain, making them a practical choice for enhancing ventilation and comfort in any space. Overall, false ceiling fans offer a range of benefits that can enhance the comfort, functionality, and aesthetic appeal of a room.

Technical Specifications:

Model No.	Color	Mounting Size	Voltage (v)	Speed	Watts	RPM
SCF-450-1 inverter 18" OPEN	6 Colors	60 x 60 cm 600x600 mm 2 x 2 ceiling	220-240v~50Hz	Low	15	885
				Medium	30	1104
				Turbo	40	1300



> Easy to install design onto Direct Ceiling.


NEW ARRIVAL 30 Watts BLDC Full Inverter

Rs.9500/-

18" OPEN

SUPER SLIM

Dimension (mm)



15

Innovative European Design False Ceiling Fan 18" Open

VOLDAM®
Energy Efficient
★★★★★ 5 STAR
Advanced BLDC Motor Technology
FULL INVERTER Hi-Speed TURBO

Rs.9500/-

18" OPEN

SCF450-1

White

Off-White

Nut Brown

Dark Grey

Stone Grey

Black

VOLDAM®

Quality & Confidence

16

STANDARD MODEL WITHOUT INVERTER

ENERGY SAVING CEILING FAN 2x2 (FALSE CEILING TYPE)

- Super Slim Modern Outlook Design.
- 100% Pure Copper Winding for Long Life.
- Original Japanese Ball Bearing Motor.
- Superior Air Flow Performance.
- Operated by Remote Control.




WORLD'S FIRST "Slimmest" ENERGY SAVING CEILING FAN

(FALSE CEILING TYPE 2X2)

Perfect Air Distribution.

STRONG AIR DELIVERY

DIMENSIONS (MM):



SUPER SLIM
FALSE CEILING FAN

Rs.8300/-

14" 2x2

ONLY 70 MM THICKNESS

Latest Design

Remote Control

including 2 batteries
+ Remote Control Holder



**EASY
PCBA ACCESS
from FRONT**

Model No.	Rated Voltage Voltage (v)	Input (w)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	Speed (r.p.m)	Size (cm)
SCF-350	220-240	65	1800	54	1065	1300	60 X 60

**STANDARD
2x2 ft.**

SCF350

STANDARD MODEL WITHOUT INVERTER

HI-SPEED ENERGY SAVING 18" 2x2 FALSE CEILING FAN

- World's First 18" Hi-Speed 2x2 False Ceiling Fan.
- 100% Pure Copper Winding for Long Life.
- Original Japanese Ball Bearing Motor.
- Big Blade, Big Grille, Big Motor & Big Airflow.
- Built-in Grille Controlling System.


- ✓ 18" BIG BLADE.
- ✓ 18" BIG GRILLE.
- ✓ 80 WATT BIG MOTOR.
- ✓ BIG AIR DELIVERY.
- ✓ BUILT-IN GRILLE CONTROLLING SYTEM.

*The Perfect 18" 2x2
False Ceiling Fan*

SUPER SLIM
FALSE CEILING FAN



DIMENSIONS (MM):



Latest Design
Remote Control
including 2 batteries
+ Remote Control Holder



**EASY
PCBA ACCESS
from FRONT**

Rs.9100/-



Model No.	Rated Voltage Voltage (v)	Input (w)	Air-Flow (m3/h)	Noise (dB)	Air Delivery CBM/h	CFM (cfm)	Speed (r.p.m)	Size (cm)
SCF-450	220-240	80	3300	52	3300	1952	1300	60 X 60

**STANDARD
2x2 ft.**

SCF450



AIR CIRCULATING FAN 14"

- Top Class Quality.
- 99.99% Pure Copper Motor for Long Life.
- Smooth Air Delivery.
- Noiseless Operation.
- Super Slim Thin only 6 inches.



The World's First AIR CIRCULATING FAN

Voldam Air Circulating Fan is the world's first fan designed especially for the **bathroom, kitchen, dining room, lift, elevator, gym, restaurant, cafe, cabin, shop, showroom, small spaces** and **low height ceiling**. This fan helps to improve air, enhance air circulation and distribution within a room or enclosed space.

SUPER SLIM

Available in 6 Colors to match with Interior.

White | Off-White | Nut Brown | Dark Grey
Stone Grey | Elegant Black

Quick & Easy to install.

Rs.7900/-

14"

6" Thin



Model No.	Rated Voltage Voltage (v)	Input (w)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	Speed (r.p.m)	Size
SCF-300	240-240v	60	1800	54	1065	1300	16" dia

14" Blade Size

SCF300



The World's First Air Circulating Fan 14" - Architects & Interior Designers 1st Choice.



Black

Dark Grey

Nut Brown

Off-White

Stone Grey

White

Price. Rs.7900

SCF300






VOLDAM[®]

Quality & Confidence



22



VENTILATION THE MOST IMPORTANT PART

**HOME****OFFICE****MEETING ROOM****SHOP / OUTLET****PHARMACY****HOSPITAL****CLINIC****DENTAL FACILITY****RESTAURANT****COMMERCIAL KITCHEN****MANUFACTURING UNIT****SALON / PARLOUR**

Ventilation the process of “changing” or “replacing” air in any space to provide high air quality i.e. to control temperature, replenish oxygen, or remove moisture, odors, smoke, heat, dust, airborne bacteria and carbon dioxide.

Ventilation is used to remove unpleasant smells, and excessive moisture, introduce outside air, to keep interior building air circulating and to prevent stagnation of the interior air.

Ventilation includes both the exchange of air to the outside as well as circulation of air within the building. It is one of the most important factors for maintaining acceptable indoor air quality in buildings.

VOLDAM Exhaust Fans comes with free back shutter in 6" & 8" sizes to protect your place from Flies, Insects, Bugs, Mosquitos & most importantly outside dust.



SPIDER



LIZARD



COCKROACH



FLY



MOSQUITO



OUTSIDE DUST

Absolutely FREE !!!
BACK SHUTTER



6" 8"

WINDOWS GLASS EXHAUST FAN

- Silicon Steel Motor
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Brilliant Performance.
- Whisper Quiet.

Application: Window, Glass

New !!! PRIVACY BACK SHUTTER.

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-C6	220-240	15	280	33	178	1900	6" dia
VF-C8	220-240	18	450	37	284	1800	8" dia

Eco Motor

Energy Efficient

6" VF-C6

8" VF-C8

Rs.3100/-

Rs.3300/-

WINDOWS GLASS EXHAUST FAN

- Silicon Steel Motor
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Brilliant Performance.
- Whisper Quiet.

Application: Window, Glass

New !!! PRIVACY BACK SHUTTER.

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-D6	220-240	15	300	33	178	2050	6" dia
VF-D8	220-240	25	480	37	284	1900	8" dia

Powerful Motor

Strong Suction

6" VF-D6

8" VF-D8

Rs.3300/-

Rs.3500/-

FULL PLASTIC GRILLE SQUARE EXHAUST FAN

- Silicon Steel Motor
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Brilliant Performance.
- Whisper Quiet.

Application: Wall

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Built-in
Back Shutter



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-AB6	220-240	25	330	37	195	1450	6" dia
VF-AB8	220-240	32	520	40	308	1320	8" dia
VF-AB10	220-240	42	860	42	509	1200	10" dia
VF-AB12	220-240	50	1200	47	710	1200	12" dia

6" VF-AB6

8" VF-AB8

10" VF-AB10

12" VF-AB12

FULL PLASTIC GRILLE SQUARE EXHAUST FAN

- Silicon Steel Motor
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Brilliant Performance.
- Whisper Quiet.

Application: Wall

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Built-in
Back Shutter



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-AB6	220-240	25	330	37	195	1450	6" dia
VF-AB8	220-240	32	520	40	308	1320	8" dia
VF-AB10	220-240	42	860	42	509	1200	10" dia
VF-AB12	220-240	50	1200	47	710	1200	12" dia

6" VF-AB6

8" VF-AB8

10" VF-AB10

12" VF-AB12

POWERFUL METAL EXHAUST FAN

- Silicon Steel Motor
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Brilliant Performance.

Application: Wall

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



**Built-in
Back Shutter**



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	Pressure (Pa)	RPM (rpm)	Size
VF-ME6LN	220-240	60	650	58	80	2800	6" dia
VF-ME8LN	220-240	80	1250	62	130	2800	8" dia
VF-ME10LN	220-240	100	1850	65	200	2800	10" dia
VF-ME12LN	220-240	120	2650	68	215	2800	12" dia

6" VF-ME6LN

8" VF-ME8LN

10" VF-ME10LN

12" VF-ME12LN



FABULOUS DESIGN WALL / GLASS EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Window, Glass



Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-A4	220-240	5	80	33	47	2500	4" dia
VF-A6	220-240	11	250	37	148	2000	6" dia
VF-A8	220-240	10	370	39	219	1800	8" dia

4" VF-A4

6" VF-A6

8" VF-A8

Rs.2600/-

Rs.3600/-

Rs.4900/-

ELEGANT DESIGN WALL / GLASS EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Window, Glass



Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-A4-I	220-240	5	80	33	47	2500	4" dia
VF-A6-I	220-240	11	250	37	148	2000	6" dia
VF-A8-I	220-240	10	370	39	219	1800	8" dia

4" VF-A4-1

6" VF-A6-1

8" VF-A8-1

Rs.2600/-

Rs.3600/-

Rs.4900/-

ADORABLE DESIGN WALL / GLASS EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Window, Glass



Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-A4-2	220-240	5	80	33	47	2500	4" dia
VF-A6-2	220-240	11	250	37	148	2000	6" dia
VF-A8-2	220-240	10	370	39	219	1800	8" dia

4" VF-A4-2

6" VF-A6-2

8" VF-A8-2

Rs.2600/-

Rs.3600/-

Rs.4900/-



ULTRA THIN PANEL WALL / GLASS EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Window, Glass



Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-B4	220-240	5	80	33	47	2500	4" dia
VF-B6	220-240	11	250	37	148	2000	6" dia
VF-B8	220-240	10	370	39	219	1800	8" dia

4" VF-B4

6" VF-B6

8" VF-B8

Rs.2600/-

Rs.3600/-

Rs.4900/-

VOLDAM

SLIM, UNIQUE & STYLISH WALL / GLASS EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Window, Glass



Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-N4	220-240	5	80	33	47	2500	4" dia
VF-N6	220-240	11	250	37	148	2000	6" dia
VF-N8	220-240	10	370	39	219	1800	8" dia

4" VF-N4

6" VF-N6

8" VF-N8

Rs. 2600/-

Rs. 3600/-

Rs. 4900/-

VOLDAM[®]

Quality & Confidence

35

SLIM, UNIQUE & STYLISH WALL / GLASS EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall / Glass



Elegant Black

Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-N6B	220-240	11	210	37	124	2000	6" dia
VF-N8B	220-240	10	370	39	219	1800	8" dia

6" VF-N6 B

8" VF-N8 B



SLIM, UNIQUE & STYLISH WALL / GLASS EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall / Glass



Elegant Grey

Built-in Back Shutter



Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Rs.5500/-

Rs.4200/-

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-N6 G	220-240	11	210	37	124	2000	6" dia
VF-N8 G	220-240	10	370	39	219	1800	8" dia

6" VF-N6 G

8" VF-N8 G

INNOVATIVE EUROPEAN DESIGN EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Glass



Rs.6500/-

Rs.5500/-

Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Innovative European Design

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-EU6	220-240	11	210	35	124	2000	6" dia
VF-EU8	220-240	10	370	39	219	1800	8" dia

6" VF-EU6

8" VF-EU8

INNOVATIVE EUROPEAN DESIGN EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Glass



Rs.7500/-

Rs.6500/-

Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Innovative European Design
Stainless Steel

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-EU6 SS	220-240	11	210	35	124	2000	6" dia
VF-EU8 SS	220-240	10	370	39	219	1800	8" dia

6" VF-EU6 SS

8" VF-EU8 SS

INNOVATIVE EUROPEAN DESIGN EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Glass



Rs.7500/-

Rs.6500/-

Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Innovative European Design
Golden Stainless Steel

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-EU6 G	220-240	11	210	35	124	2000	6" dia
VF-EU8 G	220-240	10	370	39	219	1800	8" dia

6" VF-EU6 G

8" VF-EU8 G

DIAMOND CUT DESIGN EXHAUST FAN

- Top Class Quality.
- Inverter BLDC ECO Motor Technology.
- Energy Efficient.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Auto Cut Off. Motor Overheat Protection.

Application: Wall, Glass

Nice and clean since every fan gets dirty sooner or later, this model was designed in a way that air flows in on all sides. The design of the facia elegantly avoids the internal view of the fan opening, even when dirty.



Rs.6500/-

Rs.5500/-

Built-in Back Shutter

Protect your place from mosquitos, flies, bugs, insects and most important outside dust.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Size
VF-RV6	220-240	11	210	35	124	2000	6" dia
VF-RV8	220-240	10	370	39	219	1800	8" dia

6" VF-RV6

8" VF-RV8



The largest variety of Ceiling Mount Exhaust Fans in Pakistan
Innovative European Design - Architects & Interior Designers 1st Choice.



SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

Rs.8900/-

Rs.5900/-

Rs.5500/-

ELEGANT DESIGN
PERFORMANCE MATTERS

Accessories can be purchased separately.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BT815	220-240	24	200	40	118	1300	4"
VF-BT1030	220-240	36	300	45	178	1200	4"
VF-BT1440	220-240	80	430	50	254	1200	6"

10" VF-BT815

12" VF-BT1030

14" VF-BT1440

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

MARVELOUS DESIGN
EXCEEDINGLY GOOD

Accessories can be purchased separately.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BD815	220-240	24	200	40	118	1300	4"
VF-BD1030	220-240	36	300	45	178	1200	4"
VF-BD1440	220-240	80	430	50	254	1200	6"

Rs.8900/-

Rs.5900/-

Rs.5500/-

10" VF-BD815

12" VF-BD1030

14" VF-BD1440

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

WORLD'S FINEST DESIGN
CEILING EXHAUST FAN.

Rs.6600/-

Rs.6900/-

Rs.9900/-

Accessories can be purchased separately.



Innovative European Design
SS - Stainless Steel (GOLD) finish

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BD815G	220-240	24	200	40	118	1300	4"
VF-BD1030G	220-240	36	300	45	178	1200	4"
VF-BD1440G	220-240	80	430	50	254	1200	6"

10" VF-BD815G

12" VF-BD1030G

14" VF-BD1440G

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

EVERYONE SHOULD
BELIEVE IN QUALITY WINS !



Accessories can be purchased separately.



Innovative European Design
SS - Stainless Steel (SILVER) finish

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BD815S-SS	220-240	24	200	40	118	1300	4"
VF-BD1030S-SS	220-240	36	300	45	178	1200	4"
VF-BD1440S-SS	220-240	80	430	50	254	1200	6"

10" VF-BD815S-SS

12" VF-BD1030S-SS

14" VF-BD1440S-SS



SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount



Rs.6600/-

Rs.6900/-

Rs.9900/-

CONTEMPORARY
ARCHITECTURAL LOOK.

Accessories can be purchased separately.



Innovative European Design
SS - Stainless Steel (GOLD) finish

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BD815 G-SS	220-240	24	200	40	118	1300	4"
VF-BD1030 G-SS	220-240	36	300	45	178	1200	4"
VF-BD1440 G-SS	220-240	80	430	50	254	1200	6"

10" VF-BD815G-SS

12" VF-BD1030G-SS

14" VF-BD1440G-SS

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

Rs.5500/-

Rs.5900/-

IT'S A BEAUTIFUL
NEW DESIGN

Accessories can be purchased separately.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BF815	220-240	24	200	40	118	1200	4"
VF-BF1030	220-240	36	300	45	178	1200	4"

10" VF-BF815

12" VF-BF1030



SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

IT'S A BEAUTIFUL
NEW DESIGN

Accessories can be purchased separately.



Innovative European Design
SS - Stainless Steel (GOLD) finish

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BF815G	220-240	24	200	40	118	1200	4"
VF-BF1030G	220-240	36	300	45	178	1200	4"

Rs.6900/-

Rs.6600/-

10" VF-BF815G

12" VF-BF1030G

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

IT'S A BEAUTIFUL
NEW DESIGN

Accessories can be purchased separately.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BF815S-SS	220-240	24	200	40	118	1200	4"
VF-BF1030S-SS	220-240	36	300	45	178	1200	4"

Innovative European Design
SS - Stainless Steel (SILVER) finish

10" VF-BF815S-SS

12" VF-BF1030S-SS

Rs.6900/-

Rs.6600/-

VOLDAM®

Quality & Confidence

50

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

Rs.5700/-

Rs.6000/-

BE INSPIRED BY
EUROPEAN DESIGN

Accessories can be purchased separately.



Innovative European Design

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BU815	220-240	24	200	40	118	1200	4"
VF-BU1030	220-240	36	300	45	178	1200	4"

10" VF-BU815

12" VF-BU1030

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

Rs.5700/-

Rs.6000/-

TRULY
SPLENDID DESIGN

Accessories can be purchased separately.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BQ815	220-240	24	200	40	118	1200	4"
VF-BQ1030	220-240	36	300	45	178	1200	4"

10" VF-BQ815

12" VF-BQ1030

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

Elegant Black

Rs.6000/-

Rs.6300/-

TRULY
SPLENDID DESIGN

Accessories can be purchased separately.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-B 815B	220-240	24	200	40	118	1200	4"
VF-BQ1030B	220-240	36	300	45	178	1200	4"

10" VF-BQ815B

12" VF-BQ1030B



SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount



Rs.7600/-

Rs.7900/-

NEW LOOK !
A CLASS OF IT'S OWN.

Accessories can be purchased separately.



Innovative European Design
SS - Stainless Steel (GOLD) finish

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BV815G	220-240	24	200	40	118	1200	4"
VF-BV1030G	220-240	36	300	45	178	1200	4"

10" VF-BV815G

12" VF-BV1030G

SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount



NEW DESIGN
THINK DIFFERENT

Accessories can be purchased separately.




Innovative European Design
SS - Stainless Steel (SILVER) finish

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BV815-SS	220-240	24	200	40	118	1200	4"
VF-BV1030-SS	220-240	36	300	45	178	1200	4"

10" VF-BV815-SS

12" VF-BV1030-SS



SUPER QUIET CEILING EXHAUST FAN

- Silicon Steel Motor.
- 100% Pure Copper Winding Motor for Long Life.
- Built-in-thermo-cut-off Protection.
- Contemporary Architectural Designer Look.
- Superior Quality. Brilliant Performance.

Application: Ceiling Mount

LED
COLOR OPTIONS



WHITE



4000K

Rs.7900/-

Accessories can be purchased separately.



Innovative European Design
Built-in 15 Watts LED Light

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)	Ducting Pipe Size
VF-BFLED-15W	220-240	36	300	45	178	1200	4"

12"

VF-BFLED-15W


NEW
ARRIVAL

Note: Suggested Height between
Hob and Kitchen Extractor Fan
must be at least 3ft (36 inches)



Rs.16900/-

KEF-900



FREE !


**5" Flexible Pipe (3 mtrs length)
+ Vent Cover**



KITCHEN EXTRACTOR FAN

- Silent Operation
- Quick Extraction
- Highly Efficient Performance
- 99.99% Pure Copper Motor for Long Life.
- Easily Removable 4 Layer Filter
- 2 Years Warranty

Dimension



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)
KEF-900	220-240	80	430	50	254	1200

Rs.16900/-

KEF-900

VOLDAM®

Quality & Confidence

NEW
ARRIVAL

58

Note: Suggested Height between Hob and Cabinet Fan must be at least 3ft (36 inches)

KITCHEN CABINET EXHAUST FAN

- Silent Operation
- Quick Extraction
- Easy to install into Kitchen Cabinet.
- Suitable for various Kitchen Environment.
- Highly Efficient Performance
- 99.99% Pure Copper Motor.
- Easily Removable 4 Layer Filter
- 1 Year Warranty



Accessories can be purchased separately.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	RPM (rpm)
KCF-600	220-240	80	430	50	254	1200

Rs.13900/-
KCF-600

VOLDAM®

Quality & Confidence

59

AIR CURTAIN

Innovative European Design

FEATURES



Strong Wind



Energy Efficient



Adjustable Wind
Direction On



Metal Body



Mute Noise
Reduction

Available In 4 different sizes:

3FT


4FT

5FT

6FT

AIR CURTAIN STANDARD SERIES

- ✓ Quiet, Technologically Advanced.
- ✓ Air Pressure 13 MS
- ✓ Remote Control (Hi/Low Speed).
- ✓ Large Air Volume.
- ✓ Simple to install, operate & maintain.
- ✓ Built-in Door Sensor + Remote Control.
- ✓ 1 Year Parts Replacement Warranty.



99.99%
Copper Winding

CROSS FLOW INTEGRAL BEARING WIND WHEEL 13 MS

STANDARD SERIES

3FT VAC-3FT STD Rs.34900

5FT VAC-5FT STD Rs.49900

4FT VAC-4FT STD Rs.39900

6FT VAC-6FT STD Rs.59900

Model	Dimension		Voltage	Motor Power	Air Velocity (m/s)		Air volume	Noise (dB)		Weight
No.	(mm)	(foot)	(V~)	(W)	HI	LO	m³/h	HI	LO	KG
VAC-3 FT STD	900	3 FT	220-240	134 / 160	13	11	1300 / 1630	53	50	12.5
VAC-4 FT STD	1200	4 FT	220-240	187 / 220	13	11	2000 / 2500	54	52	15
VAC-5 FT STD	1500	5 FT	220-240	214 / 260	13	11	3150 / 3580	55	53	18
VAC-6 FT STD	1800	6 FT	220-240	223 / 320	13	11	2500 / 3900	57	55	20

VOLDAM®

Quality & Confidence


60



VOLDAM

AIR CURTAIN - CENTRIFUGAL TYPE

- ✓ Dual Motor Centrifugal Type
- ✓ High Air Pressure 18 MS
- ✓ Remote Control (Hi/Low Speed).
- ✓ Large Air Volume.
- ✓ Simple to install, operate & maintain.
- ✓ 1 Year Parts Replacement Warranty.
- ✓ Built-in Door Sensor + Remote Control.



99.99%
Copper Winding

CENTRIFUGAL WIND BLOWER 18 MS

CENTRIFUGAL TYPE

3FT VAC-3FT CT Rs.42900

5FT VAC-5FT CT Rs.59900

4FT VAC-4FT CT Rs.49900

6FT VAC-6FT CT Rs.69900



Model	Dimension		Voltage	Motor Power	Air Velocity (m/s)		Air volume	Noise (dB)		Weight
No.	(mm)	(foot)	(V-)	(W)	HI	LO	m³/h	HI	LO	KG
VAC-3 FT CT	900	3 FT	220-240	230	18	16	1100	50	48	13
VAC-4 FT CT	1200	4 FT	220-240	290	18	16	1500	52	50	15.5
VAC-5 FT CT	1500	5 FT	220-240	380	18	16	1900	53	51	20
VAC-6 FT CT	1800	6 FT	220-240	450	18	16	2280	54	52	23.5

MIXED FLOW IN-LINE FAN (EXHAUST / BLOWER)

- Powerful, compact and quiet mixed flow impeller.
- Energy Efficient Two Speed Control.
- Easy to install via support brackets.
- Ideal for long duct runs.
- 100% Pure Copper Winding Motor.
- Simple Maintenance.
- Available in duct diameters 4" thru 12".
- Optional pre-wired with 220-240v power cord.
- May be mounted in any Position.
- Airflow capacity upto 1706 CFM.
- May be used for supply or exhaust air.
- 2 Years Warranty.

Voldam Mixed Flow In-Line Duct Fan (Exhaust / Blower) may be used to solve many air moving problems. They are capable of moving airflow through long or complex duct runs, and provide an ideal solution for areas that are hard to heat or cool. Voldam Mixed Flow In-Line Fans are designed for residential and light commercial ventilation applications. These compact, powerful and quiet fans feature a durable and a two speed motor energy efficient.



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	Static PA	RPM (rpm)	Size
VF-IC4	220-240	43/38	282/209	30/25	165/122	180/130	2600	4" dia
VF-IC6	220-240	64/62	518/475	35/30	304/279	300/250	2600	6" dia
VF-IC8	220-240	96/66	1040/814	50/45	611/478	350/280	2600	8" dia
VF-IC10	220-240	175/145	1859/1414	60/54	1093/831	550/400	2450	10" dia
VF-IC12	220-240	284/191	2812/1995	66/61	1654/1173	700/500	2500	12" dia

4" VF-IC4 Rs.13900

6" VF-IC6 Rs.27900

8" VF-IC8 Rs.39900


10" VF-IC10 Rs.49900

12" VF-IC12 Rs.59900

TD 8 SILENT TURBO MIXED FLOW IN-LINE DUCT FAN (EXHAUST/BLOWER)

- Powerful, compact and quiet mixed flow impeller.
- Easy to install via support brackets.
- Ideal for long duct runs.
- 100% Pure Copper Winding Motor.
- Simple Maintenance.
- Available in duct diameter of 8".
- Optional pre-wired with 220-240v power cord.
- May be mounted in any Position.
- May be used for supply or exhaust air.

SILENT - Turbo



Rs.49900

8"

VF-TD8 TURBO

Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	Noise (dB)	CFM (cfm)	Static PA	RPM (rpm)	Size
VF-TD8 Turbo	220-240	130	1200	55	700	370	2500	8" dia

HI-PERFORMANCE METAL CENTRIFUGAL EXHAUST / BLOWER

- Hi-Performance.
- 100% Pure Copper Winding Motor.
- Original Japanese Ball Bearing Motor.
- Suitable for air temperature -1 to 50 C.
- Suitable for both supply and exhaust air applications.
- Mounting foot supplied as standard.
- All Models can be mounted at any angle.
- Easy to install - mounting brackets included.

4"	VF-ID4	Rs.15900
6"	VF-ID6	Rs.35900
8"	VF-ID8	Rs.49900
10"	VF-ID10	Rs.59900
12"	VF-ID12	Rs.69900



Model No.	Voltage	Input Watts	Airflow (m3/h)	RPM	Noise (db)	Pressure (PA)	CFM	Duct Size mm
VF-ID4	220-240v	68 Watts	290	2500 rpm	65	280	171	100
VF-ID6	220-240v	89 Watts	740	2500 rpm	68	350	436	150
VF-ID8	220-240v	127 Watts	1020	2500 rpm	70	510	600	200
VF-ID10	220-240v	168 Watts	1050	2500 rpm	72	550	618	250
VF-ID12	220-240v	223 Watts	1600	2500 rpm	75	675	942	315



SIROCCO SPLIT IN-LINE DUCT FAN 8" DIA

- Powerful Air Flow with Low Noise Operation.
- Top Class Quality Strong Metal Body.
- Easy to Install. Outlet direction is adjustable to vertical / horizontal position.
- Built-in Centrifugal Metal Impeller.
- 99.99% Pure Copper Ball Bearing Motor for Long Life.
- Suitable for Residential, Commercial & Industrial use.

Voldam Sirocco Split In-line Duct fan is made of high quality thick metal material, strong and durable, and has strong anti-rust and anti-corrosion ability. The 99.99% pure copper ball bearing motor and the centrifugal wind wheel are used to ensure stable operation, large air volume and low noise.

Outlet direction is adjustable. 90° three-dimensional structure design, good exhaust and air supply effect. It comes with a check valve, which automatically opens and closes with the airflow to prevent backflow and mosquito / bugs intrusion.

Specifications:

SIDF-8 8" dia **Rs.89000**

Model No.	Duct (dia)	Dimension (mm)	Voltage (V/Hz)	Power (watts)	Air Volume (m3/h)	Static (PA)	Noise (dB)	CFM
SIDF-8	8" (200 mm)	377 x 255 x 331	220v-240v~50Hz	330	2100	380	62	1235



FA-4 4" dia Rs.45000

FA-6 6" dia Rs.55000

FA-8 8" dia Rs.65000

FRESH AIR TREATMENT UNIT 4", 6", 8" DUCT DIA (ONE WAY)

- Compact Design. Energy Efficient.
- Top Class Quality Finish Metal Body.
- Easy to Install.
- Quick and Easy to Replace Filters.
- Low Noise Operation.
- 99.99% Pure Copper Motor for Long Life.
- Fresh Air Supply with Built-in Quadruple Filtration System.

FILTERS



Voldam One Way Air Treatment Unit is an independent exhaust system that takes in fresh air from outside and cleans it. Voldam Fresh Air Units provide a constant supply of fresh, clean air, improving indoor air quality. It help remove pollutants and bacteria from the air, creating a healthier environment.

Built-in Filters:-

1. Metal Filter remove large particles, small insects & pollents. Pre-Filter efficiency upto 90%, filters particles such as mold and spores.
2. HEPA Filter H11 grade efficiency up to 95%, filters such as virus.
3. Carbon Activated Filter to absorb formaldehyde, benzene, randon and harmful chemical.
4. Silver ion filter, refrain and kill becterial's breed in the air, catalyze air to generate O3 to sterilize and purify the air.

ONE WAY UNIT FILTER SET PRICES

4" @ Rs.10900

6" @ Rs.12900

8" @ Rs.14900



Model No.	Duct (dia)	Voltage (V/Hz)	Power (watts)	Air Volume (m3/h)	Static (PA)	Noise (dB)	CFM
FA-4	4"	220v-240v~50Hz	53/44	160/120	192/170	24/21	94/70
FA-6	6"	220v-240v~50Hz	88/78	350/290	270/250	35/28	205/170
FA-8	8"	220v-240v~50Hz	143/122	650/500	365/300	42/38	382/294

NEW
ARRIVAL

FA-4 TW 4" dia Rs.95000

FA-6 TW 6" dia Rs.115000

FA-8 TW 8" dia Rs.135000

FRESH AIR TREATMENT UNIT 4", 6", 8" DUCT DIA (TWO WAY)

- Compact Design. Energy Efficient.
- Top Class Quality Finish Metal Body.
- Easy to Install.
- Quick and Easy to Replace Filters.
- Low Noise Operation.
- 99.99% Pure Copper Motor for Long Life.
- Fresh Air Supply with Built-in Quadruple Filtration System.

FILTERS



Voldam Two-Way Air Treatment Unit is an independent exhaust system that takes in fresh air from outside, cleans it, and simultaneously exhausts stale air outside. It provide a constant supply of fresh, clean air, improving indoor air quality. It help remove pollutants and bacteria from the air, creating a healthier environment.

Built-in Filters:-

1. Metal Filter remove large particles, small insects & pollents. Pre-Filter efficiency upto 90%, filters particles such as mold and spores.
2. HEPA Filter H11 grade efficiency up to 95%, filters such as virus.
3. Carbon Activated Filter to absorb formaldehyde, benzene, randon and harmful chemical.
4. Silver ion filter, refrain and kill becterial's breed in the air, catalyze air to generate O3 to sterilize and purify the air.

TWO WAY UNIT FILTER SET PRICES

4" @ Rs.13900
6" @ Rs.15900
8" @ Rs.17900



Model No.	Duct (dia)	Voltage (V/Hz)	Power (watts)	Air Volume (m3/h)	Static (PA)	Noise (dB)	CFM
FA-4TW	4"	220v-240v~50Hz	108/86	230/180	210/110	33/30	135/105
FA-6TW	6"	220v-240v~50Hz	151/124	550/350	240/160	36/33	323/205
FA-8TW	8"	220v-240v~50Hz	240/186	1200/800	320/270	45/41	705/470

HI-PERFORMANCE PORTABLE VENTILATOR FAN

- Rapidly circulate fresh air or remove unwanted air.
- Excellent craftwork with 99.99% Copper Motor.
- It is designed with tough steel construction, a Durable Grill.
- Extremely Powerful.
- Designed & Engineered by highly qualified Engineers.
- 2 Years Warranty.

Voldam Hi-Performance Portable Ventilator Axial Blower Extractor Fan help ventilate and is used along with ducts to circulate fresh air or remove unwanted air and it may also be used to maintain a suitable temperature for working. Made using durable steel housing with a orange finish. Excellent craft work and finish with 99.99% pure copper winding motor with supporter and handle flexible using. Rubber feet on base help minimize noise and reduce vibrations. The working ambient temperature range is 0-70 degrees Celsius.

Available in 6 Different Sizes:
8", 10", 12", 16", 18", 24", 32"



**Portable Ventilator
Pipe Fibre Cloth 5m Length**



Product Model #	Voltage (v)	Input (watts)	Air-Flow (m3/h)	CFM (cfm)	RPM (rpm)	Noise (dB)	Static Pressure (Pa)	Size	Duct Size (mm)
PVF-8	220-240v	120 (Single Phase)	1300	765	2800	60	140	8" Dia	200
PVF-10	220-240v	250 (Single Phase)	2100	1235	2800	68	215	10" Dia	250
PVF-12	220-240v	370 (Single Phase)	3000	1765	2800	71	230	12" Dia	300
PVF-16	220-240v	1500 (Single Phase)	11000	6471	2800	80	320	16" Dia	400
PVF-18	220-240v	1500 (Single Phase)	9720	5750	2800	95	300	18" Dia	450
PVF-24	380v	3000 (3 Phase)	24500	14412	1450	92	320	24" Dia	600
PVF-32	380v	4000 (3 Phase)	28000	16471	1450	96	380	32" Dia	800

8"	Rs.26900
10"	Rs.35900
12"	Rs.39900
16"	Rs.69900
18"	Rs.79900
24"	Rs.149900
32"	Rs.229900

TOP CLASS QUALITY

Residential, Industrial & Commercial

VENTILATION ACCESSORIES

3 METER / 10 FT.+ LENGTH ALUMINIUM PIPE

4"

MODEL # VF-FLEX4

Rs.1100/-

5"

MODEL # VF-FLEX5

Rs.1500/-

6"

MODEL # VF-FLEX6

Rs.1900/-

8"

MODEL # VF-FLEX8

Rs.2500/-



5 METER / 16 FT.+ LENGTH ALUMINIUM PIPE

10"

MODEL # VF-FLEX10

Rs.3000/-



REDUCER 6-4 & 8-6 (PLASTIC)

6"

MODEL # VF-TL6-4

Rs.1000/-

8"

MODEL # VF-TL8-6

Rs.1300/-



AIR VALVE PLASTIC

4"

MODEL # VF-AV4

Rs.1300/-

6"

MODEL # VF-AV6

Rs.1500/-



4"

MODEL # VF-RS4

Rs.900/-

6"

MODEL # VF-RS6

Rs.1150/-

8"

MODEL # VF-RS8

Rs.1350/-



DUCT CONNECTOR

4"

MODEL # VF-RSD4

Rs.700/-

6"

MODEL # VF-RSD6

Rs.900/-



T STYLE JOINT PIPE (PLASTIC)

6"

MODEL # VF-TP6

Rs.1800/-

8"

MODEL # VF-TP8

Rs.2000/-



PORTABLE VENTILATOR FIBRE CLOTH PIPE (5M LENGTH)

8"

MODEL # VF-PVF-8

Rs.8900/-

10"

MODEL # VF-PVF-10

Rs.9900/-

12"

MODEL # VF-PVF-12

Rs.11900/-

16"

MODEL # VF-PVF-16

Rs.14900/-

18"

MODEL # VF-PVF-18

Rs.16900/-

24"

MODEL # VF-PVF-24

Rs.22900/-



NEW EXTERNAL COWLED VENT COVER

The cowl vent helps prevent backdraughts in any vented system when fitted to an external wall.

4"

MODEL # VF-FH4

Rs.950/-

6"

MODEL # VF-FH6

Rs.1350/-

8"

MODEL # VF-FH8

Rs.1650/-



NEW GRAVITY SHUTTER

4"

MODEL # VF-GS4

Rs.950/-

6"

MODEL # VF-GS6

Rs.1250/-

8"

MODEL # VF-GS8

Rs.1550/-



ROUND CEILING AIR GRILLE / DIFUSER (PLASTIC)

4"

MODEL # VF-CAG4

Rs.950/-

6"

MODEL # VF-CAG6

Rs.1250/-

8"

MODEL # VF-CAG8

Rs.2200/-



VENT COVER (PLASTIC)

4"

MODEL # VF-FS4

Rs.850/-

6"

MODEL # VF-FS6

Rs.950/-

8"

MODEL # VF-FS8

Rs.1550/-





TOP CLASS QUALITY