

VITA RANGE

beauty secrets





Mesotherapy VITA RANGE





VITA O2- Nutri
5vials 10ml each

VITA POWER GF
5vials 10ml each





VITA BOOSTER
5vials 10ml each



VITA WHITE
5 vials 10ml each



VITA FACE
5vials 10ml each



VITA SENS
5vials 10ml each



VITA EYE
5vials 10ml each



VITA LIPS
5 vials 10ml each



**WHITENING RANGE
COCKTAIL**



VITA HAIR

5vials 10ml each



VITA HAIR PRO

5 vials 10ml each



VITA GFH

5vials 10ml each



VITA NANO

5vials 10ml each



**ANTI HAIR LOSS RANGE
COCKTAILS**



VITA SCAR
5vials 10ml each



VITA MIRACLE
5 vials 10ml each



VITA ACNE
5vials 10ml each



VITA HA
5vials 10ml each



**FACE RANGE
COCKTAILS**



VITA BODY SR
5vials 10ml each

VITA BODY
5vials 10ml each

VITA STRETCH
5 vials 10ml each

VITA FIRM
5 vials 10 ml each

VITA CAFF
5 vials 10 ml each

VITA SECRET
5 vials 10 ml each



LYPOLYSIS AND BODY RANGE COCKTAILS




VITA RANGE

VITA RANGE

VITA RANGE established itself quickly as a leader in the market industry of health, beauty and wellness. Providing effective cosmetics , cosmo medical , Medical devices and high technology equipment.

The success of VITA RANGE is due to its dedication and research in developing new products combined with a passion to provide excellent treatments and achieving breaking results.

VITA RANGE being owner of several international brands , that are committed in advanced medical cosmetics which combine technology with beauty and well being . Entrepreneurship and experience create a competitive range of products, based on the highest standard of requirements and accuracy, insuring high quality.



VITA RANGE
COCKTAILS

Products

SUPER STAR

VITA O2-NUTRI
VITA POWER GF

**VITA MESO
BODY**


VITA BODY
VITA BODY SR
VITA STRETCH
VITA CAFF
VITA FIRM
VITA SECRET

**VITA MESO
FACE
&
HAIR**

VITA HAIR
VITA HAIR PRO
VITA HAIR NANO
VITA GFH

VITA SCAR
VITA MIRACLE
VITA ACNE
VITA HA

VITA BOOSTER
VITA WHITE
VITA SENS
VITA FACE
VITA EYE
VITA LIPS





VITA RANGE

Our Philosophy

The quality of our products convinces of its effectiveness even the most skeptical cosmetologists and their clients. Thanks to our products, we want to improve the modern methods of anti-ageing or skin defects and to raise the quality of cosmetology services at the highest level. Currently, we tend to meet the quality of future requirements of the consumers.

VR Company Concept

Five words Describe our transdermal product concept :

Beauty, Unique, Effectiveness, Safety and Quality.

Our philosophy is research, develop and produce the perfect transdermal product of virtual mesotherapy and professional cosmetic , through pure actives principles with contrasted quality, to provide the skin with what it needs in each case.

The engagement of our essential substances line is the cutaneous regeneration , reparation and protection, respecting the rules of good manufacturing practice of the European Union, innovating and researching looking to the more advanced formulas to give the better dermic solutions to the derma - aesthetic sector professional.


**VITA RANGE
COCKTAILS**

Mesotherapy: principles


- Intradermal therapy. “Meso” = Mesoderm
- M. Pistor, 1958
- 1987: medical specialty
- *Little, rarely, and in the right place*
- Procaine: pain relief (tendonitis, trigeminal neuralgia). *In loco dolenti*
- *Firts experimentation with horses*

Mesotherapy: Techniques


Intraepiderma / Blanching	12-10°	1-0,5mm
Papular	30-20°	2mm (bevel upwards)
Nappage	60-30°	4-2mm(““)
Point-by-point	90-45°	12-4mm




1. Linear threading technique





2. Serial puncture technique




3. Fan technique



4. Cross-hatching technique




1. "Depth of injections of mesotherapy techniques"
 Indian Journal of Dermatology, Venereology and Leprology.



Skin layers, of both the hairy and hairless skin


Applied anatomy
Thickness
0.5 - 4 mm

Skin ageing (I): / mechanisms




Intrinsic and extrinsic factors in skin ageing: a review. *Farage MA, Miller KW, Elsner P, Maibach HI. Int J Cosmet Sci. 2008 Apr; 30(2):87-95.*

Varani J. Fibroblast aging: intrinsic and extrinsic factors. *Drug Discov Today Ther Strateg. 2010;7(3-4):65-70.*



Characteristics of the Aging Skin. *Farage MA, Miller KW, Elsner P, Maibach HI Adv Wound Care (New Rochelle). 2013 Feb; 2(1):5-10.*

Skin ageing (II): / consequences



- Thickened stratum corneum
- Irregular dispersion of melanin
- Thin atrophic epidermis with cellular atypia.
- Loss of dermal glycosaminglycans and collagen.
- Loss of dermal vasculature, vasodilation.
- Elastosis (abnormal elastic fibres in dermis).
- Benign lesions, actinic keratosis, malignant lesions.
- Solar comedones, millia, enlarged pores.

Mesotherapy: targeting the fibroblast

Dysfunctional fibroblasts in aged human skin retain capacity for functional activation:

Quan T, Wang F, Shao Y, Rittié L, Xia W, Orringer JS, Voorhees JJ, Fisher GJ.
Enhancing structural support of the dermal microenvironment activates fibroblasts, endothelial cells, and keratinocytes in aged human skin in vivo.. *J Invest Dermatol.* 2013 Mar; 133(3):658-667.

The development of mesotherapy solutions has focused on the identification of biomolecules that can improve (or help to maintain) fibroblast function and improve extracellular matrix component biosynthesis:

Iorizzo M, De Padova MP, Tosti A.
Biorejuvenation: theory and practice. *Clin Dermatol.* 2008 Mar-Apr; 26(2):177-81.

Bear in mind...

Contraindications

- Pregnancy and breastfeeding.
- Coagulopathies & Anticoagulant intake
- Auto-immune diseases
- Unrealistic demands and expectations
- Known allergies to compounds
- Prior injection of non-degradable products (injections can awaken a quiescent granuloma)
- Severe or chronic inflammatory conditions (RA)
- Hepatitis C

Complications following injections

- Puncture haematomas (NSAIDs, ASA) Arnica (5CH or 9 CH) before and after the act.
- Erythema at the point of injection, or along the injected path, which will disappear in the following hours
- Minor, and sometimes significant swelling (especially perioral and periorbital area)
- Localised sensitivity or minimal itching
- HSV flare-up (labial) Prophylaxis: Valacyclovir 500mg/12h/5d

Our goal?

*Superficial
biostimulation:*

1.

Thinner
stratum
corneum

retinized
skin

2.

More
Brightness

better light
reflection & fluid
retentiveness

3.

More
Thickness

dermal
density & fluid
retentiveness

4.


More
Elasticity

better
response to
tensile forces

Our goal?

Unstructured

Structured



unidirectional
mesh



multidirectional
mesh

VITA O₂ - Nutri

5 vials 10 ml each



VITA O₂ - Nutri : Indications



VITA RANGE

*Superficial
biostimulation*

الأكسجين المسال !!!

- Increase Skin ageing prevention, whitening Nourishing with (**vita booster** , **vita sens** , **vita white**)
- Treatment of hyper pigmentation around eye with **vita eye**
- Increase Shin lips with **vita lips**
- Increasing the effectiveness of the materials to treat Anti hair loss , Androgenic alopecia , Telogen alopecia ,Telogen effluvium with **vita nano or vita GFH**
- Increasing the effectiveness of the materials to treat active acne , scar with **vita acne** , **vita scar**
- The product is used for all areas of the body, skin, sensitive areas, bikini area and hair scalp
- The product helped raise the efficiency of the session to 3 times the result in sessions of freshness, pigmentation, dark circles and stretch mark
- It raises the efficiency of the session to 4 times the result in active acne sessions
- It raises the efficiency to double the result in Hair Loss sessions

- *oxidized oxygen*

*Active
principles*



1000 L.E

VITA POWER GF

5 vials 10 ml each



VITA POWER GF : Indications

*Superficial
biostimulation*

- Used for skin & hair

*Active
principles*

- Pure Growth Factors
- Peptide



1100 L.E

VITA BOOSTER

5 vials 10 ml each



VITA Booster : Indications

*Superficial
biostimulation*

- Facial/neck pigmentation
- Sun spots , Melasma
- Post-inflammatory hyperpigmentation
- Skin flaccidity (neck, face, décolletage, arms...) , burn tissue

*Active
principles*

- **Tranexamic acid** : it works by blocking the interaction between the melanocytes, which are the cell that make melanin (responsible for skin pigment) and the keratinocytes fades discoloration , brightens skin and reduces the appearance of acne scars
- **Liposome** : increase absorb active cosmetic ingredient , improve the stability of active ingredient , increase skin hydration
- **Hyaluronic acid**: hydration & collagen induction
- **Aminoacids**: multiple amino acid, NMF components and biochemical cofactors
- **Antioxidants**: Vitamin C, quercetin, glutathion
- **Vitamins**: Thiamine, pyridoxine, ascorbate



850 L.E

VITA WHITE

5 vials 10 ml each





VITA RANGE

VITA WHITE: Ingredients



- **Arbutin:** natural tyrosinase inhibitor¹⁻⁵.
- ***Morus alba*⁶ & *Glycyrrhiza Glabra*⁷:** inhibit melanogenesis.
- **Glutathione & CoQ10.**
- **Vitamins: C^{8,9}, E, B5.**

VITA WHITE :



1. Ertam I, Mutlu B, Unal I, Alper S, Kivçak B, Ozer O. Efficiency of ellagic acid and arbutin in melasma: a randomized, prospective, open-label study. *J Dermatol.* 2008 Sep;35(9): 570-4.

6. Park KT, Kim JK, Hwang D, Yoo Y, Lim YH. Inhibitory effect of mulberroside A and its derivatives on melanogenesis induced by ultraviolet B irradiation. *Food Chem Toxicol.* 2011 Dec;49(12):3038-45.

2. Sarkar R, Arora P, Garg KV. Cosmeceuticals for Hyperpigmentation: What is Available? *Journal of Cutaneous and Aesthetic Surgery.* 2013;6(1):4-11. doi: 10.4103/0974-2077.110089.

7. Lim JW, Ha JH, Jeong YJ, Park SN. Anti-melanogenesis effect of dehydroglyasperin C through the downregulation of MITF via the reduction of intracellular cAMP and acceleration of ERK activation in B16F1 melanoma cells. *Pharmacol Rep.* 2018 Feb 24;70(5):930-935

3. Arbutin: mechanism of its depigmenting action in human melanocyte culture. Maeda K, Fukuda M. *J Pharmacol Exp Ther.* 1996 Feb; 276(2):765-9.

8. Yussif NM, Abdul Aziz MA, Abdel Rahman AR. Evaluation of the Anti-Inflammatory Effect of Locally Delivered Vitamin C in the Treatment of Persistent Gingival Inflammation: Clinical and Histopathological Study. *Journal of Nutrition and Metabolism.* 2016;2016:2978741.

4. DeoxyArbutin: a novel reversible tyrosinase inhibitor with effective in vivo skin lightening potency. Boissy RE, Visscher M, DeLong MA. *Exp Dermatol.* 2005 Aug; 14(8):601-8.

9. Choi YK, Rho YK, Yoo KH, Lim YY, Li K, Kim BJ, Seo SJ, Kim MN, Hong CK, Kim DS. Effects of vitamin C vs. multivitamin on melanogenesis: comparative study in vitro and in vivo. *Int J Dermatol.* 2010 Feb; 49(2):218-26.

5. Morag M, Nawrot J, Siatkowski I, Adamski Z, Fedorowicz T, Dawid-Pac R, Urbanska M, Nowak G. A double-blind, placebo-controlled randomized trial of *Serratulae quinquefoliae folium*, a new source of β -arbutin, in selected skin hyperpigmentations. *J Cosmet Dermatol.* 2015 Sep;14(3):185-90.

700 L.E

VITA FACE

5 vials 10 ml each



VITA FACE : Indications

*Superficial
biostimulation*

- Facial/neck moisturizing and strengthen skin
- Skin ageing prevention
- Facial hydrate

*Active
principles*

- **Hyaluronic acid:** hydration & collagen induction
- **Amino acids:** multiple amino acid, NMF components and biochemical cofactors
- **Antioxidants:** Vitamin C
- **Vitamins:** Thiamine, B1,B2,B3,B6
- **L- Arginine , Glysin**



650 L.E

VITA SENS

5 vials 10 ml each



VITA SENS : Indications



*Superficial
biostimulation*

- Sensitive area ageing prevention , whitening , Nourishing
- Improve body shape and appearance
- Skin flaccidity (sensitive area , arms...)

*Active
principles*

- **Hyaluronic acid:** hydration & collagen induction
- **Antioxidants:** Vitamin C, glutathion
- **Vitamins:** Thiamine, pyridoxine, ascorbate
- **Minerals:** Copper, Zinc, Magnesium
- **Vitamins:** B1 , B2 , B3 , B6
- *Caffeine*



VITA EYE

5 vials 10 ml each



VITA EYE: Ingredients

*Superficial
biostimulation*

- Treatment of dark circles
- Treatment of hyper pigmentation around eye
- Treatment of fine lines and wrinkles

*Active
principles*

- **Antioxidants:** Vitamin C, glutathion
- **Vitamins:** Thiamine
- **Whitening Agent:** Alpha Arbutin , liquorices
- **Niacinamide , panthenol**

1. Acosta MJ, Vazquez Fonseca L, Desbats MA, Cerqua C, Zordan R, Trevisson E, Salviati L. Coenzyme Q biosynthesis in health and disease. *Biochim Biophys Acta*. 2016 Aug; 1857(8):1079-1085

2. El-Leithy ES, Makky AM, Khattab AM, Hussein DG. Optimization of nutraceutical coenzyme Q10 nanoemulsion with improved skin permeability and anti-wrinkle efficiency. *Drug Dev Ind Pharm*. 2018 Feb;44(2): 316-328.

3. Riccioni, C.; Sarcinella, R.; Izzo, A.; Palermo, G.; Liguori, M. (2004). "Effectiveness of Troxerutin in association with Pycnogenol in the pharmacological treatment of venous insufficiency". *Minerva cardioangiologica*. 52 (1): 43-48.

4. Lu, J.; Wu, D. -M.; Zheng, Z. -H.; Zheng, Y. -L.; Hu, B.; Zhang, Z. -F. (2011). "Troloxerutin protects against high cholesterol-induced cognitive deficits in mice". *Brain*. 134 (3): 783-797.

5. Yussif NM, Koranyb NS, Abbasc MMS (2017) Evidence of the Effect of Intraepidermic Vitamin C Injection on Melanocytes and Keratinocytes in Gingival Tissues: In Vivo Study. *Dentistry* 7:417.

6. PERIS, JUAN BAUTISTA; STÜBING, GERHARD; ROMO, ÁNGEL *Plantas medicinales de la Península Ibérica e Islas Baleares*. Barcelona: Jaguar, 2001.

7. Sirtori CR (September 2001). "Aescin: pharmacology, pharmacokinetics and therapeutic profile". *Pharmacol. Res.* 44 (3): 183-193.

8. Pharmacogenomics: Its role in re-establishing coumarin as treatment for lymphedema". *Lymphatic Research and Biology*. 3 (2): 81-86.





VITA RANGE



650 L.E

VITA EYE : Indications



Periorbital area:

- Skin laxity
- Loss of palpebral density
- Periorbital oedema
- Dark circles (according to etiology)^{1,2}

2. Vrcek I, Ozgur O, Nakra T. Infraorbital Dark Circles: A Review of the Pathogenesis, Evaluation and Treatment. *Journal of Cutaneous and Aesthetic Surgery*. 2016;9(2):65-72. doi: 10.4103/0974-2077.184046.

1: Freitag FM, Cestari TF. What causes dark circles under the eyes? *J Cosmet Dermatol*. 2007 Sep;6(3):211-5. Review. PubMed PMID: 17760701.

VITA LIPS

5 vials 10 ml each



VITA LIPS : Indications

Superficial biostimulation

- Rosy lips for soft and pink lips
- Shin lips

Active principles

- **Hyaluronic acid:** hydration & collagen induction
- **Whitening Agent:** glutathione
- **Glycerin**
- **L- Arginine**

Tow types of vita lips



600 L.E

VITA HAIR

5 vials 10 ml each



VITA HAIR : Indications

***Superficial
biostimulation***

- Anti hair loss
- Androgenic alopecia
- Telogen alopecia
- Telogen effluvium

***Active
principles***

- Hyaluronic acid
- Biotin
- Minerals: Zinc
- Vitamins: B1 , B2 , B3 , B6
- Caffeine
- Glycin , L- Arginine , Panthenol



VITA RANGE



650 L.E

VITA HAIR PRO

5 vials 10 ml each



VITA HAIR PRO: Indications



***Superficial
biostimulation***

- Anti hair loss
- Androgenic alopecia
- Telogen alopecia
- Telogen effluvium

***Active
principles***

- Minoxidil
- Hyaluronic acid
- Biotin
- Minerals: Zinc
- Vitamins: B1 , B2 , B3 , B6
- Caffeine
- Glycin , L- Arginine , Panthenol



700 L.E

VITA NANO

5 vials 10 ml each



VITA NANO: Indications

***Superficial
biostimulation***

- Anti hair loss
- Androgenic alopecia
- Telogen alopecia
- Telogen effluvium

***Active
principles***

- Nano peptide
- Nano creamed
- Placenta
- Biotin
- Vitamins: *B1 , B2 , B3 , B6*



900 L.E

VITA GFH

5 vials 10 ml each



VITA GFH : Indications

*Superficial
biostimulation*

- Anti hair loss
- Androgenic alopecia
- Telogen alopecia
- Telogen effluvium

- Hyaluronic acid , Copper
- Oligopeptide-1 , Oligopeptide-2
- Polypeptide-1 , Polypeptide-2
- Oligopeptide-34
- Palmitoyl Tripeptide-1
- Palmitoyl Tetrapeptide-7

*Active
principles*



900 L.E

VITA SCAR

5 vials 10 ml each



VITA SCAR: Indications

Superficial biostimulation

- Treatment of scar
- Skin volume and lifting

Active principles


- Hyaluronic acid
- DAME
- Organic Silica
- Ginko Biloba
- Glycolic Acid , Lactic Acid
- Caffeine
- Glycin , L- Arginine



750 L.E

VITA MIRACLE

5 vials 10 ml each



VITA MIRACLE

Miracle L Is Unique Skin Booster Based On

- Hyaluronic Acid
 - Polycaprolactone
 - Polyethyleneglycol
 - Carboxymethylcellulose
 - Sodium Lactate
 - Sodium Pyroglutamic Acid
 - Polycaprolactone
 - Liposome
-
- Firming
 - Anti wrinkles
 - Pores
 - Whitening

Active principles

Superficial biostimulation



750 L.E

VITA ACNE

5 vials 10 ml each



VITA ACNE: Indications



*Superficial
biostimulation*

- Treatment of active acne

*Active
principles*

- Azithromycin
- Salicylic Acid
- Hyaluronic acid
- Glutathione
- Alpha Arbutin
- Vitamins: *B1 , B2 , B3 , B6*



700 L.E

VITA HA

5 vials 10 ml each



VITA HA: Indications



*Superficial
biostimulation*

- Anti ageing
- Skin rejuvenation
- Moisturizer
- Nourishing and revitalisation
- Anti scar

*Active
principles*


- Hyaluronic acid 3.5%



625 L.E

Hyaluronic acid

Non-cross-linked



$\left[\beta\text{-D-Glucuronic acid} \left[\text{N-Acetyl-}\beta\text{-D-Glucosamine} \right] \beta\text{-D-Glucuronic acid} \left[\text{N-Acetyl-}\beta\text{-D-Glucosamine} \right] \right]_n$

Wound repair

Hygroscopy

Fibroblast proliferation

Cell migration

Lubrication

Collagen & protein synthesis

VITA BODY SR

5 vials 10 ml each



VITA BODY SR : Indications

**SUPERFICIAL
BIOSTIMULATION**

Lipase is an enzyme the body uses to break down fats in food so they can be absorbed in the intestines. Lipase is produced in the pancreas, mouth, and stomach.

- Diffuse and pronounced cellulite
- Massive fat deposits
- Unique fat burner due to caffeine and carotene

**ACTIVE
PRINCIPLES**

- LIPASE ENZYME 1000 UNIT
- SODIUM PYROVATE
- HYALURONIC ACID



300 L.E

VITA BODY

5 vials 10 ml each



VITA BODY: Indications



***SUPERFICIAL
BIOSTIMULATION***

- Diffuse and pronounced cellulite
- Massive fat deposits
- Unique fat burner due to carntine and caffeine

***ACTIVE
PRINCIPLES***

- PPC
- Sodium Deoxycholate
- Ginko Biloba
- L- Carintine
- Artchoke Extract
- Organic Silicon
- Caffeine



275 L.E

VITA STRETCH

5 vials 10 ml each



VITA STRETCH: Indications



*Superficial
biostimulation*

- Anti ageing
- Stretch Mark
- Anti scar

*Active
principles*

- Hyaluronic acid
- Glycolic Acid , Lactic Acid
- L-Arginine
- Collagen ,Elastin
- Ginko Biloba
- Cffeine



550 L.E

VITA FIRM

5 vials 10 ml each



VITA FIRM

TREATMENT INDICATIONS

- soft-lifting of the skin
- improvement of muscle tone
- improving the contour and oval of the face
- thickening of the structure and firmness of the skin
- stimulation of collagen and elastin synthesis
- antioxidant protection

APPLICATION AREAS

- face
- chin and submandibular line of the jaw arms
- anterior abdominal wall
- inner side of the thighs
- knee flabbiness
- stretch marks



500L.E

1) Ingredient: *DMAE*



- After 8-wk topical application in **mice**: Induced increase in **dermal thickness & collagen fiber thickness**
- In **humans** (single application): **enhanced stratum corneum water** content in the forearm skin (cutometry & corneometry)
- Increased **skin firmness** in adults (36-49 yo) Vs. Placebo
- Ability to **scavenge free radicals (ascorbyl, hydroxyl and lipid)**.
- **Moderate antiinflammatory**
- Increase in **skin firmness** .
- **Good long-term safety** profile.

Tadini KA, Campos PM. In vivo skin effects of a dimethylaminoethanol (DMAE) based formulation. Pharmazie. 2009 Dec;64(12):818-22. PubMed PMID: 20095140.

Grossman R. The role of dimethylaminoethanol in cosmetic dermatology. Am J Clin Dermatol. 2005;6(1):39-47. Review. PubMed PMID: 15675889.

Malanga G, Aguiar MB, Martinez HD, Puntarulo S. New insights on dimethylaminoethanol (DMAE) features as a free radical scavenger. Drug Metab Lett. 2012 Mar;6(1):54-9. PubMed PMID: 22300295.

Uhoda I, Faska N, Robert C, Cauwenbergh G, Pierard GE. Split face study on the cutaneous tensile effect of 2-dimethylaminoethanol (deanol) gel. Skin Res Technol. 2002 Aug;8(3):164-7.

2) Ingredient: *ORGANIC SILICA*



- A concentrate of lifting substances designed to increase the tension and soft-lifting of the skin.

• Silica intensively regenerates the connective tissue and stimulates the synthesis of collagen and elastin. The synergistic action of both ingredients restores the skin's firmness for a long time and prevents the loss of elasticity in the aging process.

Tadini KA, Campos PM. In vivo skin effects of a dimethylaminoethanol (DMAE) based formulation. Pharmazie. 2009 Dec;64(12):818-22. PubMed PMID: 20095140.


Grossman R. The role of dimethylaminoethanol in cosmetic dermatology. Am J Clin Dermatol. 2005;6(1):39-47. Review. PubMed PMID: 15675889.

Malanga G, Aguiar MB, Martinez HD, Puntarulo S. New insights on dimethylaminoethanol (DMAE) features as a free radical scavenger. Drug Metab Lett. 2012 Mar;6(1):54-9. PubMed PMID: 22300295.

Uhoda I, Faska N, Robert C, Cauwenbergh G, Pierard GE. Split face study on the cutaneous tensile effect of 2-dimethylaminoethanol (deanol) gel. Skin Res Technol. 2002 Aug;8(3):164-7.

VITA CAFF

5 vials 10 ml each



Ingredient: Caffeine

- Anti oxidant
- Promoting Hair Growth
- Reduces Wrinkles Brightens skin
- Anti inflammatory
- Anti aging
- Decreases Puffiness
- Dissolves fats
- Reduces cellulite

Tadini KA, Campos PM. In vivo skin effects of a dimethylaminoethanol (DMAE) based formulation. *Pharmazie*. 2009 Dec;64(12):818-22. PubMed PMID: 20095140.

Grossman R. The role of dimethylaminoethanol in cosmetic dermatology. *Am J Clin Dermatol*. 2005;6(1):39-47. Review. PubMed PMID: 15675889.

VITA SECRET

5 vials 10 ml each



VITA SECRET : indications

Superficial biostimulation

- Rosy and pink Clitoris
- Rosy and pink Labium Minus and Labium Majus

Active principles

- **Hyaluronic acid:** hydration & collagen induction
- **Whitening Agent:** glutathione
- **Glycreen**
- **Narcissus flower**
- **L-Arginine**



1000 L.E

VITA QUICK

SKIN BOOSTER

VITA QUICK DA

VITA QUICK DA



*Superficial
biostimulation*

- Freshness to the skin with shine and radiance
- It fights aging as it removes wrinkles, fills wrinkles and gives volume to the skin
- It works to tighten the skin strongly

*Active
principles*

- Succinate : 27%
- Hyaluronic acid: 18 mg/ml
- DAMA : 22%
- Vitamins: Thiamine, ascorbate
- Vitamin E : FREE RADICALS



1350 L.E

VITA PEARL ESSENCE



***Superficial
biostimulation***

- Reduce wrinkles and prevent sagging skin
- Reduces irritation and dark spots
- Limits the appearance of acne
- It noticeably softens the skin
- Stimulates the collagen process
- Helps solve the problem of large pores
- Gives instant freshnessThe skin gains a bronze color
- Giving fullness to the skin after injections

***Active
principles***

- Natural pearl powder with nano technology
- Transmec acid 10%
- Hyaluronic acid 15%
- Peptide



1200 L.E

VITA *GOLDEN BLISS*



***Superficial
biostimulation***

- Fight wrinkles and prevent sagging skin
- Reduces dark spots
- Stimulates the collagen production process
- Gives instant freshness
- Gives the skin a silky texture
- The skin turns pink color
- Gives fullness to the skin when injected

***Active
principles***

- Gold nitrate with micro technology
- Glutathione 2000 MG
- DAME 20 %
- Hyaluronic acid 15%
- Vitamins and minerals



1200 L.E

VITA QUICK

VQ EXOSOME

VQ EXOSOME

*Superficial
biostimulation*

- wound healing , scar modulation
- Skin flaps reconstruction
- Immune-mediated dermatoses
- Skin pigmentation , skin rejuvenation
- alopecia, Hair growth

*Active
principles*

- lyophilized exosomes 100 mg
- 10 billion cell



5200 L.E

VITA QUICK PEEL

*Superficial
biostimulation*

- scar modulation
- Skin pigmentation
- skin rejuvenation
- skin whitening

*Active
principles*

- Cold peel AHA



1600 L.E

Four Seasons International Company

