

TE CABINETS



Standard

- Comply with ANSI/EIA RS-310-D, IEC60297-2, DIN41494;PART1, DIN41494;PART7

Material

- SPCC Cold Rolled Steel;
- 19" rails: 1.5mm, others: 1.0mm

Colour

- TE. ■■■■■. 0 ■■■:RAL7035
- TE. ■■■■■. 1 ■■■:RAL9004

Loading Capacity

- Static loading: 400KG




- 19" Profile with scale, movable forward and backward.



- 45 Degree corner framework.

CABINET

TE BUDGET CABINETS



Feature

- Exquisite design with precise dimension and craftsmanship;
- Within the cavity in front and back the door be style;
- Adjustable feet and heavy duty castors are available simultaneously;
- Modular quick disassembling;
- Optional installation of plinth to enable cabinets fixation, under-base cable entry/ventilation;
- Efficient and reliable cabinet connection by baying kit;
- Removable side panel&rear door to Quick open steel door ease maintain.

Definition of Code

TE	■	■	■	0	3	■	00
							Definition of color:0=RAL7035; 1=RAL9004
							Definition of rear door:3=Quick open door;
							Definition of front door:0=Tempered glass door;
							Cabinet capacity:(U)
							Cabinet depth:(MM): 6=600;8=800;
							Cabinet width:(MM): 6=600;8=800

Main Part

S/N	Specification	Qty	Material	Surface Finish	Remark
1	Rear door	1	SPCC ±1.0	Powder coated	----
2	Side panel	2	SPCC ±1.0	Powder coated	----
3	19" rails	4	SPCC ±1.5	Powder coated	----
4	Mounting angle	2	SPCC ±1.0	Powder coated	----
5	Top cover	1	SPCC ±1.0	Powder coated	----
6	Frame	2	SPCC ±1.0	Powder coated	----
7	Front door	1	----	----	Tempered glass door
8	Bottom	1	SPCC ±1.0	Powder coated	----
9	2" heavy duty castor	4	----	----	----
Hardware kits with cabinet:					
A	M12 adjustable feet	4	Steel	Zinc-plated	Height:100MM
B	M6 screw& nuts	20	Steel	Zinc-plated	40pcs for over 27U
C	Trox tooling	1	Steel	Zinc-plated	----

Specification

Part Number.	Width (mm)	Depth(D)(mm)	Capacity (U)	Height(H)(mm)
TE.6621. ■■■. ■00	600	600	21	1020
TE.6627. ■■■. ■00			27	1290
TE.6636. ■■■. ■00			36	1690
TE.6642. ■■■. ■00			42	1955
TE.6647. ■■■. ■00			47	2180
TE.8842. ■■■. ■00	800	800	42	1955
TE.8847. ■■■. ■00			47	2180