



Smart Kitchen Systems

www.buildingmaterialsguru.com

CONTENTS

- Stone Intelligent Lift Basket, Pg 4-5
- Lifting Space Shelf (Shelving), Pg 6
- Angel Intelligent Lift Basket, Pg 7-8
- Aiden Intelligent Lift Basket, Pg 9-10
- Rider Intelligent Lift Basket, Pg 11-12
- Dragon Intelligent Lift Basket, Pg 13-14
- Linda Intelligent Lift Basket, Pg 15-16
- Knight Intelligent Lift Basket, Pg 17-18
- Elf Intelligent Lift Basket, Pg 19-20
- Fairy Intelligent Lift Basket, Pg 21-22



Full Aluminum Space Lift Storage System:
Creating "intelligent Invisible Storage Aesthetics"
within Concealed Cabinets.

Intelligent lifting storage can realize the minimalist
scene of the whole house and life between lifting
and lifting, and feel the ritual and simplicity of home
life.


Stone Intelligent lift basket





Wake Up Command: Hello, Stone

Ascending command: Stone , please go up / Descending command: Stone , please go down
/ Stop command: Stone , please stop



The height of the cabinet bottom plate from the table top \geq 560mm

Cabinet	L / mm	Product size (LxWxH)
500mm	464mm	456x295x678mm
550mm	514mm	506x295x678mm
600mm	564mm	556x295x678mm
700mm	664mm	656x295x678mm
800mm	764mm	756x295x678mm
900mm	864mm	856x295x678mm

⚠ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG


Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / Light rendering / can be equipped with wifi remote control

Remarks	Model	Cabinet	Width x Depth x Height	Descending height
The width can be customized	KL-500MS4A	500mm	456 × 295 × 678mm	540mm
	KL-600MS4A	600mm	556 × 295 × 678mm	540mm
	KL-700MS4A	700mm	656 × 295 × 678mm	540mm
	KL-800MS4A	800mm	756 × 295 × 678mm	540mm
	KL-900MS4A	900mm	856 × 295 × 678mm	540mm

Lifting space shelf



With the use of intelligent lifting products, it fills the waste of the front space part and makes the storage space fuller.

Remarks
2pcs/set

Model	Cabinet	Width x Depth x Height
KL-500J	500mm	464 × 83 × 40mm
KL-550J	550mm	514 × 83 × 40mm
KL-600J	600mm	564 × 83 × 40mm
KL-700J	700mm	664 × 83 × 40mm
KL-800J	800mm	764 × 83 × 40mm
KL-900J	900mm	864 × 83 × 40mm

ANGEL INTELLIGENT
LIFTING BASKET






Wake Up Command: Hello,

Ascending command: Angel , please go up / Descending command: Angel , please go down

/ Stop command: Angel , please stop



Installation And Opening Of Angel Intelligent lift basket



The height of the cabinet bottom plate from the table top ≥ 560 mm

Cabinet	L / mm	Product size (LxWxH)
600mm	564mm	590×230×686mm
700mm	664mm	690×230×686mm
800mm	764mm	790×230×686mm
900mm	864mm	890×230×686mm

⚠ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.
(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / Light rendering / can be equipped with wifi remote control

Remarks

The width can be customized

Model	Cabinet	Width x Depth x Height	Descending height
KL-600TS4	600mm	590 × 230 × 686mm	540mm
KL-700TS4	700mm	690 × 230 × 686mm	540mm
KL-800TS4	800mm	790 × 230 × 686mm	540mm
KL-900TS4	900mm	890 × 230 × 686mm	540mm

Aiden Intelligent lift basket-45/55






Wake Up Command: Hello, Aiden

Ascending command: Aiden, please go up / Descending command: Aiden, please go down

/ Stop command: Aiden, please stop



55: The height of the cabinet bottom plate from the table top ≥ 560mm
 45: The height of the cabinet bottom plate from the table top ≥ 435mm

Cabinet	L / mm	55: Product size (LxWxH)	45: Product size (LxWxH)
600mm	564mm	556 × 163 × 678mm	556 × 163 × 543mm
700mm	664mm	656 × 163 × 678mm	656 × 163 × 543mm
800mm	764mm	756 × 163 × 678mm	756 × 163 × 543mm
900mm	864mm	856 × 163 × 678mm	856 × 163 × 543mm

⚠ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.
 (This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / Light rendering / can be equipped with wifi remote control

Remarks

45

The width can be customized

Model	Cabinet	Width x Depth x Height	Descending height
KL-600MB45	600mm	556 × 163 × 543mm	415mm
KL-700MB45	700mm	656 × 163 × 543mm	415mm
KL-800MB45	800mm	756 × 163 × 543mm	415mm
KL-900MB45	900mm	856 × 163 × 543mm	415mm

Remarks

55

Model	Cabinet	Width x Depth x Height	Descending height
KL-600MB55	600mm	556 × 163 × 678mm	540mm
KL-700MB55	700mm	656 × 163 × 678mm	540mm
KL-800MB55	800mm	756 × 163 × 678mm	540mm
KL-900MB55	900mm	856 × 163 × 678mm	540mm

Rider Intelligent lift basket






Wake Up Command: Hello, Rider

Ascending command: Rider, please go up / Descending command: Rider, please go down

/ Stop command: Rider, please stop



Installation And Opening Of Rider Intelligent lift basket



The height of the cabinet bottom plate from the table top ≥ 560mm

Cabinet	L / mm	Product size (LxWxH)
800mm	764mm	756×163×678mm
900mm	864mm	856×163×678mm

! Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / Light rendering / can be equipped with wifi remote control

Remarks

Model	Cabinet	Width x Depth x Height	Descending height
KL-800SS-55	800mm	756 × 163 × 678mm	540mm
KL-900SS-55	900mm	856 × 163 × 678mm	540mm

Dragon Intelligent lift basket






Wake Up Command: Hello, Dragon

Ascending command: Dragon, please go up / Descending command: Dragon, please go down
/ Stop command: Dragon, please stop



Installation And Opening Of Dragon Intelligent lift basket



The height of the cabinet bottom plate from the table top ≥ 435mm

Cabinet	L / mm	Product size (LxWxH)
800mm	764mm	756 × 163 × 543mm
900mm	864mm	856 × 163 × 543mm
1000mm	964mm	956 × 163 × 543mm
1100mm	1064mm	1056 × 163 × 543mm
1200mm	1164mm	1156 × 163 × 543mm

⚠️ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.
(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / Light rendering / can be equipped with wifi remote control

Remarks	Model	Cabinet	Width x Depth x Height	Descending height
Customizable width; Groove standard: width 150 * height 210 For faucet groove width can be customized, The groove height cannot be customized	KL-700TL45	700mm	656 × 163 × 543mm	415mm
	KL-800TL45	800mm	756 × 163 × 543mm	415mm
	KL-900TL45	900mm	856 × 163 × 543mm	415mm


Linda Intelligent lift basket






Wake Up Command: Hello, Linda

Ascending command: Linda, please go up / Descending command: Linda, please go down
/ Stop command: Linda, please stop



Installation And Opening Of Tianhe Ultra-thin smart balcony lifting basket



The height of the cabinet bottom plate from the table top ≥ 560 mm

Cabinet	L / mm	Product size (LxWxH)
600mm	564mm	590×230×686mm
700mm	664mm	690×230×686mm
800mm	764mm	790×230×686mm
900mm	864mm	890×230×686mm

⚠️ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / can be equipped with wifi remote control

Remarks

The width can be customized

Model	Cabinet	Width x Depth x Height	Descending height
KL-600TH	600mm	590 × 230 × 686mm	540mm
KL-700TH	700mm	690 × 230 × 686mm	540mm
KL-800TH	800mm	790 × 230 × 686mm	540mm
KL-900TH	900mm	890 × 230 × 686mm	540mm

Knight Intelligent lift basket






Wake Up Command: Hello, Knight

Ascending command: Knight, please go up / Descending command: Knight, please go down
/ Stop command: Knight, please stop



Installation And Opening Of Knight Intelligent lift basket



The height of the cabinet bottom plate from the table top ≥ 440 mm

Cabinet	Product size (LxWxH)
600mm	604x533x720 mm

⚠ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.
(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / can be equipped with wifi remote control

Remarks
The width can be customized
(700-1000mm)

Model	Cabinet	Width x Depth x Height	Ascending height
KL600-ZJ	600mm	605 × 533 × 720mm	420mm

Elf Intelligent lift basket






Wake Up Command: Hello, Elf

Ascending command: Elf, please go up / Descending command: Elf, please go down

/ Stop command: Elf, please stop



The height of the cabinet bottom plate from the table top $\geq 440\text{mm}$

Cabinet	L1/MM	L2/MM	Product size (LxWxH)
700mm	64mm	652mm	650x257x720mm
800mm	74mm	752mm	750x257x720mm
900mm	84mm	852mm	850x257x720mm

⚠️ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.
(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / can be equipped with wifi remote control

Remarks

The width can be customized
(700-1000mm)

Model	Cabinet	Width x Depth x Height	Ascending height
KL700-SJL	700mm	650 × 257 × 720mm	420mm
KL800-SJL	800mm	750 × 257 × 720mm	420mm
KL900-SJL	900mm	850 × 257 × 720mm	420mm

Fairy Intelligent lift basket



Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~

Frequency: 50/60HZ

Rated power: 53W

Rated load (including basket): 45KG

Load speed: 20mm/s

Noises: 50dB

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system
/ can be equipped with wifi remote control






Wake Up Command: Hello, Fairy


Ascending command: Fairy, please go up / Descending command: Fairy, please go down

/ Stop command: Fairy, please stop



Cabinet	L / mm	L2 / mm	Product size (LxWxH)
800mm	651mm	661mm	659×315×710mm
900mm	751mm	761mm	759×315×710mm
1000mm	851mm	861mm	859×315×710mm
1600mm	1451mm	1461mm	1459×315×710mm
1800mm	1651mm	1661mm	1659×315×710mm

Installation And Opening Of Fairy Intelligent lift basket



The height of the cabinet bottom plate from the table top \geq 500mm

⚠️ Rice cookers, pots, kettles and other items that will release a large amount of water vapor should not be discharged under the product, and a large amount of water vapor will damage the bottom sensor.
(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Remarks

Single
Customizable width

Model	Cabinet	Width x Depth x Height	Ascending height
KL-800LB1	800mm	659 × 315 × 710mm	480mm
KL-900LB1	900mm	759 × 315 × 710mm	480mm
KL-1000LB1	1000mm	859 × 315 × 710mm	480mm
KL-1600LB1	1600mm	1459 × 315 × 710mm	480mm
KL-1800LB1	1800mm	1659 × 315 × 710mm	480mm

Remarks

Double
Customizable width

Model	Cabinet	Width x Depth x Height	Ascending height
KL-800LB	800mm	659 × 315 × 710mm	480mm
KL-900LB	900mm	759 × 315 × 710mm	480mm
KL-1000LB	1000mm	859 × 315 × 710mm	480mm
KL-1600LB	1600mm	1459 × 315 × 710mm	480mm
KL-1800LB	1800mm	1659 × 315 × 710mm	480mm