

Leather Wardrobe Lift Systems

www.buildingmaterialsguru.com

CONTENTS

- Leather Colours, Pg 3
- Princess Intelligent Lift Basket, Pg 4-7
- Yoyo Intelligent Lift Basket, Pg 8-9
- Coco Intelligent Lift Basket, Pg 10-11
- Shake Watch Jewellery Storage, Pg 12
- Chloe Intelligent Lift Basket, Pg 13-16
- Diamond Intelligent Lift Basket, Pg 17-18
- Queen Intelligent Lift Basket, Pg 19-20
- Beauty Intelligent Lift Basket Double, Pg 21-22
- Beauty Intelligent Lift Basket Double, Pg 23-24
- Treasure Box Intelligent Lift Basket, Pg 25-26

Leather Colors




Princess Intelligent lift basket










Ascending command: Princess, please go up / Descending command: Princess, please go down

/ Stop command: Princess, please stop



Installation And Opening Of Princess Intelligent lift basket



The height of the cabinet bottom plate from the table top ≥ 560mm

Cabinet	L / mm	Product size (LxWxH)
800mm	764mm	756×161×678mm
900mm	864mm	856×161×678mm
1000mm	964mm	956×161×678mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Noises: 50dB Load speed: 20mm/s

Height of the descending part of the lifting basket: 540mm



Model	Cabinet	Width × Depth × Height
KL-800MZ55	800mm	756×161×678mm
KL-900MZ55	900mm	856×161×678mm
KL-1000MZ55	1000mm	956×161×678mm

Princess Intelligent lift basket










 $\mbox{ Ascending command: } \mbox{ Princess, please go up } \mbox{ / Descending command: } \mbox{ Princess , please go down } \mbox{ }$

/ Stop command: Princess, please stop



Installation And Opening Of Princess Intelligent lift basket



The height of the cabinet bottom plate from the table top ≥560mm

	Cabinet	L / mm	Product size (LxWxH)
	1000mm	964mm	956×213×678mm
	1100mm	1064mm	1056×213×678mm
ı	1200mm	1164mm	1156×213×678mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing


Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the descending part of the lifting basket: 540mm

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system


/ can be equipped with wifi remote control



Cabinet	Width × Depth × Height
1000mm	956×213×678mm
1100mm	1056×213×678mm
1200mm	1156×213×678mm
	1000mm 1100mm

YoYo Intelligent lift basket










Ascending command: YoYo, please go up / Descending command: YoYo, please go down

/ Stop command: YoYo, please stop



Installation And Opening Of YoYo Intelligent lift basket



The height of the cabinet bottom plate from the table top \geq 560mm

Cabinet	L / mm	Product size (LxWxH)
800mm	780mm	756×213×678mm
900mm	880mm	856×213×678mm
1000mm	980mm	956×213×678mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the descending part of the lifting basket: 540mm



MHS08			
	KL-800M	800mm	756×213×678mm
	KL-900M	900mm	856×213×678mm
	KL-1000M	1000mm	956×213×678mm

CoCo Intelligent lift basket










Ascending command: CoCo, please go up / Descending command: CoCo, please go down

/ Stop command: CoCo, please stop



Installation And Opening Of CoCo Intelligent lift basket



The height of the cabinet bottom plate from the table top \geq 560mm

Cabinet	L / mm	Product size (LxWxH)
800mm	780mm	756×213×678mm
900mm	880mm	856×213×678mm
1000mm	980mm	956×213×678mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the descending part of the lifting basket: 540mm



		Width x Depth x Height
KL-800BX	800mm	756×213×678mm
KL-900BX	900mm	856 × 213 × 678mm
KL-1000BX	1000mm	956 × 213 × 678mm

Shake watch jewelry storage box








Remarks	AMC01	MLL02	SMH03	BHL04	XCS05	YMH06	NBS07	MHS08
The width can be customized,	100							
The leather color can be								
customized						п		
					80			
								100

Leather colours are optional

Model	Cabinet	Width x Depth x Height
KL-900YS	900mm	854 × 160 × 550mm
KL-1000YS	1000mm	954 × 160 × 550mm
KL-1100YS	1100mm	1054 × 160 × 550mm
KL-1200YS	1200mm	1154 × 160 × 550mm

Chloe Intelligent lift basket










Ascending command: Chloe, please go up / Descending command: Chloe, please go down

/ Stop command: Chloe, please stop





Cabinet	L1/MM	L2/MM	Product size (LxWxH)
800mm	690mm	700mm	698×258×700mm
900mm	790mm	800mm	798×258×700mm
1000mm	890mm	900mm	898×258×700mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the rising part of the lifting basket: 420mm

Leather colours are optional

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system

/ can be equipped with wifi remote control


Remarks The width can be customized, The leather color can be customized

KL800-JMH	800mm	698 × 258 × 700mm
KL900-JMH	900mm	798×258×700mm
KL1000-JMH	1000mm	898 × 258 × 700mm

Chloe Intelligent lift basket










Ascending command: Chloe, please go up / Descending command: Chloe, please go down

/ Stop command: Chloe, please stop



Installation And Opening Of Chloe Intelligent lift basket



Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Noises: 50dB Load speed: 20mm/s

Height of the rising part of the lifting basket: 420mm

 $\begin{tabular}{ll} \textbf{Product features:} & Upper and lower double safety anti-pinch / ultra-sensitive voice system \\ & / can be equipped with wifi remote control \\ \end{tabular}$



		Width x Depth x Height
KL1000-JMHY	1000mm	898 × 258 × 700mm
KL1100-JMHY	1100mm	998 × 258 × 700mm
KL1200-JMHY	1200mm	1098 × 258 × 700mm

Diamond Intelligent lift basket










Ascending command: Diamond, please go up / Descending command: Diamond, please go down

/ Stop command: Diamond, please stop



Installation And Opening Of Diamond Intelligent lift basket



The height of the cabinet bottom plate from the table top ≥ 440mm

Cabinet	L1/MM	L2/MM	Product size (LxWxH)
800mm	690mm	700mm	698×258×700mm
900mm	790mm	800mm	798×258×700mm
1000mm	890mm	900mm	898×258×700mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB


Height of the rising part of the lifting basket: 420mm



KL800-JMS	800mm	698×258×700mm
KL900-JMS	900mm	798×258×700mm
KL1000-JMS	1000mm	898 × 258 × 700mm

Queen Intelligent lift basket










Ascending command: Queen, please go up / Descending command: Queen, please go down

/ Stop command: Queen, please stop

Installation And Opening Of Queen Intelligent lift basket





The height of the cabinet bottom plate from the table top ≥ 440mm

Cabinet	L1/MM	L2/MM	Product size (LxWxH)
800mm	690mm	700mm	698×258×700mm
900mm	790mm	800mm	798×258×700mm
1000mm	890mm	900mm	898×258×700mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.


(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the rising part of the lifting basket: 420mm



KL800-JMY	800mm	798×258×700mm
KL900-JMY	900mm	898×258×700mm
KL1000-JMY	1000mm	998×258×700mm
KL1000-JMY	1000mm	998×258×700m

Beauty Intelligent lift basket-Double










Ascending command: Beauty, please go up / Descending command: Beauty, please go down

/ Stop command: Beauty, please stop





Installation And Opening Of Beauty Intelligent lift basket



The height of the cabinet bottom plate from the table top \geq 500mm

Cabinet	L / mm	L2 / mm	Product size (LxWxH)
800mm	654mm	664mm	662×318×710mm
900mm	754mm	764mm	762×318×710mm
1000mm	854mm	864mm	862×318×710mm
1600mm	1454mm	1464mm	1462×318×710mm
1800mm	1654mm	1664mm	1662×318×710mm

Do not put items that will release a large amount of water vapor under the smart lifting product, and a large amount of water vapor will damage the bottom sensor.

(This picture may be upgraded and updated, please confirm with the factory before placing an order)

Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the rising part of the lifting basket: 480mm

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system

/ can be equipped with wifi remote control



KL-800YR	800mm	662×318×710mm
KL-900YR	900mm	762×318×710mm
KL-1000YR	1000mm	862×318×710mm
KL-1600YR	1600mm	1462×318×710mm
KL-1800YR	1800mm	1662×318×710mm

Beauty Intelligent lift basket-Single





Ascending command: Beauty, please go up / Descending command: Beauty, please go down

/ Stop command: Beauty, please stop





Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the rising part of the lifting basket: 480mm



800mm	662×318×710mm
900mm	762×318×710mm
1000mm	862×318×710mm
1600mm	1462×318×710mm
1800mm	1662×318×710mm
	800mm 900mm 1000mm 1600mm

Beauty Intelligent lift basket -Single







Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the rising part of the lifting basket: 480mm

Product features: Upper and lower double safety anti-pinch / ultra-sensitive voice system / can be equipped with wifi remote control

The width can be customized, The leather color can be customized

Remarks

KL-800YRB	800mm	662×318×710mm
KL-900YRB	900mm	762×318×710mm
KL-1000YRB	1000mm	862×318×710mm
KL-1600YRB	1600mm	1462×318×710mm
KL-1800YRB	1800mm	1662×318×710mm

Treasure Box Intelligent Lifting









Smart Features: Intelligent voice control, infrared hand scanning sensing

Input Voltage: 100-240V~ Frequency: 50/60HZ Rated power: 53W

Rated load (including basket): 45KG Load speed: 20mm/s Noises: 50dB

Height of the descending part of the lifting basket: 540mm

