



Office

Doctor

Case Information

Aesthetic Checklist

**For Anterior Cases*

Patient Name -----
Tooth # -----
Prep Date -----
Requested Due Date -----
Seat Date -----

- Full Face Natural Smile Photo
- Nose to Chin Photo
- Full Face Retracted Smile Photo
- Nose to Chin Retracted Smile Photo
- Shade Tab Photos
- Stump Shade Photos
- Corresponding model/scan to match photos

Order Details

**See our aesthetic checklist for more details: www.hurstdentalstudio.com
*Anterior cases cannot begin until all photos and corresponding models/scans have been received
Return dates are calculated based on the date that all required records are received in lab


Material	↓	Implant Abutment	↓	Shade Notes	↓
Layered Lithium Disilicate		Zirconia/hybrid		Overall Shade	
Full Contour Lithium Disilicate		Titanium		• Body	
Layered Zirconia		• Opaqued		• Incisal	
Full Contour Zirconia		• Anodized		• Gingival	
Diagnostic Wax		Screw Retained		• Stump	
		Cement Retained		Custom Shade	

Surface Texture

- Heavy
- Medium
- Light

Incisal translucency

- None
- Minimal (0.5)
- Moderate (1.0)
- Maximum (1.5)



Additional Information:

