





10FF	-1'-10"
------	---------




CONCENTRATION	WETTED SURFACE
8FF	$\sim 1 \cdot 10^6$



		
		
08/03/2020		ISSUE FOR APPROVAL
DATE	NO.	DESCRIPTION
REVISIONS		







SEE	•1'-10"
SEE	•1'-10"







GRID LOCATION	DOCTER ELEVATION
10EE	+1'-10"

	△	
	△	
08/03/2020	△	ISSUE FOR APPROVAL
DATE	NO.	DESCRIPTION
REVISIONS		




BILL OF MATERIAL									
QTY.	PIECE MARK	DESCRIPTION	LENGTH	WEIGHT TOTAL	REMARKS	PIPING INVERT	ADVANCE FROM TO	DATE	GRADE
1	106B1	BEAM							
1		W14X22	20' 10 11/16"	455					A6B2
4	3110	L4X4X5/16	0' 10"	24					A3B
1	aa7	L6X3-1/2X3/16	12' 2"	119					A3B
1	aa14	L6X3-1/2X3/16	8' 5 1/4"	82					A3B
6	pa19	FL3/8X3"	1' 2"	86					A3B
6		3/4"Ø A325N_TC BOLT	0' 2"						
2	106B2	BEAM							
2		W16X26	14' 1 1/4"	378					A6B2
8	4210	L4X4X5/16	0' 11 1/2"	31					A3B
16		3/4"Ø A325N_TC BOLT	0' 2"						
1	106B3	BEAM							
1		W16X31	21' 3 5/16"	620					A6B2
2	4210	L4X4X5/16	0' 11 1/2"	16					A3B
4		3/4"Ø A325N_TC BOLT	0' 2"						
1	106B4	BEAM							
1		W12X14	20' 10 3/4"	291					A6B2
4	3211	L4X4X5/16	0' 8 1/2"	23					A3B
6		3/4"Ø A325N_TC BOLT	0' 1 3/4"						
		FIELD BOLTS							
4		3/4"Ø A325N_TC BOLT	0' 2"						
6		3/4"Ø A325N_TC BOLT	0' 1 3/4"						
12		3/4"Ø A325N_TC BOLT	0' 2"						
8		3/4"Ø A325N_TC BOLT	0' 1 3/4"						
32		3/4"Ø A325N_TC BOLT	0' 1 3/4"						
TOTAL WEIGHT THIS DRAWING				2108					

08/03/2024	ISSUE FOR APPROVAL		
DATE	NO.	DESCRIPTION	
REVISIONS			





BILL OF MATERIAL								
QTY.	PRICED MARK	DESCRIPTION	LENGTH	WEIGHT TOTAL	REMARKS	PHASE NUMBER	ISSUANCE NO. REV.	ISSUED DATE
1	10981	BEAM						
1		W18X35	31' 10 5/8"	1142				A002
4	4110	L4X3X5/16	1' 1"	31				A30
8		3/4"Ø A325N_TC BOLT	0' 2"					
1	10982	BEAM						
1		W18X35	31' 10 3/4"	1132				A002
4	4210	L4X4X5/16	0' 11 1/2"	31				A30
8		3/4"Ø A325N_TC BOLT	0' 2"					
1	10983	BEAM						
1		W10X12	5' 9 5/16"	63				A002
4	2210	L4X4X5/16	0' 5 1/2"	15				A30
1	ha18	FL1/4"X11 1/2"	2' 4"	23				A35
4		3/4"Ø A325N_TC BOLT	0' 1 3/4"					
1	10984	BEAM						
1		W10X12	5' 9 5/16"	63				A002
4	2210	L4X4X5/16	0' 5 1/2"	15				A30
1	ha18	FL1/4"X11 1/2"	2' 4"	23				A35
4		3/4"Ø A325N_TC BOLT	0' 1 3/4"					
1	10985	BEAM						
1		W10X12	3' 4 13/16"	36				A002
4	2210	L4X4X5/16	0' 5 1/2"	15				A30
4		3/4"Ø A325N_TC BOLT	0' 1 3/4"					
FIELD BOLTS								
18		3/4"Ø A325N_TC BOLT	0' 1 1/2"					
8		3/4"Ø A325N_TC BOLT	0' 1 3/4"					
10		3/4"Ø A325N_TC BOLT	0' 1 1/2"					
TOTAL WEIGHT THIS DRAWING					2550			

		
		
		
08/03/2020		ISSUE FOR APPROVAL
DATE	NO.	DESCRIPTION
REVISIONS		



ONE - BEAM - 113B1



ONE - BEAM - 113B2

BILL OF MATERIAL									
QTY.	PIECE MARK	DESCRIPTION	LENGTH	WEIGHT TOTAL	REMARKS	PIPING INVERT	ADVANCE FROM TO	DATE	GRADE
1	113B1	BEAM							
1		W14X22	36' 8 1/4"	800					AMB2
2	ha1	BPL1/4"x13 1/4"	10' 0"	230					A36
1	ha2	BPL1/4"x13 1/4"	8' 7 3/4"	99					A36
1	ha3	BPL1/4"x13 1/4"	7' 5 3/4"	86					A36
1	pa5	PL1/2"x8 3/8"	1' 1"	9					A36
1	pa6	FL1/4"x5 3/4"	0' 7 1/2"	3					A36
1	pa35	PL1/2"x8 3/8"	1' 1"	7					A36
8	pa37	FL3/8"x2 1/4"	1' 1"	24					A36
1	pa44	FL1/4"x8"	0' 10 1/4"	4					A36
1	113B2	BEAM							
1		W14X22	44' 8 7/8"	975					AMB2
2	3211	L4X4X5/16	0' 5 1/2"	12					A36
3	ha1	BPL1/4"x13 1/4"	10' 0"	345					A36
1	ha6	BPL1/4"x13 1/4"	9' 11 1/2"	113					A36
1	ha7	BPL1/4"x13 1/4"	4' 11 3/4"	57					A36
1	pa30	FL3/8"x2 1/4"	1' 1"	3					A36
1	pa31	FL1/2"x8 3/8"	1' 7 1/2"	15					A36
1	pa32	PL1/2"x8 3/8"	1' 1"	9					A36
9		3/4"Ø A325N_TC BOLT	0' 2"						
		FIELD BOLTS							
9		3/4"Ø A325N_TC BOLT	6' 2 1/4"						
7		3/4"Ø A325N_TC BOLT	6' 1 3/4"						
		TOTAL WEIGHT THIS DRAWING		2791					

08/03/2024				ISSUE FOR APPROVAL	
DATE	NO.			DESCRIPTION	
				REVISIONS	