

Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Biorad Derm Gel

Type of product : Biocidal products (e.g. Disinfectants)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Disinfectant

Personal cleaning products

1.3. Details of the supplier of the safety data sheet

Necm Kimya Akaryakıt Ürünleri ve Medikal Malzemeler Sanayi ve Ticaret Limited Şirketi

Battal Gazi Mah. Şark Cad. Aytop Gıda Sitesi I.Blok No:14

Sultanbeyli / İstanbul

T + 90 216 669 06 66 - F + 90 216 669 06 90/91 info@necmkimya.com.tr_- www.necmkimya.com.tr

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzıssıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319

Full text of H-statements: see section 16

Adverse physicochemical, human health and

environmental effects

: Highly flammable liquid and vapour. Causes serious eye irritation.

2.2. Label elements

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Hazard pictograms (SEA)





GHS02 GHS07

Signal word (SEA) : Danger

Hazard statements (SEA) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (SEA) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Other hazards not contributing to the classification

No additional information available

16.08.2021 EN (English) 1/9



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.
Ethanol, ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	60	Flam. Liq. 2, H225
Isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0	10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Perfume	(CAS-No.) - (EC-No.) -	0.1	Not classified
Glycerol (glycerin, glycerine)	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	0.1	Not classified
Lanolin	(CAS-No.) 8006-54-0 (EC-No.) 232-348-6	0.1	Not classified
Carbomer	(CAS-No) 9003-01-4	0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1,3-Butylene glycol (butylene glycol)	(CAS-No.) 107-88-0 (EC-No.) 203-529-7	0.05	Not classified
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	29.55	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : No specific measures are necessary. If experiencing respiratory symptoms: Remove person to

fresh air and keep comfortable for breathing.

First-aid measures after skin contact : If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

16.08.2021 EN (English) 2/9



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with eyes.

Avoid contact with eyes.

For emergency responders 6.1.2.

Protective equipment

Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Environmental precautions 6.2.

Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information

: Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Avoid contact with eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Protect from sunlight.

Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

PNEC aqua (marine water)

Ethanol, ethyl alcohol (64-17-5)				
1900 mg/m³				
343 mg/kg bodyweight/day				
950 mg/m³				
950 mg/m³				
87 mg/kg bodyweight/day				
114 mg/m³				
206 mg/kg bodyweight/day				
0.96 mg/l				
0.79 mg/l				
2.75 mg/l				
3.6 mg/kg dwt				
2.9 mg/kg dwt				
0.63 mg/kg dwt				
0.72 g/kg food				
580 mg/l				
1,3-Butylene glycol (107-88-0)				
DNEL/DMEL (General population)				
25 mg/kg bodyweight/day				
0.85 mg/l				

16.08.2021 EN (English) 3/9

0.085 mg/l



Respiratory protection

Environmental exposure controls

Biorad Derm Gel

Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

1,3-Butylene glycol (107-88-0)	
PNEC aqua (intermittent, freshwater)	2 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	1.78 mg/kg dwt
PNEC sediment (marine water)	0.178 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.13 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
Glycerol (glycerin, glycerine) (56-81-5)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	56 mg/m³
DNEL/DMEL (General population)	oo mg/m
Long-term - systemic effects,oral	229 mg/kg bodyweight/day
Long-term - local effects, inhalation	33 mg/m³
PNEC (Water)	35 mg/m
PNEC (Water) PNEC aqua (freshwater)	0.005 mg/l
	0.885 mg/l
PNEC aqua (marine water) PNEC aqua (intermittent, freshwater)	0.0885 mg/l
	8.85 mg/l
PNEC (Sediment)	2.2 mallia dist
PNEC sediment (freshwater)	3.3 mg/kg dwt
PNEC sediment (marine water)	0.33 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.141 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l
Isopropanol (67-63-0)	
DNEL (DNEL (Market)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
	888 mg/kg bodyweight/day 500 mg/m³
Long-term - systemic effects, dermal	
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation	
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population)	500 mg/m³
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral	500 mg/m³ 26 mg/kg bodyweight/day
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (marine water)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt 28 mg/kg dwt
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil) PNEC (Oral)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) PNEC (STP)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt 28 mg/kg dwt 160 mg/kg food
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil) PNEC (Oral)	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt 28 mg/kg dwt
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt 28 mg/kg dwt 160 mg/kg food
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant 8.2. Exposure controls	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt 28 mg/kg dwt 160 mg/kg food
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant 8.2. Exposure controls	500 mg/m³ 26 mg/kg bodyweight/day 89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt 28 mg/kg dwt 160 mg/kg food 2251 mg/l : Not required for normal conditions of use : Even though no eye contact is expected under reasonable normal conditions of use,

16.08.2021 EN (English) 4/9

: Avoid release to the environment.

: No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless

Odour : Pleasant odour, Perfume

pH : 5.5 – 6.5

Relative evaporation rate (butylacetate=1) : No data available

Melting point : > -20 °C (760 mmHg)

Freezing point : No data available

Boiling point : > 85 °C Flash point : 14 °C Auto-ignition temperature : 23 °C

Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : 5.8 kPa (20°C) Relative vapour density at 20 °C : No data available Relative density : No data available

Density : $0.876 \text{ g/cm}^3 \pm 0,005 \text{ g/cm}^3$ Solubility : Completely soluble. Viscosity, dynamic : $\approx 9 \text{ mPa·s } (25^{\circ}\text{C})$

Explosive limits : 3.3 vol %

15 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethanol, ethyl alcohol (64-17-5)			
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560		
LD50 oral	8300 mg/kg bodyweight Animal: mouse		
1,3-Butylene glycol (107-88-0)			
LD50 oral rat 22800 mg/kg bodyweight Animal: rat, Animal sex: male			
Glycerol (glycerin, glycerine) (56-81-5)			
LD50 oral rat	27 mg/kg bodyweight Animal: rat, Animal sex: female		
Isopropanol (67-63-0)			
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
Skin corrosion/irritation	: Not classified		
	pH: 5.5 – 6.5		



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

Serious eye damage/irritation : Causes serious eye irritation.

pH: 5.5 - 6.5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Ethanol, ethyl alcohol (64-17-5)			
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)		
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)		
1,3-Butylene glycol (107-88-0)			
NOAEL (oral, rat, 90 days)	5000 mg/kg bodyweight Animal: rat		
Aspiration hazard : Not classified			

Biorad Derm Gel		
	Viscosity, kinematic	≈ 10.274 mm²/s

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

Ethanol, ethyl alcohol (64-17-5)					
LC50 fish 1	14.2 g/l Test organisms (species): Pimephales promelas				
NOEC (chronic) 9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'					
1,3-Butylene glycol (107-88-0)					
LC50 fish 1	> 100 mg/l Test organisms (species): Oryzias latipes				
EC50 Daphnia 1 > 1000 mg/l Test organisms (species): Daphnia magna					
EC50 72h algae (1) > 1070 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)					
NOEC (chronic)	> 85 mg/l Test organisms (species): Daphnia magna Duration: '21 d'				
Glycerol (glycerin, glycerine) (56-81-5)					
LC50 fish 1 54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo					
Isopropanol (67-63-0)					
LC50 fish 1	10000 mg/l Test organisms (species): Pimephales promelas				
LC50 fish 2	9640 mg/l Test organisms (species): Pimephales promelas				
12.2. Persistence and degradability					

No additional information available

12.3. Bioaccumulative potential

Biorad Derm Gel		
Bioaccumulative potential	No additional information available	

12.4. Mobility in soil

Biorad Derm Gel	
Mobility in soil	No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

16.08.2021 EN (English) 6/9



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR /	RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1170	1170	1170	1170	1170
14.2. UN proper shipp				
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document desc	ription			•
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II	UN 1170 Ethanol solution, 3, II	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II
14.3. Transport hazard				
3	3	3	3	3
	3	3	3	3
14.4. Packing group				
II	II	Ш	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4
(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 2Special provisions for carriage - Operation: S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates :

33 1170

: TP1

Tunnel restriction code (ADR) : D/E

- Transport by sea

Special provisions (IMDG) : 144

16.08.2021 EN (English) 7/9



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

: 1L Limited quantities (IMDG) Excepted quantities (IMDG) : E2 : P001 Packing instructions (IMDG) : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless, volatile liquids.Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%

Miscible with water.

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L

Special provisions (IATA) : A3, A58, A180

ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 144, 601
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T4

(RID)

Portable tank and bulk container special : TP1

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

16.08.2021 EN (English) 8/9



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Version: 1.0 Issue date: 16.08.2021

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

Local regulations (Turkey)

: Regulation on Transportation of Dangerous Goods by Road published in the Official Journal numbered 28801 on October 24, 2013

Personal Protective Equipment Regulation published in the Official Journal numbered 30761 on May 1, 2019

Regulation on Use of Personal Protective Equipments in Workplaces published in the Official Journal numbered 28695 on July 2, 2013

Occupational Health and Safety Regulation published in the Official Journal numbered 25311 on December 9, 2003

Regulation on Test Methods that will be Applied to Determine the Physicochemical, Toxicological and Ecotoxicological Properties of Substances and Mixtures published in the Official Journal numbered 28848 on December 11, 2013

Regulation on Health and Safety Precautions When Working with Chemical Substances published in the Official Journal numbered 28733 on August 12, 2013

Regulation on Health and Safety Precautions When Working with Carcinogenic and Mutagenic Substances published in the Official Journal numbered 28730 on August 6, 2013.

This product doesn't contain any substances that is controlled or prohibited for use according to the Regulation on Ozone Depleting Substances published in the Official Journal numbered 30031 on April 7, 2017.

SECTION 16: Other information

Full text of H-statements

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Safety Data Sheet author's

Name	İrem BEKTAŞ KART
Certificate number	KDU-A-0-0045
Certificate valid until	30/04/2024
Contact information	irem@bekkdanismanlik.com

SDS Turkey

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

16.08.2021 EN (English) 9/9