



EcoSet

MS FLOORING ADHESIVE



"It is what we don't put in our Adhesives that make them so much better"

THE GAME HAS CHANGED FOREVER

One Adhesive for ALL Timber Floors



Features & Benefits

GREEN STAR RATED

Recognised by Green Building Council of Australia (GBCA), EcoSet ensures the health and well being of all.

FAST CURING

EcoSet can take foot traffic after 6-8 hours and Solid Floors can be sanded after 48 hours.

NO CARCINOGENS

Carcinogens are any substances capable of causing cancer in living tissue. Unlike Polyurethanes that contain carcinogens and are suspected of causing cancer, EcoSet has no ingredients that cause cancer or respiratory ailments.

BUILT IN MOISTURE BARRIER

Tested to ASTM E96 at only 1.5mm thick, EcoSet has a built in Moisture Barrier. It is important to ensure that full coverage of the slab is achieved.

ACOUSTIC PROPERTIES

EcoSet has been tested in Australia by Renzo Tonin & Associates. EcoSet meets The National Construction Code (NCC) 2019 and The City of Sydney Council's Development Control Plan (DCP) 2012, just to name a few.

HIGHLY FLEXIBLE

EcoSet is flexible allowing the natural movement of the floor without breaking the adhesion.

GREAT BEADING STABILITY

Using a Floor Essentials B3 trowel over a flat surface will allow the perfect beading stability to ensure your floor will adhere.

EASY CLEAN UP

EcoSet wipes off both the finished floor and your skin extremely easy. Just dab a small amount of Methylated Spirits on the adhesive, a light rub and it is gone.

SUITABLE FOR UNDER FLOOR HEATING

Simply switch off under floor heating 48 hours before laying the floor and leave off for 48 hours after completing the floor. The adhesive will not be affected by the heating system.

The Product

EcoSet is a high performance, one component MS Polymer adhesive for surface bonding all types of Timber flooring including Parquetry, Engineered, Laminated and Solid timber flooring to concrete/cementitious substrates, smoothing compounds, Acoustic Matting, Plywood and Battens.

The Range



16kg Pails



18kg Box of 20
600ml Sausages




B3 Trowels
B5 Trowels




600ml
Sausage Guns

Multiple Applications


Engineered (No Acoustic Mat)



Engineered Dual Bond (with Acoustic Mat)



Solid Timber



“A message from the Director”

I am shocked that in the market we still use polyurethane adhesives to glue down timber flooring. The problem with these polyurethanes is that they are full of carcinogens which we know are cancer causing ingredients.

When I talk to the floor layers their comments are along the lines of "We have been using these products for more than 10 years, so why would we read the labels now?" therefore the warning labels are ignored or missed.

What EcoSet has done is introduced a product that doesn't have any Carcinogens or Isocyanates, has a built in moisture barrier, has awesome acoustic properties, cleans easily off the floor and skin, yet have priced it so it competes with the cheapest polyurethanes.

Basically we have supplied the best product at the best price so you only have to use one adhesive for any Timber Floor application.

Now you really do have a choice.



GREEN STAR RATED

Technical Data

Working Temp: + 5°C - + 35°C 75% Humidity

Open Time: 30-40 minutes

Working Time: 60 minutes

Walk on: After 6-8 hours

Sanding of Floors: After 48 hours

Shelf life: 12 months

Colour: Brown

Consumption: 800-1000 g/m² B3 trowel
(approx 16m² per pail over flat surfaces)

Packaging: 16kg pail or 600ml Sausages

Talk is Cheap. Proof is free!

Simply scan this QR Code found here and on every pail of EcoSet, for your free and easy download of all PDFs including MSDS, TDS, Acoustic Certificate, Moisture Barrier Certificate, VOC Certificate, Green Star Certificate and Warranty Certificate.

