

东莞市旭田包装机械有限公司

DONGGUAN XUTIAN PACKING MACHINE CO.,LTD
www.xutianpack.com www.xutian-china.com

SUNPACK
PACKING MACHINE

XUTIAN
PACKING MACHINE

Xutian is a group company with 3 branches in different cities. We dedicate to end of line package development for years. We have more than 30 staff in our RND department . Provide our customers with the best quality products and serve our customers with our best effort, it is our main goal. We carry banding machine, strapping machine, pallet wrapper, case sealer and manual strapping tool in our range.

BETTER QUALITY & BETTER PRICE & BETTER SERVICE

WELCOME TO

SUNPACK
旭田欢迎您...



PROFILE 关于旭田

Xutian is dedicated to provide worldwide users with professional packaging solutions and focus on production of variety of packaging machinery. Xutian has decades of experience in packaging industry. With plants in different area, we can serve all our customers with fast and most convenient delivery. We delivered our machines to all over the world since we set up in 1997. Our RND department always follow up the world class technology and upgrade our products.

旭田包装致力于提供全球买家最先近的包装解决方案. 旭田有着丰富的包装行业的经验.我们在浙江台州和广东东莞的工厂,以及上海的办公室,都让我们为客户提供好的服务提供了条件.自从1997年建厂以来,我们把旭田的产品卖到了全球各地. 我们的研发部门紧跟世界先进科技水平,以及时的改进我们的产品. 我们将致力于为我们客户提供更高质量的产品,更快的服务,最好的价格.





TO PROVIDE OUR CUSTOMERS
WITH THE HIGHEST QUALITY PRODUCTS AND BEST SERVICE
IS OUR ULTIMATE GOAL

EXHIBITION 国际展会



PRODUCTION WORKSHOP 生产车间



WAREHOUSE 仓储物流



TD-88

Semi-automatic strapping machine-2 DC motor
半自动打包机-双电机

New design



TD-88



TD-88A

FEATURES 特性

Two motors semi-automatic strapping machine is specially designed for soft industries. It uses PP strap to bond the item tightly. After insert strap to the guide, It will take only 2.0 seconds to finish strapping automatically. It can save your cost and labor. Strapping tension ,strap length and heating temperature are adjustable from the control panel. It is very easy for operation and maintaineance. No tape jam. Fixed length function.

瞬间加热:打开电源后5秒即可打包
可适用各种规格的PP带5-15MM 宽
节电功能:机器闲置运行马上自动断电,节约能源
结构简单,维护简单
能用薄带,窄带,节约耗材
热熔捆扎,粘合准确,牢固
不会卡带,定长功能



TD-88AL

SPECIFICATION 技术参数

Model No 型号	TD88/TD-88A /TD-88AL	
Tape specification 带子规格	5-15mm W x 0.5-0.8mm	
Tape type适用材料	PP strapping band	
Power 功率	350W	
Roll size 带卷规格	200mm Core X 40mm High	
Strapping size 打包尺寸	Max:No limit; Min : 60 x 30mm	
Power supply 电压	220V/110V 50HZ/60HZ 1Phase	
Control system 控制系统	PCB	
Strapping speed 打包速度	</= 2.5 seconds/strap	
Net weight 净重	85KG/80KG	
Welding method 粘合方式	Heat sealing	
Strapping tension 捆紧力	1-500N	
Outline size 外形尺寸	L785xW555xH750mm	

Q8

Automatic strapping machine
全自动快速打包机

High speed up to 1.5 seconds/strap

FEATURES 特性

High speed automatic strapping machine can make 1.5 seconds/strap
Manual and Auto model operation
Loop ejecting function and refeed function
Rigid structure design
Built for 24 hours continuous operation
Tension adjustment: Very easy from control panel
Easy strap loading and unloading
Can be used for 5mm strap, save your cost
Use Germany Dunker motor DC 24V

1.5 秒/道,可选择自动或者手动模式. 设有跳带和二次送带功
能,不会卡带. 结构牢固,美观大方.可24小时连续工作. 从操作面板上即可
调整捆紧力.装和拆打包带卷都非常方便快捷. 可以用于5MM宽的打包
带,使用德国DUNKER电机.



SPECIFICATION 技术参数

Model No 型号	Q8
Outline size机器外观尺寸:	1255x700x1400mm
Table height台面高度 :	750mm
Strapping tension捆紧力 :	1-40kg可调
Strapping speed 最快捆扎速度:	1.5 seconds/strap 秒/道
Size机械尺寸 :	W600xH500
Strapping size最大捆包物尺寸 :	600x50mm
tape type适用打包带 :	标准PP带 宽度 : 5.6.8.9.10.12mm
Roll size打包带卷:	带芯直径 200mm 带芯宽度 : 190mm
Welding method粘合方式 :	热熔方式
Power supply电源 :	110V/220V 50Hz/60Hz
Power功率 :	500w
Net weigh机器重量:	140kg

Q6000

Automatic strapping machine
全自动打包机

High speed up to 60 straps/min

FEATURES 特性

High speed automatic strapping machine can make 60 straps/min
Manual and Auto model operation
Loop ejecting function and refeed function
Rigid structure design
Built for 24 hours continuous operation
Tension adjustment: Very easy from control panel
Easy strap loading and unloading
Can be used for 5mm strap, save your cost
Use Germany Dunker motor DC 24V

一分钟可打60条带. 可选择自动或者手动模式. 设有跳带和二次送带功能,不会卡带.结构牢固,美观大方.可24小时连续工作. 从操作面板上即可调整捆紧力.装和拆打包带卷都非常方便快捷. 可以用于5MM宽的打包带,使用德国DUNKER电机



SPECIFICATION 技术参数

Model No 型号	Q6000
Material type 适用材料	PP strapping band
Strap size 带子规格	5mm/6mm/ 9mm/12mm W X0.35-0.65mm thickness
Roll size 带卷规格	200mm core X 400mm W
Power 功率	850W
Arch size 框架尺寸	W600XH400mm,W800XH500mm,W1000XH500mm,W1250XH500mm
Power supply 电源	220V/110V 50HZ/60HZ
Control system 控制系统	PCB
Strapping speed 捆扎速度	1 seconds/strap 秒/道
Strapping tension 捆紧力	50-300N
Net weight 净重	110kg

Q6000P

Automatic strapping machine with press-top
高速加压全自动打包机

High speed up to 50 straps/min

FEATURES 特性

High speed automatic strapping machine can ran 50 straps/min
Manual and Auto model operation
With auto feeding function
Rigid structure design
Heat sealing
Built for 24 hours continuous operation
Tension adjustment: Very easy from control panel
Easy strap loading and unloading
Can be used for 5mm strap, save your cost
Especially designed for corrugated industry

一分钟可打50条带. 可选择自动或者手动模式. 采用热熔方式粘带. 设有二次送带功能,不会卡带.结构牢固,美观大方. 可24小时连续工作. 从操作面板上即可调整捆紧力.装和拆打包带卷都非常方便快捷. 可以用于5MM宽的打包带,节约耗材.特别适用于纸箱生产企业.



SPECIFICATION 技术参数

Model No 型号	Q6000P
Material type 适用材料	PP strapping band
Strap size 带子规格	5mm/6mm/ 9mm/12mm W X0.35-0.65mm thickness
Roll size 带卷规格	200mm inner core X 420mm external core X 190mm W
Power 功率	850N
Arch size 框架尺寸	W1000XH500mm 、 W1250XH500mm
Power supply 电源	220V/110V 50HZ/60HZ
Control system 控制系统	PCB
Strapping speed 捆扎速度	50 straps/M
Strapping tension 捆紧力	5-300N
Net weight	400kg

Q6000A

Automatic strapping machine with power roller
高速无人化全自动打包机

High speed up to 66 straps/min

FEATURES 特性

High speed automatic strapping machine can make 66 straps/min
Manual and Auto model operation
Loop ejecting function and refeed function
Rigid structure design
Built for 24 hours continuous operation
Tension adjustment: Very easy from control panel
Easy strap loading and unloading
Can be used for 5mm strap, save your cost
Use Germany Dunker motor DC 24V

一分钟可打66条带. 可选择自动或者手动模式. 设有跳带和二次送带功能. 不会卡带. 结构牢固, 美观大方. 可24小时连续工作. 从操作面板上即可调整捆紧力. 装和拆打包带卷都非常方便快捷. 可以用于5MM宽的打包带, 使用德国DUNKER电机



■ SPECIFICATION 技术参数

Model No 型号	Q6000A
Material type 适用材料	PP strapping band
Strap size 带子规格	5mm/6mm/ 9mm/12mm W X0.35-0.65mm thickness
Roll size 带卷规格	200mm core X 400mm W
Power 功率	850W
Arch size 框架尺寸	W600XH400mm/W800XH500mm/W1000XH500mm /W1250X500mm
Power supply 电源	220V/110V 50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	1.1seconds/strap 秒/道 (不含输送时间)
Strapping tension 捆紧力	50-300N
Net weight	230kg

Q6000AD

Automatic strapping machine with power roller
双带盘高速无人化全自动打包机

High speed up to 30 straps/min

FEATURES 特性

High speed automatic strapping machine can ran 30 straps/min
Manual and Auto model operation
With auto feeding function
Rigid structure design
Heat sealing
Built for 24 hours continuous operation
Tension adjustment: Very easy from control panel
Easy strap loading and unloading
Can be used for 5mm strap, save your cost
Especially designed for corrugated industry

一分钟可打30条带. 可选择自动或者手动模式. 采用热熔方式粘带. 设有二次送带功能. 不会卡带. 结构牢固, 美观大方. 可24小时连续工作. 从操作面板上即可调整捆紧力. 装和拆打包带卷都非常方便快捷. 可以用于5MM宽的打包带, 节约耗材. 特别适用于纸箱生产企业.



■ SPECIFICATION 技术参数

Model No 型号	Q6000AD
Material type 适用材料	PP strapping band
Strap size 带子规格	5mm/6mm/ 9mm/12mm W X0.35-0.65mm thickness
Roll size 带卷规格	200mm inner core X 420mm external core X 190mm W
Power 功率	850W
Arch size 框架尺寸	W800X500mm 、 W1000XH500mm、 W1250XH500mm
Power supply 电源	220V/110V 50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	30 straps/M
Strapping tension 捆紧力	
Net weight	400kg

Q6000AP

Automatic strapping machine with press-top
高速加压全自动打包机

High speed up to 20 straps/min

FEATURES 特性

High speed automatic strapping machine can ran 50 straps/min
Manual and Auto model operation
With auto feeding function
Rigid structure design
Heat sealing
Built for 24 hours continuous operation
Tension adjustment: Very easy from control panel
Easy strap loading and unloading
Can be used for 5mm strap, save your cost
Especially designed for corrugated industry

一分钟可打50条带. 可选择自动或者手动模式. 采用热熔方式粘带.
设有二次送带功能,不会卡带,结构牢固,美观大方.
可24小时连续工作. 从操作面板上即可调整捆紧力.装和拆打包带
卷都非常方便快捷. 可以用于5MM宽的打包带,节约耗材.特别适用于
纸箱生产企业.



■ SPECIFICATION 技术参数

Model No 型号	Q6000AP
Material type 适用材料	PP strapping band
Strap size 带子规格	5mm/6mm/ 9mm/12mm W X0.35-0.65mm thickness
Roll size 带卷规格	200mm inner core X 420mm external core X 190mm W
Power 功率	840W
Arch size 框架尺寸	W1000X500mm/ W1250X500mm
Power supply 电源	220V/110V 50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	30 straps/M
Strapping tension 捆紧力	50-300N
Net weight	400kg

Q6000AP+XT-AF01

Automatic corrugate box squeezer
高速纸箱整列打包一体机



High speed up to 17 bundles/min

FEATURES 特性

High speed automatic strapping machine can make 30straps/min
With power roller table and press-top
With auto feeding
Heat sealing
Rigid structure design
Built for 24 hours continuous operation
Can use 5mm wide strap to save material
Easy strap loading and unloading

专门针对瓦楞纸打包而设计的全自动型打包机，同样也适用其它纸箱类的捆扎打包,该机的最大特点是可以使用5mm宽的PP带,大大节省了企业的生产成本
该机工作台面配有动力辊筒,对打包物进行输送，可实现自动传动,自动检测,自动打包,同时具有上压功能,可将蓬松的纸捆进行压缩后捆包,从而使捆包物更加牢固结实

纸箱整理流水线采用动力辊筒输送,气缸驱动的方式进行,自动对纸箱前后左右四个方位进行整理，并输送到打包机上,该机结构紧凑,功能完善,自动化程度高,操作及维修简单等优点,是纸箱厂家优选的一种产品

■ SPECIFICATION 技术参数

Model No 型号	Q6000AP+XT-AF01
Material type 适用材料	PP strapping band
Strap size 带子规格	5mm/6mm/ 9mm/12mm W X0.35-0.65mm thickness
Roll size 带卷规格	200mm inner core X 420mm external core x 190mm W
Power 功率	1500W
Arch size 框架尺寸	W1000X500mm/ W1250X500mm
Power supply 电源	220V/110V 50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	17 bundles/M
Strapping tension 捆紧力	50-300N
Net weight	450kg

XT-201

Automatic strapping machine
全自动打包机

XT-201

Full Automatic Model
全自动

Model No 型号	XT-201
Material type 适用材料	PP strapping band
Strap size 带子规格	9mm/12mm/15mm X0.6-1.0mm
Roll size 带卷规格	200mm core X 400mm W
Power 功率	850W
Arch size 框架尺寸	W 800 x H 600mm
Power supply 电源	380V/220V/ 50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	2.2seconds/strap 秒/道(不含输送时间)
Strapping tension 捆紧力	5-80kg
Net weight	210kg



XT-201Y

Full Automatic Model
全自动

Model No 型号	XT-201Y
Material type 适用材料	PP strapping band
Strap size 带子规格	9mm/12mm/15mm X0.6-1.0mm
Roll size 带卷规格	200mm core X 400mm W
Power 功率	850W
Arch size 框架尺寸	W 600 x H 800mm
Power supply 电源	380V/220V/50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	26 straps/M
Strapping tension 捆紧力	5-80kg
Net weight	210kg



XT-201A

无人化全自动打包机
Automatic strapping machine

XT-201A

Full Automatic Model
全自动

Model No 型号	XT-201A
Material type 适用材料	PP strapping band
Strap size 带子规格	9mm/12mm/15mm X0.6-1.0mm
Roll size 带卷规格	200mm core X 400mm W
Power 功率	850W
Arch size 框架尺寸	W 800 x H 600mm
Power supply 电源	380V/220V/ 50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	2.2seconds/strap 秒/道(不含输送时间)
Strapping tension 捆紧力	5-80kg
Net weight	315kg



XT-201AL

Full Automatic Model
全自动

Model No 型号	XT-201AL
Material type 适用材料	PP strapping band
Strap size 带子规格	9mm/12mm/15mm X0.6-1.0mm
Roll size 带卷规格	200mm core X 400mm W
Power 功率	850W
Arch size 框架尺寸	W 800 x H 600mm
Power supply 电源	380V/220V/50HZ/60HZ
Control system 控制系统	PLC
Strapping speed 捆扎速度	26 straps/M
Strapping tension 捆紧力	5-80kg
Net weight	315kg



3 in 1 Strapping tool
三合一打包工具

A333
Sealless steel strapping tool
免扣钢带打包机

Model No 型号	A333
Applicable strap 适用带子	Steel
Tape width 带宽	13/16/19mm
Tape thickness 带厚	0.38-0.58mm
Sealing type 粘合方式	Sealless 无扣
Strap tension 捆紧力	700-850N
Net weight 净重	3.9kg



AQD-19/AQD-25
Plastic Pneumatic strapping tool
塑钢带气动打包机

Model No 型号	AQD-19/AQD25
Applicable strap 适用带子	PP/PET
Tape width 带宽	13-19mm
Tape thickness 带厚	0.5-1.5mm
Sealing type 粘合方式	Friction 摩擦热熔
Strap tension 捆紧力	3000N
Net weight 净重	3.8kg



RJ-250
Plastic Pneumatic strapping tool
棉花气动打包机

Model No 型号	RJ-250
Applicable strap 适用带子	PP/PET
Tape width 带宽	13-19mm
Tape thickness 带厚	0.5-1.5mm
Sealing type 粘合方式	Friction 摩擦热熔
Strap tension 捆紧力	-
Net weight 净重	3.0kg



OR-T200 PP/PET 电动打包工具
PP/PET Battery strapping tool

1. Easy to use, light weight, high-power electric design.
2. Sealless, Friction welding design, with nice & reliable interface.
3. Automatic working model, tensioning & welding controllable.
4. 2 pieces Nica battery and one charger are included.
5. Heavy duty, special construction design, easily to tension & strap
6. steel, aluminum blocks, heavy packing stuff.
7. Equipment with long life durance, whole tool
8. th high strength, high durability ,developed
9. Sealing time adjustable, LED scale display

操作简单,体积小,电池容量大,摩擦热熔粘合,美观大方,无须打包扣. 带自动操作模式控制收紧和粘合.一机带二电一充. 粘合时间可调,LED显示刻度.



Model No 型号	ORT-200
Applicable strap 适用带子	PP/PET
strap size 打包带规格	13-16MMX0.6-1.2
Tension 捆紧力	650-3000N
Sealing mode	Fricition welding
Battery 电池	Nicd12v 2.4AH
Charging time 充电时间	60mins(100-200 straps)
Net weight 净重	3.9kg

KZ

Pneumatic steel strapping tool
气动钢带打包机

KZ-16/19

Pneumatic steel strapping tool
气动钢带打包机

Model No 型号	KZ-16/19
Applicable strap 适用带子	Steel
Air pressure 气压	0.42-0.6mpa
Tape size 钢带尺寸	16/19x0.8-1.2mm
Tension speed 收带速度	5.5M/min
Tension 捆紧力	4.9KN/0.6mpa
Seal tension 承受拉力	6. 3KN
Net weight 净重	5kg

Widely applicable for paper packing, Aluminum, Steel, Wood plated and Bars, Pallets, Fiber fabrication, Cotton, Tobacco, Chemicals,
1.Heavy duty, special construction design, easily to tension &strap steel, aluminum blocks, heavy packing stuff.
2.Equipment with long life durance, whole tool & spare parts made from alloys with high strength, high durability.developed craft technology

1.广泛用于纸业,铝业,钢铁业,木业,托盘业,化纤业,棉花业,烟草业,化工业
2.坚固耐用,整机铝合金制作.



KZ-32/40

Pneumatic steel strapping tool
气动钢带打包机

Model No 型号	KZ-32/40
Applicable strap 适用带子	Steel
Air pressure 气压	0.42-0.6mpa
Tape size 钢带尺寸	32/40x0.8-1.2mm
Tension speed 收带速度	4.2M/min
Tension 捆紧力	9.8KN/0.6mpa
Seal tension 承受拉力	18.4KN
Net weight 净重	15kg



Manual strapping tools
手动打包工具

PP/PET Tensioner
拉紧器



Model No 型号	B340	B314	B330
Applicable strap 适用带子	Weaven	Weaven	PP/PET
Tape width 带宽	50mm	13-19mm	13-19mm
Tape thickness 带厚	0.5-1.5mm	0.5-1.5mm	0.5-1.5mm
Welding type 粘合方式	with buckle 带扣	with buckle 带扣	with buckle 带扣
Net weight 净重	2kg	1.35kg	1.35kg

PP/PET Sealer
PP/PET咬口钳



Model No 型号	C401	C310	C311	C312
Applicable strap 适用带子	PP/PET	PP/PET	PP/PET	PP/PET
Tape width 带宽	13mm	16mm	16mm	19mm
Tape thickness 带厚	0.6mm	0.6mm	0.8mm	0.6mm
Arm length 臂长	50cm	50cm	50cm	50cm
Net weight 净重	1.75kg	1.75kg	1.75kg	1.75kg

Dispenser
带盘车

P-200
PP strap dispenser
PP 带盘车

Model No 型号	P200
Applicable strap 适用带子	PP
Caster 脚轮	50mm
Tool box 工具箱	Yes
Strap roll core 带卷纸芯	200mm
Strap roll width 带卷宽度	200mm
Net weight 净重	35kg



S-191
Steel strap dispenser
钢带带盘车

Model No 型号	S-191
Applicable strap 适用带子	Steel
Caster 脚轮	50mm
Tool box 工具箱	Yes
Strap roll core 带卷纸芯	—
Strap roll width 带卷宽度	32mm
Net weight 净重	30kg





PET-406
PET/PP strap dispenser
PP/PET 带盘车

Model No 型号	PET-406
Applicable strap 适用带子	PET/PP
Caster 脚轮	50mm
Tool box 工具箱	Yes
Strap roll core 带卷纸芯	200mm/406MM
Strap roll width 带卷宽度	200mm
Net weight 净重	45kg



Welcome to join us!



SUNPACK

XUTIAN PACKING MACHINE

Xutian is a group company with 3 branches in different cities. We dedicate to end of line package development for years. We have more than 30 staff in our RND department. Provide our customers with the best quality products and serve our customers with our best effort, it is our main goal. We carry banding machine, strapping machine, pallet wrapper, case sealer and manual strapping tool in our range.

Dongguan Xutian Packing Machine Co.,Ltd
东莞市旭田包装机械有限公司

ADD: NO.951 Songfo Road,Dalang Town, Dongguan, Guangdong, China
地址:广东省东莞市大朗镇松佛路951号

Web: www.xutianpack.com www.xutian-china.com
Tel: +86-769-83123335 / 83131314/83131315
Fax: +86-769-83131818

Taizhou Xutian Packing Machine Co.,Ltd
台州旭田包装机械有限公司

ADD: NO.389-1 Haizheng Road, Jiaojiang District, Taizhou, Zhejiang, China
地址:浙江省台州市椒江区海正大道389-1

Tel: +86-576-88833688 / 88833689
Fax: +86-576-88833690

Shanghai Xutian Packing Machine Co.,Ltd
上海朝田包装机械有限公司

ADD: NO.258, Jiamei Road, Jiading District, Shanghai, China
地址:上海市嘉定区嘉美路258

Tel: +86-21-66112777 / 56061188
Fax: +86-21-56061188

国际
International
<http://www.xutianpack.com>
E-mail: joanna@xutian-china.com

国内
<http://www.xutian-china.com>
E-mail: lois@xutian-china.com



Authorised Distributor for Australia And New Zealand

Tru-strength International Pty. Ltd.

www.tru-strength-international.com

Tel: +61 433 158 606

info@tru-strength-international.com



DONGGUAN XUTIAN

PACKING MACHINE CO.,LTD

东莞市旭田包装机械有限公司

SUNPACK
PACKING MACHINE

XUTIAN
旭田
PACKING MACHINE