

东莞市旭田包装机械有限公司

DONGGUAN XUTIAN PACKING MACHINE CO.,LTD
www.xutianpack.com www.xutian-china.com

SUNPACK
PACKING MACHINE

XUTIAN
PACKING MACHINE

Xutian is a group company with 3 branches in different cities. We dedicate to end of line package development for years. We have more than 30 staff in our RND department . Provide our customers with the best quality products and serve our customers with our best effort, it is our main goal. We carry banding machine, strapping machine, pallet wrapper, case sealer and manual strapping tool in our range.

BETTER QUALITY & BETTER PRICE & BETTER SERVICE

WELCOME TO

SUNPACK
旭田欢迎您...



PROFILE 关于旭田

Xutian is dedicated to provide worldwide users with professional packaging solutions and focus on production of variety of packaging machinery. Xutian has decades of experience in packaging industry. With plants in different area, we can serve all our customers with fast and most convenient delivery. We delivered our machines to all over the world since we set up in 1997. Our RND department always follow up the world class technology and upgrade our products.

旭田包装致力于提供全球买家最先近的包装解决方案. 旭田有着丰富的包装行业的经验.我们在浙江台州和广东东莞的工厂,以及上海的办公室,都让我们为客户提供好的服务提供了条件.自从1997年建厂以来,我们把旭田的产品卖到了全球各地. 我们的研发部门紧跟世界先进科技水平,以及时的改进我们的产品.我们将致力于为我们客户提供更高质量的产品,更快的服务,最好的价格.





EXHIBITION 国际展会



PRODUCTION WORKSHOP 生产车间



TO PROVIDE OUR CUSTOMERS
WITH THE HIGHEST QUALITY PRODUCTS AND BEST SERVICE
IS OUR ULTIMATE GOAL

WAREHOUSE 仓储物流



XT-4505 Pallet wrapper

自动托盘缠绕机

PLC control system,Go back to home position,Photo eye detect pallet height,5 Pre-set programs
Delay time setting to wrap overhead,Pre-stretch rate 200%,Front and rear forklift access points
Easy installation, just one person can do,Soft start and soft stop,Double tower chain
Top sheet function,Middle enforce function

PLC控制系统,自动归零位,电眼侦测包装高度,预存 5 套程序,越顶包装,预拉伸比250%,前后都备有叉车位
安装简单,一个人可组装,缓启动,缓停止,主柱双链条保护,覆顶功能,中部加强功能



XT-4505-1

XT-4505-3

■ SPECIFICATION 技术参数

Model No 型号	XT-4505-1	XT-4505-3
Turntable diameter 转盘直径	1500mm (1200 x 800mm)	1500mm (1200 x 800mm)
Pallet height 托盘高度	700-2100mm	700-2100mm
Pallet weight 托盘重量	2000KG	2000KG
Turntable height 转盘高度	80mm	80mm
Power supply 电源	110V/220V 50HZ/60HZ 1PHASE	110V/220V 50HZ/60HZ 1PHASE
Control system 控制系统	PLC	PLC
Film carriage 膜架	Brake Tension 150%	Pre-stretch 250%
Turntable speed 转盘速度	0-12R/M	0-12R/M
Net weight 机器净重	400kg	450kg

XT-4508 Luggage wrapper

自动行李缠绕机

XT-4508

Automatic Model-Luggage wrapper 自动型行李缠绕机

Model No 型号	XT-4508
Luggage size 打包尺寸	L 400-1000x W 160-500 x H 200-900mm
Rotating speed 转盘速度	0-20R/M
Film carriage 膜架	Pre-stretch 250%
Power supply 电源	110V/220V 50HZ/60HZ
Control system 控制系统	PLC
Film roll 膜卷规格	500mm W x 1500M L 13.8kg-15kg
Max lading weight 承重	100kg
Net weight 净重	230kg



XT-4508A

Automatic Model-Box wrapper 自动型纸箱缠绕机

Model No 型号	XT-4508A
Luggage size 打包尺寸	L 160-420 x W 160-450 x H 200-450mm
Rotating speed 转盘速度	0-18R/M
Film carriage 膜架	Pre-stretch 250%
Power supply 电源	110V/220V 50HZ/60HZ
Control system 控制系统	PLC
Film roll 膜卷规格	500mm W x 1500M L 13.8kg-15kg
Max loading weight 承重	50kg
Net weight 净重	88kg



XT-4510


Robot pallet wrapper 自走式缠绕机

Mobile robot for wrapping in less than one minute palletized loads of any shape, weight and dimension with stretch film.

Adjustable functions by control panel:
Top wrapping time cycle 0-9
Bottom wrapping cycle 0-9
Carriage ascent/descent speed adjustment
Robot rotation speed adjustment
Emergency Stop button
External plug for battery charger
Battery charge indicator
Acoustic/lighting signal
Max. rotation speed: 60m/min.
Charging loop count 350

采用拉伸缠绕机膜,适用于任何形状,任何重量,任何尺寸的托盘打包

可从操作面板上调整以下参数
顶部缠绕圈数,底部缠绕圈数,来回缠绕圈数
膜架上升下降的速度, 机器的行走速度
急停开关,暂停开关. 电量显示
膜架出膜速度及张力从膜架上的旋钮调整
充电插头位于机器外部,方便对接
机器运转提示信号灯
最大行走速度60M/分钟
充电循环次数350



SPECIFICATION 技术参数

Model No 型号	XT-4510
Battery 电池	100AH(12V) x 2 pcs
Pallet height 托盘高度	700-2100mm
Pallet weight 托盘重量	Max:No limit, Min 100KG
Power supply 电源	110V/220V 50HZ/60HZ 1PHASE
Control system 控制系统	PLC
Film carriage 膜架	Pre-stretch 300%
Charging time 充电时间	10-12 hours
Running time 工作时间	10-12 hours
Running time 工作速度	60M/Minute



XT-4512 Forklift pallet wrapper 叉车缠绕机

We provide you a new solution for small pallet.
With our forklift pallet wrapper, it becomes easier to move your pallets every where.

Adjustable functions by control panel:
Top wrapping time cycle 0-9
Bottom wrapping cycle 0-9
Carriage ascent/descent speed adjustment
Arm rotating speed adjustment
Emergency Stop button
External plug for battery charger
Battery charge indicator
Alarm lighting signal
Fork width:155mm, forklift width:530mm, fork length: 1500mm

为轻小托盘的缠绕打包和移动提供了二合一的解决方案.

可从操作面板上调整以下参数
顶部缠绕圈数,底部缠绕圈数,来回缠绕圈数
膜架上升下降的速度, 机器的行走速度
急停开关,暂停开关. 电量显示
充电插头位于机器外部,方便对接
机器运转提示信号灯
叉板宽:155mm, 叉车宽:530mm, 叉板长:1500mm



SPECIFICATION 技术参数

Model No 型号	XT-4512
Battery 电池	20AH (12V) x 4pcs
Pallet height 托盘高度	1600mm
Pallet weight 托盘重量	Max: 1500KG
Pallet size 托盘尺寸	1200 x 800mm or 1000 x 1000mm
Power supply 电源	110V/220V 50HZ/60HZ 1PHASE
Control system 控制系统	PLC
Film carriage 膜架	Brake
Charging time 充电时间	10-12hours
Running time 工作时间	10-12hours
Running speed 工作速度	12R/M

XT-4503 Pallet wrapper

自动缠绕机

PLC control system with more stable operation, Heavy duty design with rigid machine body
Soft start and soft stop, safety device. After every wrapping working, turntable goes back to home position.
Photocell detects pallet height, You can set delay time to get more overhead wrapping
Faults display panel, it makes you an easier job for maintenance
Front and rear forklift access points to move machine easily

PLC 控制系统,性能更稳定,操作简单. 结实牢固的外观设计,经久耐用.
机器设有慢启动和慢停止.每次包装完成,转盘自动归零位
电眼自动侦测托盘高,可以设定延迟时间以达到越顶包装.
故障显示板,可以轻松快速的发现机器故障位置,及时解决问题.
底盘前后都设有叉车位,可以方便地移动机器.
客户尺寸可定制



XT-4503-2



XT-4503A

■ SPECIFICATION 技术参数

Model No 型号	XT-4503-2	XT-4503A
Turntable diameter 转盘直径	1500mm	1500mm
Pallet height 托盘高度	700-2100mm	700-2100mm
Pallet weight 托盘重量	2000KG	2000KG
Turntable height 转盘高度	80mm	80mm
Power supply 电源	110V/220V 50HZ/60HZ 1PHASE	110V/220V 50HZ/60HZ 1PHASE
Control system 控制系统	PLC (Schneider)	PLC (Schneider)
Film carriage 膜架	Pre-stretch 300%	Pre-stretch 300%
Turntable speed 转盘速度	0-12R/M	0-12R/M
Net weight 机器净重	487kg	508kg

XT-4503 Pallet wrapper

自动缠绕机

PLC control system with more stable operation, Heavy duty design with rigid machine body
Soft start and soft stop, safety device. After every wrapping working, turntable goes back to home position.
Photocell detects pallet height, You can set delay time to get more overhead wrapping
Faults display panel, it makes you an easier job for maintenance

PLC控制系统,性能更稳定,操作简单. 结实牢固的外观设计,经久耐用.
机器设有慢启动和慢停止.每次包装完成,转盘自动归零位
电眼自动侦测托盘高,可以设定延迟时间以达到越顶包装.
故障显示板,可以轻松快速的发现机器故障位置,及时解决问题.

XT-4503M

With M turntable

M型底盘缠绕机

Model No	XT-4503M
Turntable diameter 转盘直径	1500mm
Pallet height 托盘高度	700-2100mm
Pallet weight 托盘重量	1500KG
Turntable height 转盘高度	80mm
Power supply 电源	110V/220V 50HZ/60HZ 1PHASE
Control system 控制系统	PLC (Schneider)
Film carriage 膜架	Pre-stretch 300%
Turntable speed 转盘速度	0-12R/M



XT-4503S

With Scale

带称缠绕机

Model No	XT-4503S
Turntable diameter 转盘直径	1500mm
Pallet height 托盘高度	700-2100mm
Pallet weight 托盘重量	2000KG
Turntable height 转盘高度	80mm
Power supply 电源	110V/220V 50HZ/60HZ 1PHASE
Control system 控制系统	PLC (Schneider)
Film carriage 膜架	Pre-stretch 300%
Turntable speed 转盘速度	0-12R/M



SUNPACK

XUTIAN PACKING MACHINE

Xutian is a group company with 3 branches in different cities. We dedicate to end of line package development for years. We have more than 30 staff in our RND department . Provide our customers with the best quality products and serve our customers with our best effort, it is our main goal. We carry banding machine, strapping machine, pallet wrapper, case sealer and manual strapping tool in our range.

Dongguan Xutian Packing Machine Co.,Ltd
东莞市旭田包装机械有限公司

ADD: NO.951 Songfo Road,Dalang Town, Dongguan, Guangdong, China
地址:广东省东莞市大朗镇松佛路951号

Web: www.xutianpack.com www.xutian-china.com
Tel: +86-769-83123335 / 83131314/83131315
Fax: +86-769-83131818

Taizhou Xutian Packing Machine Co.,Ltd
台州旭田包装机械有限公司

ADD: NO.389-1 Haizheng Road, Jiaojiang District, Taizhou, Zhejiang, China
地址:浙江省台州市椒江区海正大道389-1

Tel: +86-576-88833688 / 88833689
Fax: +86-576-88833690

Shanghai Xutian Packing Machine Co.,Ltd
上海朝田包装机械有限公司

ADD: NO.258, Jiamei Road, Jiading District, Shanghai, China
地址:上海市嘉定区嘉美路258

Tel: +86-21-66112777 / 56061188
Fax: +86-21-56061188

国际
International
<http://www.xutianpack.com>
E-mail: joanna@xutian-china.com

国内
<http://www.xutian-china.com>
E-mail: lois@xutian-china.com



Authorised Distributor for Australia And New Zealand

Tru-strength International Pty. Ltd.

www.tru-strength-international.com

Tel: +61 433 158 606

info@tru-strength-international.com

印：2019第一版



DONGGUAN XUTIAN

PACKING MACHINE CO.,LTD

东莞市旭田包装机械有限公司

SUNPACK
PACKING MACHINE

XUTIAN
旭田
PACKING MACHINE