


6070


Strip Light LED. Ambience/Luminous

NEON FLEXseries


NEON STRIP LIGHT




NEON 6070  
5W/M  
P.2




NEON 6071  
10W/M  
P.3




NEON 6072  
10W/M  
P.4




NEON 6073  
10W/M  
P.5




NEON 6074  
10W/M  
P.6




NEON 6075  
14W/M  
P.7




NEON 6076  
14W/M  
P.8




NEON 6077  
16W/M  
P.9



NEON 6078  
6W/M  
P.10




NEON 6079  
10W/M  
P.11




NEON 6080  
10W/M  
P.12




NEON 6081  
10W/M  
P.13




NEON 6082  
10W/M  
P.14




NEON 6083  
5W/M  
P.15



NEON 6084  
14W/M  
P.16



NEON 6085  
16W/M  
P.17



LED CHIP 50,000hrs SMD Fixed Ra > 90 10 Year Warranty 3 Years Warranty 24V DC VOLTAGE CE Designed & Patent D-Layer PCB -120° WARMWHITE

Light Source	Power	System Lumens	CCT	Code
SMD LED	5W/M	● 281lm	2700K	607012.L.P.I
SMD LED	5W/M	● 300lm	3000K	607013.L.P.I
SMD LED	5W/M	○ 319lm	4000K	607014.L.P.I
SMD LED	5W/M	○ 327lm	5000K	607016.L.P.I
SMD LED	5W/M	○ 333lm	6500K	607016.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-Phase Dim 2-DALI Dim 3-0-10V Dim 4-DMX 5-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:



# 6071

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR




# 6072

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 721lm	2700K	607112.L.P.I
SMD LED	10W/M	● 770lm	3000K	607113.L.P.I
SMD LED	10W/M	○ 819lm	4000K	607114.L.P.I
SMD LED	10W/M	○ 839lm	5000K	607115.L.P.I
SMD LED	10W/M	○ 855lm	6500K	607112.L.P.I
SMD LED	10W/M	● 370lm	RED	607113.L.P.I
SMD LED	10W/M	● 760lm	GREEN	607114.L.P.I
SMD LED	10W/M	● 193lm	BLUE	607115.L.P.I
SMD LED	10W/M	● 220lm	YELLOW	607114.L.P.I
SMD LED	10W/M	● 385lm	PINK	607115.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:



IP65



Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 693lm	2700K	607212.L.P.I
SMD LED	10W/M	● 740lm	3000K	607213.L.P.I
SMD LED	10W/M	○ 787lm	4000K	607214.L.P.I
SMD LED	10W/M	○ 807lm	5000K	607215.L.P.I
SMD LED	10W/M	○ 821lm	6500K	607216.L.P.I
SMD LED	10W/M	● 356lm	RED	6072RE.L.P.I
SMD LED	10W/M	● 730lm	GREEN	6072GR.L.P.I
SMD LED	10W/M	● 185lm	BLUE	6072BL.L.P.I
SMD LED	10W/M	● 211lm	YELLOW	6072YE.L.P.I
SMD LED	10W/M	● 370lm	PINK	6072PK.L.P.I
SMD LED	10W/M	● 389lm	RGB	6072RGB.L.P.I
SMD LED	10W/M	● 493lm	RGBW	6072RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:



IP65

# 6073

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR




# 6074

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | 120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	609lm	2700K	607312.L.P.I
SMD LED	10W/M	650lm	3000K	607313.L.P.I
SMD LED	10W/M	691lm	4000K	607314.L.P.I
SMD LED	10W/M	718lm	5000K	607315.L.P.I
SMD LED	10W/M	744lm	6500K	607316.L.P.I
SMD LED	10W/M	313lm	RED	6073RE.L.P.I
SMD LED	10W/M	640lm	GREEN	6073GR.L.P.I
SMD LED	10W/M	163lm	BLUE	6073BL.L.P.I
SMD LED	10W/M	186lm	YELLOW	6073YE.L.P.I
SMD LED	10W/M	325lm	PINK	6073PK.L.P.I
SMD LED	10W/M	342lm	RGB	6073RGB.L.P.I
SMD LED	10W/M	433lm	RGBW	6073RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off/2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:



IP65

LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | 120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	562lm	2700K	607412.L.P.I
SMD LED	10W/M	600lm	3000K	607413.L.P.I
SMD LED	10W/M	638lm	4000K	607414.L.P.I
SMD LED	10W/M	662lm	5000K	607415.L.P.I
SMD LED	10W/M	687lm	6500K	607416.L.P.I
SMD LED	10W/M	288lm	RED	6074RE.L.P.I
SMD LED	10W/M	640lm	GREEN	6074GR.L.P.I
SMD LED	10W/M	150lm	BLUE	6074BL.L.P.I
SMD LED	10W/M	171lm	YELLOW	6074YE.L.P.I
SMD LED	10W/M	300lm	PINK	6074PK.L.P.I
SMD LED	10W/M	316lm	RGB	6074RGB.L.P.I
SMD LED	10W/M	400lm	RGBW	6074RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off/2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:




IP65

# 6075

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



Light Source	Power	System Lumens	CCT	Code
SMD LED	14W/M	● 761lm	2700K	607512.L.P.I
SMD LED	14W/M	● 812lm	3000K	607513.L.P.I
SMD LED	14W/M	○ 863lm	4000K	607514.L.P.I
SMD LED	14W/M	○ 896lm	5000K	607515.L.P.I
SMD LED	14W/M	○ 930lm	6500K	607516.L.P.I
SMD LED	14W/M	● 390lm	RED	6075RE.L.P.I
SMD LED	14W/M	● 854lm	GREEN	6075GR.L.P.I
SMD LED	14W/M	● 203lm	BLUE	6075BL.L.P.I
SMD LED	14W/M	● 232lm	YELLOW	6075YE.L.P.I
SMD LED	14W/M	● 195lm	PINK	6075PK.L.P.I
SMD LED	14W/M	● 427lm	RGB	6075RGB.L.P.I
SMD LED	14W/M	● 541lm	RGBW	6075RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off/2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:




IP65

# 6076

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



Light Source	Power	System Lumens	CCT	Code
SMD LED	14W/M	● 721lm	2700K	607612.L.P.I
SMD LED	14W/M	● 770lm	3000K	607613.L.P.I
SMD LED	14W/M	○ 819lm	4000K	607614.L.P.I
SMD LED	14W/M	○ 850lm	5000K	607615.L.P.I
SMD LED	14W/M	○ 882lm	6500K	607616.L.P.I
SMD LED	14W/M	● 370lm	RED	6076RE.L.P.I
SMD LED	14W/M	● 756lm	GREEN	6076GR.L.P.I
SMD LED	14W/M	● 193lm	BLUE	6076BL.L.P.I
SMD LED	14W/M	● 220lm	YELLOW	6076YE.L.P.I
SMD LED	14W/M	● 385lm	PINK	6076PK.L.P.I
SMD LED	14W/M	● 405lm	RGB	6076RGB.L.P.I
SMD LED	14W/M	● 513lm	RGBW	6076RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off/2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:




IP65

# 6077

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | -120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	16W/M	● 900lm	2700K	607712.L.P.I
SMD LED	16W/M	● 960lm	3000K	607713.L.P.I
SMD LED	16W/M	○ 1020lm	4000K	607714.L.P.I
SMD LED	16W/M	○ 1060lm	5000K	607715.L.P.I
SMD LED	16W/M	○ 1099lm	6500K	607716.L.P.I
SMD LED	16W/M	● 462lm	RED	6077RE.L.P.I
SMD LED	16W/M	● 1040lm	GREEN	6077GR.L.P.I
SMD LED	16W/M	● 240lm	BLUE	6077BL.L.P.I
SMD LED	16W/M	● 274lm	YELLOW	6077YE.L.P.I
SMD LED	16W/M	● 480lm	PINK	6077PK.L.P.I
SMD LED	16W/M	● 505lm	RGB	6077RGB.L.P.I
SMD LED	16W/M	● 640lm	RGBW	6077RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:




# 6078

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | -120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	6W/M	● 253lm	2700K	607812.L.P.I
SMD LED	6W/M	● 270lm	3000K	607813.L.P.I
SMD LED	6W/M	○ 287lm	4000K	607814.L.P.I
SMD LED	6W/M	○ 298lm	5000K	607815.L.P.I
SMD LED	6W/M	○ 309lm	6500K	607816.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:



# 6079

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR




# 6080

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | 120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 478lm	2700K	607912.L.P.I
SMD LED	10W/M	● 510lm	3000K	607913.L.P.I
SMD LED	10W/M	○ 542lm	4000K	607914.L.P.I
SMD LED	10W/M	○ 563lm	5000K	607915.L.P.I
SMD LED	10W/M	○ 584lm	6500K	607916.L.P.I
SMD LED	10W/M	● 283lm	RED	6079RE.L.P.I
SMD LED	10W/M	● 560lm	GREEN	6079GR.L.P.I
SMD LED	10W/M	● 128lm	BLUE	6079BL.L.P.I
SMD LED	10W/M	● 204lm	YELLOW	6079YE.L.P.I
SMD LED	10W/M	● 123lm	PINK	6079PK.L.P.I
SMD LED	10W/M	● 283lm	RGB	6079RGB.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:



IP65

LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | 120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 487lm	2700K	608012.L.P.I
SMD LED	10W/M	● 520lm	3000K	608013.L.P.I
SMD LED	10W/M	○ 553lm	4000K	608014.L.P.I
SMD LED	10W/M	○ 574lm	5000K	608015.L.P.I
SMD LED	10W/M	○ 595lm	6500K	608016.L.P.I
SMD LED	10W/M	● 289lm	RED	6080RE.L.P.I
SMD LED	10W/M	● 550lm	GREEN	6080GR.L.P.I
SMD LED	10W/M	● 130lm	BLUE	6080BL.L.P.I
SMD LED	10W/M	● 208lm	YELLOW	6080YE.L.P.I
SMD LED	10W/M	● 125lm	PINK	6080PK.L.P.I
SMD LED	10W/M	● 289lm	RGB	6080RGB.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:




IP65

# 6081

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | 120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 543lm	2700K	608112.L.P.I
SMD LED	10W/M	● 580lm	3000K	608113.L.P.I
SMD LED	10W/M	○ 617lm	4000K	608114.L.P.I
SMD LED	10W/M	○ 640lm	5000K	608115.L.P.I
SMD LED	10W/M	○ 664lm	6500K	608116.L.P.I
SMD LED	10W/M	● 322lm	RED	6081RE.L.P.I
SMD LED	10W/M	● 620lm	GREEN	6081GR.L.P.I
SMD LED	10W/M	● 145lm	BLUE	6081BL.L.P.I
SMD LED	10W/M	● 232lm	YELLOW	6081YE.L.P.I
SMD LED	10W/M	● 139lm	PINK	6081PK.L.P.I
SMD LED	10W/M	● 322lm	RGB	6081RGB.L.P.I
SMD LED	10W/M	● 341lm	RGBW	6081RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off/2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:




IP65

# 6082

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



LED CHIP 50,000hrs | SMD | Fixed | Ra >90 | 100% | 3 years Warranty | 24V DC | CE | Designed & Patent D-Layer PCB | 120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 553lm	2700K	608212.L.P.I
SMD LED	10W/M	● 590lm	3000K	608213.L.P.I
SMD LED	10W/M	○ 627lm	4000K	608214.L.P.I
SMD LED	10W/M	○ 651lm	5000K	608215.L.P.I
SMD LED	10W/M	○ 676lm	6500K	608216.L.P.I
SMD LED	10W/M	● 328lm	RED	6082RE.L.P.I
SMD LED	10W/M	● 630lm	GREEN	6082GR.L.P.I
SMD LED	10W/M	● 148lm	BLUE	6082BL.L.P.I
SMD LED	10W/M	● 236lm	YELLOW	6082YE.L.P.I
SMD LED	10W/M	● 142lm	PINK	6082PK.L.P.I
SMD LED	10W/M	● 328lm	RGB	6082RGB.L.P.I
SMD LED	10W/M	● 347lm	RGBW	6082RGBW.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off/2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:





IP65

# 6083

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



Light Source	Power	System Lumens	CCT	Code
SMD LED	5W/M	● 281lm	2700K	608312.L.P.I
SMD LED	5W/M	● 300lm	3000K	608313.L.P.I
SMD LED	5W/M	○ 319lm	4000K	608314.L.P.I
SMD LED	5W/M	○ 327lm	5000K	608315.L.P.I
SMD LED	5W/M	○ 333lm	6500K	608316.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:





IP65

# 6084

Strip Light LED. Ambience/Luminous

**NEON FLEX** series

# Architectural INDOOR



Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 422lm	2700K	608412.L.P.I
SMD LED	10W/M	● 450lm	3000K	608413.L.P.I
SMD LED	10W/M	○ 478lm	4000K	608414.L.P.I
SMD LED	10W/M	○ 497lm	5000K	608415.L.P.I
SMD LED	10W/M	○ 515lm	6500K	608416.L.P.I
SMD LED	10W/M	● 250lm	RED	6084RE.L.P.I
SMD LED	10W/M	● 490lm	GREEN	6084GR.L.P.I
SMD LED	10W/M	● 113lm	BLUE	6084BL.L.P.I
SMD LED	10W/M	● 180lm	YELLOW	6084YE.L.P.I
SMD LED	10W/M	● 108lm	PINK	6084PK.L.P.I
SMD LED	10W/M	● 250lm	RGB	6084RGB.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:




IP65

6085

Strip Light LED. Ambience/Luminous

**NEON FLEX**series

Architectural **INDOOR**



LED CHIP 50,000hrs
SMD
Fixed
Ra >90
100% LUMEN
3 Year Warranty
24V DC
CE
Designed & Patent D-Layer PCB
-120°

Light Source	Power	System Lumens	CCT	Code
SMD LED	10W/M	● 403lm	2700K	608512.L.P.I
SMD LED	10W/M	● 430lm	3000K	608513.L.P.I
SMD LED	10W/M	○ 457lm	4000K	608514.L.P.I
SMD LED	10W/M	○ 475lm	5000K	608515.L.P.I
SMD LED	10W/M	○ 492lm	6500K	608516.L.P.I
SMD LED	10W/M	● 239lm	RED	6085RE.L.P.I
SMD LED	10W/M	● 470lm	GREEN	6085GR.L.P.I
SMD LED	10W/M	● 108lm	BLUE	6085BL.L.P.I
SMD LED	10W/M	● 172lm	YELLOW	6085YE.L.P.I
SMD LED	10W/M	● 103lm	PINK	6085PK.L.P.I
SMD LED	10W/M	● 239lm	RGB	6085RGB.L.P.I

Length: L(1-100m/roll)

Power Supply: P(1-On/Off2-Zigbee Smart)

IP Rating: I(1-IP65)

Protection Rating:



IP65