



Under 45dB Silent Run

9025
Smart Home System
SMART CURTAINseries



Mini S

Smart&Stylish curtain motor, designed for silent.

-  100,000+Cycle Durability
Reliable Performance
-  Soft start and soft stop
Flexible Timer Setting
-  Scenario Function, make your home more smart

Zigbee Support Zigbee

-  App control
-  Communicates with other devices



General	
Code	9090ZGC825441
Power	12W
Rated Torque	1.2Nm
IP LEVEL	IP20
Protocol	Zigbee
Maximum Load	30KG
Installation	Track
Working Temperature	0°C~60°C
Working Voltage	AC100-240V
Working Humidity	>95%RH(Noncondensing)
Standby Power Consumption	≤0.1W
Track Length	<6m
Rated Speed	50RMP

Construction	
Color	White
Dimensions	86.5×83×46mm



Curto S Plus

Smart&Stylish curtain motor, designed for silent.


-  100,000+Cycle Durability
Reliable Performance
-  Soft start and soft stop
Flexible Timer Setting
-  Scenario Function, make your home more smart

Zigbee Support Zigbee

-  App control
-  Communicates with other devices

General	
Code	9092BKG214510
Power	24W
Rated Torque	1.2Nm
IP LEVEL	IP20
Protocol	Zigbee
Maximum Load	50KG
Installation	Track
Working Temperature	0°C~60°C
Working Voltage	AC100-240V
Working Humidity	>95%RH(Noncondensing)
Standby Power Consumption	≤0.1W
Track Length	<12m
Rated Speed	50RMP

Construction	
Color	White
Dimensions	290×70×50mm



POCHÉ

POCHÉ



9025
Smart Home System
SMART CURTAINseries

Curto S

Smart&Stylish curtain motor, designed for silent.

-  100,000+Cycle Durability
Reliable Performance
-  Soft start and soft stop
Flexible Timer Setting
-  Scenario Function, make your home more smart
-  Support Zigbee

-  App control
-  Communicates with other devices

General	
Code	9091PLK214505
Power	12W
Rated Torque	1.2Nm
IP LEVEL	IP20
Protocol	Zigbee
Maximum Load	30KG
Installation	Track
Working Temperature	0°C~60°C
Working Voltage	AC100-240V
Working Humidity	>95%RH(Noncondensing)
Standby Power Consumption	≤0.1W
Track Length	<12m
Rated Speed	50RMP

Construction	
Color	White
Dimensions	270*70*50mm

