

































SMD STRIP LIGHT

 STRIPE 6030 5W/M P.1	 STRIPE 6031 10.5W/M P.2	 <b>20M VOLTAGE DROPLESS</b> STRIPE 6032 7.5W/M P.3	 STRIPE 6033 16W/M P.4
 STRIPE 6034  12W/M P.5	 STRIPE 6035 18.5W/M P.6	 STRIPE 6036 10.5W/M P.7	 <b>20M VOLTAGE DROPLESS</b> STRIPE 6037 6.5W/M P.8
 STRIPE 6038  10W/M P.9	 STRIPE 6039  12W/M P.10	 <b>RUNNING STRIP LIGHT</b> STRIPE 6040 10W/M P.11	 <b>20M VOLTAGE DROPLESS</b> STRIPE 6041 9W/M P.12
 STRIPE 6042 18W/M P.13	 STRIPE 6043 23W/M P.14	 STRIPE 6044 27W/M P.15	 STRIPE 6045  11.5W/M P.16
 <b>20M VOLTAGE DROPLESS</b> STRIPE 6046  8W/M P.17	 STRIPE 6047 10W/M P.18	 STRIPE 6048 14W/M P.19	 STRIPE 6049  10W/M P.20
 STRIPE 6050  12W/M P.21	 <b>HIGH LUMEN EFFICIENCY</b> STRIPE 6051 14W/M P.22	 <b>HIGH LUMEN EFFICIENCY</b> STRIPE 6052 18W/M P.23	 <b>HIGH LUMEN EFFICIENCY</b> STRIPE 6053 5.5W/M P.24
 <b>HIGH LUMEN EFFICIENCY</b> STRIPE 6054 10W/M P.25			

# 6030

Strip Light LED. Ambience/Dotless

**STRIPE**series

# ArchitecturalINDOOR




# ArchitecturalINDOOR

# 6031

Strip Light LED. Ambience/Dotless

**STRIPE**series



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	5W/M	94Lm/W	469lm	● 2700K	603012.L.P.I
SMD LED	5W/M	100Lm/W	500lm	● 3000K	603013.L.P.I
SMD LED	5W/M	106Lm/W	532lm	○ 4000K	603014.L.P.I
SMD LED	5W/M	110Lm/W	552lm	○ 5000K	603016.L.P.I

Length: L(1-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10.5W/M	75Lm/W	787lm	● 2700K	603112.L.P.I
SMD LED	10.5W/M	80Lm/W	840lm	● 3000K	603113.L.P.I
SMD LED	10.5W/M	85Lm/W	893lm	○ 4000K	603114.L.P.I
SMD LED	10.5W/M	88Lm/W	927lm	○ 5000K	603116.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:



# 6032

Strip Light LED. Ambience/Dotless

**STRIPE**series

20M DROPLESS

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	7.5W/M	83Lm/W	625lm	● 2700K	603212.L.P.I
SMD LED	7.5W/M	89Lm/W	668lm	● 3000K	603213.L.P.I
SMD LED	7.5W/M	95Lm/W	710lm	○ 4000K	603214.L.P.I
SMD LED	7.5W/M	98Lm/W	737lm	○ 5000K	603216.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:

- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:

# 6033

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	16W/M	94Lm/W	1499lm	● 2700K	603312.L.P.I
SMD LED	16W/M	100Lm/W	1600lm	● 3000K	603313.L.P.I
SMD LED	16W/M	106Lm/W	1701lm	○ 4000K	603314.L.P.I
SMD LED	16W/M	110Lm/W	1766lm	○ 5000K	603316.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:

- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:


# 6034

Strip Light LED. Ambience/Dotless

**STRIPE**series



# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 5 Years Warranty DALI DC DIMMING CE Designed&Patent D-Layer PCB -120° BEAM ANGLE

Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	12W/M	● 103Lm/W	● 1237lm	2700K	60341A.L.5.I
SMD LED	12W/M				
SMD LED	12W/M				
SMD LED	12W/M	○ 121Lm/W	○ 1457lm	6000K	

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable Color Temperature

Accessories:


- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKL01261:

# 6035

Strip Light LED. Ambience/Dotless

**STRIPE**series

# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 5 Years Warranty DALI DC DIMMING CE Designed&Patent D-Layer PCB -120° BEAM ANGLE

Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	18.5W/M	● 103Lm/W	1907lm	● 2700K	603512.L.P.I
SMD LED	18.5W/M	● 110Lm/W	2035lm	● 3000K	603513.L.P.I
SMD LED	18.5W/M	○ 117Lm/W	2163lm	○ 4000K	603514.L.P.I
SMD LED	18.5W/M	○ 121Lm/W	2247lm	○ 5000K	603516.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:

- CODE: SKRLS00871:
- CODE: SKRLS00872:
- CODE: SKRLS00873:
- CODE: SKRLS00874:
- CODE: SCUPL01320:

# 6036

Strip Light LED. Ambience/Dotless

**STRIPE**series

ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10.5W/M	80Lm/W	836lm	● 2700K	603612.L.P.I
SMD LED	10.5W/M	85Lm/W	893lm	● 3000K	603613.L.P.I
SMD LED	10.5W/M	90Lm/W	949lm	○ 4000K	603614.L.P.I
SMD LED	10.5W/M	94Lm/W	985lm	○ 5000K	603616.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:




# 6037

Strip Light LED. Ambience/Dotless

**STRIPE**series

ArchitecturalINDOOR

20M DROPLESS



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	6.5W/M	108Lm/W	700lm	● 2700K	603712.L.P.I
SMD LED	6.5W/M	115Lm/W	748lm	● 3000K	603713.L.P.I
SMD LED	6.5W/M	122Lm/W	795lm	○ 4000K	603714.L.P.I
SMD LED	6.5W/M	127Lm/W	825lm	○ 5000K	603716.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:



# 6038

Strip Light LED. Ambience/Dotless

**STRIPE**series



# ArchitecturalINDOOR



# 6039



Strip Light LED. Ambience/Dotless

**STRIPE**series



1 LED PER CUT

# ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	101Lm/W	1012lm	● 2700K	60381A.L.5.I
SMD LED	10W/M				
SMD LED	10W/M				
SMD LED	10W/M	119Lm/W	1192lm	○ 6000K	

Length: L(1-5m/roll)2-10m/roll

Power Supply: P(1-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable Color Temperature

Accessories:



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	12W/M	106Lm/W	1271lm	● 2700K	60391A.L.5.I
SMD LED	12W/M				
SMD LED	12W/M				
SMD LED	12W/M	125Lm/W	1497lm	○ 6000K	

Length: L(1-5m/roll)2-10m/roll

Power Supply: P(1-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable Color Temperature

Accessories:



6040

Strip Light LED. Ambience/Dotless

STRIPESeries

RUNNING STRIP LIGHT



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	78Lm/W	778lm	● 2700K	604012.L.P.I
SMD LED	10W/M	83Lm/W	830lm	● 3000K	604013.L.P.I
SMD LED	10W/M	88Lm/W	882lm	○ 4000K	604014.L.P.I
SMD LED	10W/M	92Lm/W	916lm	○ 5000K	604016.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:


- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:

6041

Strip Light LED. Ambience/Dotless

STRIPESeries

20M DROPLESS




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	9W/M	98Lm/W	885lm	● 2700K	604112.L.P.I
SMD LED	9W/M	105Lm/W	945lm	● 3000K	604113.L.P.I
SMD LED	9W/M	112Lm/W	1005lm	○ 4000K	604114.L.P.I
SMD LED	9W/M	116Lm/W	1043lm	○ 5000K	604116.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:


- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:

# 6042

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	18W/M	87lm/W	1569lm	● 2700K	604212.L.P.I
SMD LED	18W/M	93lm/W	1674lm	● 3000K	604213.L.P.I
SMD LED	18W/M	99lm/W	1779lm	○ 4000K	604214.L.P.I
SMD LED	18W/M	103lm/W	1848lm	○ 5000K	604216.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:


- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:

# 6043

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	23W/M	94lm/W	2155lm	● 2700K	604312.L.P.I
SMD LED	23W/M	100lm/W	2300lm	● 3000K	604313.L.P.I
SMD LED	23W/M	106lm/W	2445lm	○ 4000K	604314.L.P.I
SMD LED	23W/M	110lm/W	2539lm	○ 5000K	604316.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




# 6044

Strip Light LED. Ambience/Dotless

**STRIPE**series

# ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	27W/M	104Lm/W	2808lm	● 2700K	604412.L.P.I
SMD LED	27W/M	111Lm/W	2997lm	● 3000K	604413.L.P.I
SMD LED	27W/M	118Lm/W	3186lm	○ 4000K	604414.L.P.I
SMD LED	27W/M	123Lm/W	3309lm	○ 5000K	604416.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




# 6045

Strip Light LED. Ambience/Dotless

**STRIPE**series

# ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	11.5W/M	15Lm/W	172lm	● RGB	60451B.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable RGB Color

Accessories:



# 6046

Strip Light LED. Ambience/Dotless

**STRIPE**series



20M DROPLESS

# Architectural INDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	8W/M	20Lm/W	157lm	RGB	60461B.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable RGB Color

Accessories:



# 6047


Strip Light LED. Ambience/Dotless

**STRIPE**series



RGB W+WW TUNABLE

# Architectural INDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	75Lm/W	1049lm	RGBW	60471B.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable RGB Color

Accessories:




# 6048

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	14W/M	89Lm/W	1246lm	● 2700K	604812.L.P.I
SMD LED	14W/M	95Lm/W	1330lm	● 3000K	604813.L.P.I
SMD LED	14W/M	101Lm/W	1414lm	○ 4000K	604814.L.P.I
SMD LED	14W/M	105Lm/W	1468lm	○ 5000K	604816.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: 1(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:




# 6049

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	56Lm/W	562lm	● 2700K	604912.L.P.I
SMD LED	10W/M	60Lm/W	600lm	● 3000K	604913.L.P.I
SMD LED	10W/M	64Lm/W	638lm	○ 4000K	604914.L.P.I
SMD LED	10W/M	66Lm/W	662lm	○ 5000K	604916.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off)

IP Rating: 1(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:




# 6050

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	12W/M	141Lm/W	1687lm	● 2700K	605012.L.P.I
SMD LED	12W/M	150Lm/W	1800lm	● 3000K	605013.L.P.I
SMD LED	12W/M	159Lm/W	1913lm	○ 4000K	605014.L.P.I
SMD LED	12W/M	166Lm/W	1987lm	○ 5000K	605016.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:

- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKL01261:
- CODE: SCUPL01315:


# 6051

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	14W/M	138Lm/W	1928lm	● 2700K	605112.L.P.I
SMD LED	14W/M	147Lm/W	2058lm	● 3000K	605113.L.P.I
SMD LED	14W/M	156Lm/W	2188lm	○ 4000K	605114.L.P.I
SMD LED	14W/M	162Lm/W	2272lm	○ 5000K	605116.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:

- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKL01261:
- CODE: SCUPL01310:

# 6052

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 SMD LED 5 years Warranty DALI DC DIMMING CE Designed&Patent D-Layer PCB -120° BEAM ANGLE


Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	18W/M	142Lm/W	2564lm	● 2700K	605212.L.P.I
SMD LED	18W/M	152Lm/W	2736lm	● 3000K	605213.L.P.I
SMD LED	18W/M	162Lm/W	2908lm	○ 4000K	605214.L.P.I
SMD LED	18W/M	168Lm/W	3021lm	○ 5000K	605216.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:

- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:


# 6053

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 SMD LED 5 years Warranty DALI DC DIMMING CE Designed&Patent D-Layer PCB -120° BEAM ANGLE

Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	5.5W/M	178Lm/W	979lm	● 2700K	605312.L.P.I
SMD LED	5.5W/M	190Lm/W	1045lm	● 3000K	605313.L.P.I
SMD LED	5.5W/M	202Lm/W	1111lm	○ 4000K	605314.L.P.I
SMD LED	5.5W/M	210Lm/W	1154lm	○ 5000K	605316.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Accessories:

- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:

# 6054

Strip Light LED. Ambience/Dotless

## STRIPEseries

### HIGH LUMEN EFFICIENCY

## Architectural INDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	14W/M	179Lm/W	2506lm	● 2700K	605412.L.P.I
SMD LED	14W/M	191Lm/W	2674lm	● 3000K	605413.L.P.I
SMD LED	14W/M	203Lm/W	2842lm	○ 4000K	605414.L.P.I
SMD LED	14W/M	211Lm/W	2952lm	○ 5000K	605416.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: 1(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

#### Protection Rating:



#### Accessories:

- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKL01261:
- CODE: SCUPL01310: