

9025
Smart Home System
SMART CURTAIN series

Mini S

Smart&Stylish curtain motor, designed for silent.



100,000+Cycle Durability
Reliable Performance



Soft start and soft stop
Flexible Timer Setting



Scenario Function, make your home more smart

Zigbee Support Zigbee




App control



Communicates with other devices

General	
Code	9090ZGC825441
Power	12W
Rated Torque	1.2Nm
IP LEVEL	IP20
Protocol	Zigbee
Maximum Load	30KG
Installation	Track
Working Temperature	0°C~60°C
Working Voltage	AC100-240V
Working Humidity	>95%RH(Noncondensing)
Standby Power Consumption	≤0.1W
Track Length	<6m
Rated Speed	50RMP

Construction	
Color	White
Dimensions	86.5×83×46mm






Under 45dB Silent Run



Curto S Plus

Smart&Stylish curtain motor, designed for silent.


-  **100,000+Cycle Durability**
Reliable Performance
-  **Soft start and soft stop**
Flexible Timer Setting
-  **Scenario Function, make your home more smart**

Zigbee Support Zigbee

-  App control
-  Communicates with other devices



General	
Code	9092BKG214510
Power	24W
Rated Torque	1.2Nm
IP LEVEL	IP20
Protocol	Zigbee
Maximum Load	50KG
Installation	Track
Working Temperature	0°C~60°C
Working Voltage	AC100-240V
Working Humidity	>95%RH(Noncondensing)
Standby Power Consumption	≤0.1W
Track Length	<12m
Rated Speed	50RMP

Construction	
Color	White
Dimensions	290×70×50mm



Curto S

Smart&Stylish curtain motor, designed for silent.

-  100,000+Cycle Durability
Reliable Performance
-  Soft start and soft stop
Flexible Timer Setting
-  Scenario Function, make your home more smart

Zigbee Support Zigbee

-  App control
-  Communicates with other devices

General	
Code	9091PLK214505
Power	12W
Rated Torque	1.2Nm
IP LEVEL	IP20
Protocol	Zigbee
Maximum Load	30KG
Installation	Track
Working Temperature	0°C~60°C
Working Voltage	AC100-240V
Working Humidity	>95%RH(Noncondensing)
Standby Power Consumption	≤0.1W
Track Length	<12m
Rated Speed	50RMP

Construction	
Color	White
Dimensions	270*70*50mm

