

SMD STRIP LIGHT



STRIPE 6030  
5W/M  
P.1



STRIPE 6031  
10.5W/M  
P.2



**20M VOLTAGE DROPLESS**  
STRIPE 6032  
7.5W/M  
P.3



STRIPE 6033  
16W/M  
P.4




STRIPE 6034   
12W/M  
P.5



STRIPE 6035  
18.5W/M  
P.6



STRIPE 6036  
10.5W/M  
P.7




**20M VOLTAGE DROPLESS**  
STRIPE 6037  
6.5W/M  
P.8



STRIPE 6038   
10W/M  
P.9



STRIPE 6039   
12W/M  
P.10



**RUNNING STRIP LIGHT**  
STRIPE 6040  
10W/M  
P.11



**20M VOLTAGE DROPLESS**  
STRIPE 6041  
9W/M  
P.12



STRIPE 6042  
18W/M  
P.13





STRIPE 6043  
23W/M  
P.14



STRIPE 6044  
27W/M  
P.15



STRIPE 6045   
11.5W/M  
P.16



**20M VOLTAGE DROPLESS**

STRIPE 6046   
8W/M  
P.17



STRIPE 6047  
10W/M  
P.18




STRIPE 6048  
14W/M  
P.19



STRIPE 6049   
10W/M  
P.20



STRIPE 6050   
12W/M  
P.21



**HIGH LUMEN EFFICIENCY**  
STRIPE 6051  
14W/M  
P.22



**HIGH LUMEN EFFICIENCY**  
STRIPE 6052  
18W/M  
P.23



**HIGH LUMEN EFFICIENCY**  
STRIPE 6053  
5.5W/M  
P.24



**HIGH LUMEN EFFICIENCY**

STRIPE 6054  
10W/M  
P.25

# 6030

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	5W/M	94Lm/W	469lm	● 2700K	603012.L.P.I
SMD LED	5W/M	100Lm/W	500lm	● 3000K	603013.L.P.I
SMD LED	5W/M	106Lm/W	532lm	○ 4000K	603014.L.P.I
SMD LED	5W/M	110Lm/W	552lm	○ 5000K	603016.L.P.I

Length: L(1-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:

# 6031

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10.5W/M	75Lm/W	787lm	● 2700K	603112.L.P.I
SMD LED	10.5W/M	80Lm/W	840lm	● 3000K	603113.L.P.I
SMD LED	10.5W/M	85Lm/W	893lm	○ 4000K	603114.L.P.I
SMD LED	10.5W/M	88Lm/W	927lm	○ 5000K	603116.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:


# 6032

Strip Light LED. Ambience/Dotless

**STRIPE**series

20M DROPLESS

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	7.5W/M	83Lm/W	625lm	● 2700K	603212.L.P.I
SMD LED	7.5W/M	89Lm/W	668lm	● 3000K	603213.L.P.I
SMD LED	7.5W/M	95Lm/W	710lm	○ 4000K	603214.L.P.I
SMD LED	7.5W/M	98Lm/W	737lm	○ 5000K	603216.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:

# 6033

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	16W/M	94Lm/W	1499lm	● 2700K	603312.L.P.I
SMD LED	16W/M	100Lm/W	1600lm	● 3000K	603313.L.P.I
SMD LED	16W/M	106Lm/W	1701lm	○ 4000K	603314.L.P.I
SMD LED	16W/M	110Lm/W	1766lm	○ 5000K	603316.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:


# 6034

Strip Light LED. Ambience/Dotless

**STRIPE**series



# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 5 years Warranty DALI DC VOLTAGE CE Designed&Patent D-Layer PCB -120° BEAM ANGLE


Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	12W/M	● 103Lm/W	● 1237lm	2700K	60341A.L.5.I
SMD LED	12W/M				
SMD LED	12W/M				
SMD LED	12W/M	○ 121Lm/W	○ 1457lm	6000K	

Length: L(1-5m/roll)I2-10m/roll)

Power Supply: P(1-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable Color Temperature


- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKL01261:
- CODE: SCUPL01310:

# 6035

Strip Light LED. Ambience/Dotless

**STRIPE**series

# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 5 years Warranty DALI DC VOLTAGE CE Designed&Patent D-Layer PCB -120° BEAM ANGLE


Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	18.5W/M	● 103Lm/W	1907lm	● 2700K	603512.L.P.I
SMD LED	18.5W/M	● 110Lm/W	2035lm	● 3000K	603513.L.P.I
SMD LED	18.5W/M	○ 117Lm/W	2163lm	○ 4000K	603514.L.P.I
SMD LED	18.5W/M	○ 121Lm/W	2247lm	○ 5000K	603516.L.P.I

Length: L(1-5m/roll)I2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00871:
- CODE: SKRLS00872:
- CODE: SKRLS00873:
- CODE: SKRLS00874:
- CODE: SCUPL01320:

# 6036

Strip Light LED. Ambience/Dotless

**STRIPE**series

ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10.5W/M	80Lm/W	836lm	● 2700K	603612.L.P.I
SMD LED	10.5W/M	85Lm/W	893lm	● 3000K	603613.L.P.I
SMD LED	10.5W/M	90Lm/W	949lm	○ 4000K	603614.L.P.I
SMD LED	10.5W/M	94Lm/W	985lm	○ 5000K	603616.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKL01261:
- CODE: SCUPL01315:


# 6037

Strip Light LED. Ambience/Dotless

**STRIPE**series

ArchitecturalINDOOR

20M DROPLESS



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	6.5W/M	108Lm/W	700lm	● 2700K	603712.L.P.I
SMD LED	6.5W/M	115Lm/W	748lm	● 3000K	603713.L.P.I
SMD LED	6.5W/M	122Lm/W	795lm	○ 4000K	603714.L.P.I
SMD LED	6.5W/M	127Lm/W	825lm	○ 5000K	603716.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKL01261:
- CODE: SCUPL01310:

# 6038

Strip Light LED. Ambience/Dotless

**STRIPE**series



# ArchitecturalINDOOR



# ArchitecturalINDOOR



# 6039

Strip Light LED. Ambience/Dotless

**STRIPE**series



1 LED PER CUT



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	101Lm/W	1012lm	● 2700K	60381A.L.5.I
SMD LED	10W/M				
SMD LED	10W/M				
SMD LED	10W/M	119Lm/W	1192lm	○ 6000K	

Length: L(1-5m/roll)I2-10m/roll)

Power Supply: P(1-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable Color Temperature

- CODE: SCTHK00661:
- CODE: SCTHK00662:
- CODE: SCTHK00663:
- CODE: SCTHK00664:
- CODE: SCUPL01330:




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	12W/M	106Lm/W	1271lm	● 2700K	60391A.L.5.I
SMD LED	12W/M				
SMD LED	12W/M				
SMD LED	12W/M	125Lm/W	1497lm	○ 6000K	

Length: L(1-5m/roll)I2-10m/roll)

Power Supply: P(1-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable Color Temperature

- CODE: SCTHK00661:
- CODE: SCTHK00662:
- CODE: SCTHK00663:
- CODE: SCTHK00664:
- CODE: SCUPL01330:

6040

Strip Light LED. Ambience/Dotless

STRIPESeries

RUNNING STRIP LIGHT



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	78Lm/W	778lm	● 2700K	604012.L.P.I
SMD LED	10W/M	83Lm/W	830lm	● 3000K	604013.L.P.I
SMD LED	10W/M	88Lm/W	882lm	○ 4000K	604014.L.P.I
SMD LED	10W/M	92Lm/W	916lm	○ 5000K	604016.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKL01261:
- CODE: SCUPL01310:

6041

Strip Light LED. Ambience/Dotless

STRIPESeries

20M DROPLESS




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	9W/M	98Lm/W	885lm	● 2700K	604112.L.P.I
SMD LED	9W/M	105Lm/W	945lm	● 3000K	604113.L.P.I
SMD LED	9W/M	112Lm/W	1005lm	○ 4000K	604114.L.P.I
SMD LED	9W/M	116Lm/W	1043lm	○ 5000K	604116.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKL01261:
- CODE: SCUPL01315:

# 6042

Strip Light LED. Ambience/Dotless

**STRIP**series

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	18W/M	87Lm/W	1569lm	● 2700K	604212.L.P.I
SMD LED	18W/M	93Lm/W	1674lm	● 3000K	604213.L.P.I
SMD LED	18W/M	99Lm/W	1779lm	○ 4000K	604214.L.P.I
SMD LED	18W/M	103Lm/W	1848lm	○ 5000K	604216.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



CODE: SKRLS00861:



CODE: SKRLS00862:



CODE: SKRLS00862:



CODE: SKRLS00862:



CODE: SLRKLO1261:



CODE: SCUPL01315:




# 6043

Strip Light LED. Ambience/Dotless

**STRIP**series

## ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	23W/M	94Lm/W	2155lm	● 2700K	604312.L.P.I
SMD LED	23W/M	100Lm/W	2300lm	● 3000K	604313.L.P.I
SMD LED	23W/M	106Lm/W	2445lm	○ 4000K	604314.L.P.I
SMD LED	23W/M	110Lm/W	2539lm	○ 5000K	604316.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



CODE: SKRLS00861:



CODE: SKRLS00862:



CODE: SKRLS00862:



CODE: SKRLS00862:



CODE: SLRKLO1261:



CODE: SCUPL01315:




# 6044

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	27W/M	104Lm/W	2808lm	● 2700K	604412.L.P.I
SMD LED	27W/M	111Lm/W	2997lm	● 3000K	604413.L.P.I
SMD LED	27W/M	118Lm/W	3186lm	○ 4000K	604414.L.P.I
SMD LED	27W/M	123Lm/W	3309lm	○ 5000K	604416.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




# 6045

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	11.5W/M	15Lm/W	172lm	● RGB	60451B.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable RGB Color

CODE: SRHLT00521:



CODE: SRHLT00521:



CODE: SRHLT00521:



CODE: SRHLT00521:



CODE: SCUPL01335:



# 6046

Strip Light LED. Ambience/Dotless

**STRIPE**series



20M DROPLESS

# ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	8W/M	20Lm/W	157lm	RGB	60461B.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable RGB Color



# 6047


Strip Light LED. Ambience/Dotless

**STRIPE**series



RGB W+WW TUNABLE

# ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	75Lm/W	1049lm	RGBW	60471B.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable RGB Color




# 6048

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	14W/M	89Lm/W	1246lm	● 2700K	604812.L.P.I
SMD LED	14W/M	95Lm/W	1330lm	● 3000K	604813.L.P.I
SMD LED	14W/M	101Lm/W	1414lm	○ 4000K	604814.L.P.I
SMD LED	14W/M	105Lm/W	1468lm	○ 5000K	604816.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:




- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:

# 6049

Strip Light LED. Ambience/Dotless

**STRIPE**series

## ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	10W/M	56Lm/W	562lm	● 2700K	604912.L.P.I
SMD LED	10W/M	60Lm/W	600lm	● 3000K	604913.L.P.I
SMD LED	10W/M	64Lm/W	638lm	○ 4000K	604914.L.P.I
SMD LED	10W/M	66Lm/W	662lm	○ 5000K	604916.L.P.I

Length: L(1-5m/roll)2-10m/roll)

Power Supply: P(1-On/Off)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



Tunable RGB Color

- CODE: SKRLS00871:
- CODE: SKRLS00872:
- CODE: SKRLS00873:
- CODE: SKRLS00874:
- CODE: SCUPL01320:


# 6050

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	12W/M	141Lm/W	1687lm	● 2700K	605012.L.P.I
SMD LED	12W/M	150Lm/W	1800lm	● 3000K	605013.L.P.I
SMD LED	12W/M	159Lm/W	1913lm	○ 4000K	605014.L.P.I
SMD LED	12W/M	166Lm/W	1987lm	○ 5000K	605016.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:


# 6051

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR




Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	14W/M	138Lm/W	1928lm	● 2700K	605112.L.P.I
SMD LED	14W/M	147Lm/W	2058lm	● 3000K	605113.L.P.I
SMD LED	14W/M	156Lm/W	2188lm	○ 4000K	605114.L.P.I
SMD LED	14W/M	162Lm/W	2272lm	○ 5000K	605116.L.P.I

Length: L(1-5m/roll) 2-10m/roll

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:

# 6052

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 5 Years Warranty DALI DC DIMMING CE Designed&Patent D-Layer PCB -120° BEAM ANGLE


Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	18W/M	142Lm/W	2564lm	● 2700K	605212.L.P.I
SMD LED	18W/M	152Lm/W	2736lm	● 3000K	605213.L.P.I
SMD LED	18W/M	162Lm/W	2908lm	○ 4000K	605214.L.P.I
SMD LED	18W/M	168Lm/W	3021lm	○ 5000K	605216.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00861:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SKRLS00862:
- CODE: SLRKLO1261:
- CODE: SCUPL01315:

# 6053

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY

# ArchitecturalINDOOR



OSRAM 50,000hrs SMD Fixed Ra >80 5 Years Warranty DALI DC DIMMING CE Designed&Patent D-Layer PCB -120° BEAM ANGLE


Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	5.5W/M	178Lm/W	979lm	● 2700K	605312.L.P.I
SMD LED	5.5W/M	190Lm/W	1045lm	● 3000K	605313.L.P.I
SMD LED	5.5W/M	202Lm/W	1111lm	○ 4000K	605314.L.P.I
SMD LED	5.5W/M	210Lm/W	1154lm	○ 5000K	605316.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



- CODE: SKRLS00851:
- CODE: SKRLS00852:
- CODE: SKRLS00853:
- CODE: SKRLS00854:
- CODE: SLRKLO1261:
- CODE: SCUPL01310:

# Architectural INDOOR

6054

Strip Light LED. Ambience/Dotless

**STRIPE**series

HIGH LUMEN EFFICIENCY



Light Source	Power	Lumens Efficiency	System Lumens	CCT	Code
SMD LED	14W/M	179Lm/W	2506lm	● 2700K	605412.L.P.I
SMD LED	14W/M	191Lm/W	2674lm	● 3000K	605413.L.P.I
SMD LED	14W/M	203Lm/W	2842lm	○ 4000K	605414.L.P.I
SMD LED	14W/M	211Lm/W	2952lm	○ 5000K	605416.L.P.I

Length: L(1-5m/roll|2-10m/roll)

Power Supply: P(1-On/Off 2-Phase Dim 3-DALI Dim 4-0-10V Dim 5-Zigbee Smart)

IP Rating: I(1-IP20 2-IP44 3-IP65 4-IP67 5-IP68)

Protection Rating:



CODE: SKRLS00861:



CODE: SKRLS00862:



CODE: SKRLS00862:



CODE: SKRLS00862:



CODE: SLRKLO1261:



CODE: SCUPL01315:

