



# Certificate of Analysis

Final Report

SIR / MADAM  
XONYRA SDN BHD

Malaysia

Report Issued: 03-Mar-2026

MNAQ Reference: 26-54752

Sample(s) Received: 24-Feb-2026 14:37

Testing Period: 24-Feb-2026 to 03-Mar-2026

## Results

The tests were performed on the samples as received.

Customer Sample Name: OMNITRAX Spectra Shield

Lab ID: 26-54752-1

Sample Description: 2g/serving

Sample Condition: Acceptable

Test	Result	Unit	Method Reference
Yeast and Moulds	<10	cfu/g	FDA/BAM; Chapter 18
Aerobic Plate Count	<10	cfu/g	FDA/BAM, Chapter 3
Coliforms	<10	cfu/g	AOAC 991.14
<i>Escherichia coli</i>	<10	cfu/g	AOAC 991.14
<i>Salmonella</i>	Absent	/25 g	FDA/BAM; Chapter 5
<i>Staphylococcus aureus</i>	<10	cfu/g	FDA/BAM; Chapter 12
Mercury	<0.0100	mg/kg	AOAC 971.21
Antimony	<0.0100	mg/kg	In-house No. F88 (Based on AOAC 975.03/ US EPA 6010D/ ICPOES)
Arsenic	<0.0100	mg/kg	In-house No. F88 (Based on AOAC 975.03/ US EPA 6010D/ ICPOES)
Cadmium	<0.0100	mg/kg	In-house No. F88 (Based on AOAC 975.03/ US EPA 6010D/ ICPOES)
Lead	<0.100	mg/kg	In-house No. F88 (Based on AOAC 975.03/ US EPA 6010D/ ICPOES)

Any tests marked with \* are not accredited for specific matrices or analytes.

Results that are prefixed with '<' indicate the lowest level at which the analyte can be reported, and that in this case the analyte was not observed above this limit. Hence, results prefixed with '<' are Not Detected.

CFU = Colony Forming Unit



---

**Aqilah Anuar**  
Chemist  
IKM No. L/2977/8819/20



---

**Loi Mun Yee**  
Senior Chemist  
IKM No. M/3310/5471/08/11



---

**Syed Nooraiman Hazim**  
Microbiologist  
MJMM 001326



---

**Loh Xin Yan**  
Microbiologist  
MJMM 001401