

JEMSROCK
LED LIGHTS

About Us

Welcome to **JemsRock LED Lights**

where modern lighting meets trust, durability, and thoughtful design.

At JemsRock LED Lights, we specialize in premium interior and outdoor lighting solutions, including ceiling lights, POP-based decorative lights, and modern lighting products designed to match today's lifestyle and interior trends. Our products are created to enhance the beauty, comfort, and atmosphere of every space with the perfect balance of style and performance.

We focus on delivering durable, energy-efficient, and high-quality lighting solutions that meet modern requirements while offering complete value for money. Every product reflects our commitment to quality, reliability, and elegant design.

Customer satisfaction is at the heart of everything we do. We believe in building long-term relationships through trusted service, consistent quality, and products that customers can depend on with confidence.



Our Mission

To provide modern, durable, and high-quality interior lighting solutions that enhance every space while delivering complete customer satisfaction, trusted service, and excellent value for money.

Our Vision

To become a trusted and recognized lighting brand known for innovation, quality, and customer-first commitment, illuminating homes and spaces with products that combine style, reliability, and performance.



INDEX



Panel Light

- Page No.2** Lixa Conceal Panel
Page No.3 Aero Classic Conceal
Page No.4 Aero Classic Surface
Page No.5 Vintage Metal Panel
Page No.6 Axer PC Downlight
Page No.7 JR Deep Downlight
Page No.8 Ultra Pro Downlight
Page No.9 Nova Zeroedge Surface
Page No.10 Rimless Surface Panel
Page No.11 2in1 Conceal Panel
Page No.12 2in1 Surface Panel

COB Light

- Page No.14** Metta Cob Light
Page No.15 Rector Cob Light
Page No.16 Rock Cob Light
Page No.17 Ultra Cob Light
Page No.18 Zenith Cob Light
Page No.19 Moveup Conceal Track
Page No.20 Victor Movable Cob
Page No.21 Rector Cylinder
Page No.22 Ray Cylinder
Page No.23 Rayon Track Light
Page No.24 Track Patti
Page No.25 Pc Cob Movable
Page No.26 JR Junction DOB
Page No.27 LED Junction Light
Page No.28 JR Surface Striker
Page No.29 Spot Pc Cob Button
Page No.30 Curve Dob Button
Page No.31 Neo DOB Button

Megnetic Light

- Page No.33** MT-B1
Page No.33 MT-B2
Page No.34 MT-B3
Page No.34 MT-B4
Page No.35 MT-B5
Page No.35 48V Driver
Page No.36 25mm Conceal Track
Page No.36 Surface Track
Page No.36 Jointer
Page No.36 Connector

Strip & Rope Light

- Page No.38** JR Strip Light
Page No.38 Prima Strip Light
Page No.38 Gold Direct Strip Light
Page No.39 12V SMPS Eco Series
Page No.40 12V SMPS Ultra Series

Flood & Street Light

- Page No.42** Reona Street Light
Page No.43 Mexa Flood Light

2x2 Panel

- Page No.44** Brighter 2x2 Panel Light




PANEL LIGHTS

BRIGHTER SPACES. BETTER LIVING.



LIXA Conceal Panel



9Watt

CCT 6K 4K 3K **3IN1**

Size	D115XH33MM
Cutout	Ø100MM
Shape	RD/SQ
Lumens	900
Voltage	175-265AC
Material	PC

12Watt

CCT 6K 4K 3K **3IN1**

Size	D145XH33MM
Cutout	Ø125MM
Shape	RD/SQ
Lumens	1200
Voltage	175-265AC
Material	PC

15Watt

CCT 6K 4K 3K **3IN1**

Size	D165XH33MM
Cutout	Ø150MM
Shape	RD/SQ
Lumens	1500
Voltage	175-265AC
Material	PC

BODY COLOR

PKW

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

Panel Light

AERO CLASSIC

Conceal Panel



8Watt

CCT



Size **D125XH16MM**

Cutout **Ø100MM**

Shape **RD/SQ**

Lumens **800**

Voltage **175-265AC**

Material **AL**

15Watt

CCT



Size **D170XH16MM**

Cutout **Ø150MM**

Shape **RD/SQ**

Lumens **1500**

Voltage **175-265AC**

Material **AL**

22Watt

CCT



Size **D225XH16MM**

Cutout **Ø200MM**

Shape **RD/SQ**

Lumens **2200**

Voltage **175-265AC**

Material **AL**

BODY COLOR

PKW

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

AERO CLASSIC

Surface Panel



15Watt

CCT

6K

4K

3K

Size *D175XH33MM*

Shape *RD*

Lumens *800*

Voltage *175-265AC*

Material *AL*

BODY COLOR

PKW

86%
SAVING

LONG
LIFE

BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

VINTAGE

Metal Panel

**16Watt**

CCT 6K 4K 3K 3IN1

Size H25X120MM

Cutout Ø110MM

Shape RD

Lumens 1600

Voltage 175-265AC

Material AL

24Watt

CCT 6K 4K 3K 3IN1

Size H25X170MM

Cutout Ø160MM

Shape RD

Lumens 2400

Voltage 175-265AC

Material AL

36Watt

CCT 6K 4K 3K 3IN1

Size H25X225MM

Cutout Ø215MM

Shape RD

Lumens 3600

Voltage 175-265AC

Material AL


BODY COLOR

PKW

86%
SAVINGLONG
LIFE120°
BEAM
ANGLEHIGH
LUMENSSURGE 2.5KV
PROTECTION

CRI >80

AXER
PC Downlight



15Watt

CCT	6K 4K 3IN1
Size	R145XH60MM
Cutout	Ø135MM
Shape	RD
Lumens	1500
Voltage	175-265AC
Material	PC

22Watt

CCT	6K 4K 3IN1
Size	R170XH60MM
Cutout	Ø160MM
Shape	RD
Lumens	2080
Voltage	175-265AC
Material	PC

BODY COLOR

PKW

BLK

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

JR DEEP DOWN LIGHT *Light*



12Watt

CCT 6K 5K 4K 3K **3IN1**

Size **R120xH50MM**

Cutout **Ø105MM**

Shape **RD**

Lumens **1500**

Voltage **75-265AC**

Material **AL**

18Watt

CCT 6K 5K 4K 3K **3IN1**

Size **R155xH50MM**

Cutout **Ø140MM**

Shape **RD**

Lumens **1800**

Voltage **175-265AC**

Material **AL**

BODY COLOR

PKW

BLK

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

ULTRA PRO Downlight



12Watt

CCT 6K 4K 3K 3IN1

Size	D115XH45MM
Cutout	Ø105MM
Shape	RD
Lumens	1200
Voltage	175-265AC
Material	AL

18Watt

CCT 6K 4K 3K 3IN1

Size	D145XH45MM
Cutout	Ø135MM
Shape	RD
Lumens	1800
Voltage	175-265AC
Material	AL

24Watt

CCT 6K 4K 3K 3IN1

Size	D165XH45MM
Cutout	Ø155MM
Shape	RD
Lumens	2400
Voltage	175-265AC
Material	AL

BODY COLOR

PKW

BLK

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

NOVA ZEROEDGE Surface Metal Panel



16Watt

CCT 6K 4K 3K **3IN1**

Size *D125XH40MM*

Shape *RD*

Lumens *1600*

Voltage *175-265AC*

Material *AL*

24Watt

CCT 6K 4K 3K **3IN1**

Size *D175XH40MM*

Shape *RD*

Lumens *2400*

Voltage *175-265AC*

Material *AL*

BODY COLOR

PKW

BLK

86%
SAVING

LONG
LIFE

BEAM
ANGLE


HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

RIMLESS

Surface PC Panel



15Watt

CCT	6K 4K 3IN1
Size	R146xH31MM
Shape	RD
Lumens	1500
Voltage	175-265AC
Material	PC

22Watt

CCT	6K 4K 3IN1
Size	R146xH31MM
Shape	RD
Lumens	2080
Voltage	175-265AC
Material	PC

BODY COLOR

PKW

BLK

86%
SAVING

LONG
LIFE


120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

2IN1 Conceal Panel



6+3Watt

CCT WH PK WH BL P G B

Size **R145xH17MM**

Cutout **Ø110MM**

Shape **RD/SQ**

Voltage **175-265AC**

Material **AL**

12+4Watt

CCT WH PK WH BL P G B

Size **R195xH17MM**

Cutout **Ø150MM**

Shape **RD/SQ**

Voltage **175-265AC**

Material **AL**

BODY COLOR

PKW

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

2IN1 Surface Panel



6+3Watt

CCT WH PK WH BL P G B

Size *R145xH34MM*

Shape *RD/SQ*

Voltage *175-265AC*

Material *AL*

12+4Watt

CCT WH PK WH BL P G B

Size *R195xH34MM*

Shape *RD/SQ*

Voltage *175-265AC*

Material *AL*

BODY COLOR

PKW

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE


HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

The logo for JemsRock LED Lights is enclosed in a thin, rounded rectangular border. It features a small crown icon above the letter 'J' in 'JEMSROCK'. Below 'JEMSROCK', the words 'LED LIGHTS' are written in a smaller, sans-serif font.


COB
LIGHT



JEMSROCK.COM

METTA

Cob Light



7Watt

CCT 6K 5K 4K 3K 3IN1

Size	R65XH55MM
Cutout	Ø60MM
Shape	RD
Lumens	820
Voltage	175-265AC
Material	AL

12Watt

CCT 6K 5K 4K 3K 3IN1

Size	R80XH75MM
Cutout	Ø75MM
Shape	RD
Lumens	1380
Voltage	175-265AC
Material	AL

18Watt

CCT 6K 5K 4K 3K 3IN1

Size	R90XH85MM
Cutout	Ø85MM
Shape	RD
Lumens	2080
Voltage	175-265AC
Material	AL

BODY COLOR

PKW

BLK

LED CHIP

bridgelux®

86%
SAVING

LONG
LIFE

BEAM
ANGLE


HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

RECTOR

Cob Light



7Watt

CCT 3K 4K 5K 6K 3IN1

Size R70XH50MM

Cutout Ø60MM

Shape RD

Lumens 820

Voltage 175-265AC

Material AL

12Watt

CCT 3K 4K 5K 6K 3IN1

Size R85XH66MM

Cutout Ø75MM

Shape RD

Lumens 1380

Voltage 175-265AC

Material AL

18Watt

CCT 3K 4K 5K 6K 3IN1

Size R95XH76MM

Cutout Ø85MM

Shape RD

Lumens 2080

Voltage 175-265AC

Material AL

BODY COLOR



LED CHIP



86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE


HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

ROCK

Cob Light



7Watt

CCT 3K 4K 5K 6K 3IN1

Size	R65XH45MM
Cutout	Ø60MM
Shape	RD
Lumens	820
Voltage	175-265AC
Material	AL

12Watt

CCT 3K 4K 5K 6K 3IN1

Size	R80XH50MM
Cutout	Ø75MM
Shape	RD
Lumens	1380
Voltage	175-265AC
Material	AL

18Watt

CCT 3K 4K 5K 6K 3IN1

Size	R93 X H59MM
Cutout	Ø85MM
Shape	RD
Lumens	2080
Voltage	175-265AC
Material	AL

BODY COLOR



LED CHIP



ULTRA

COB Light



7Watt

CCT 6K 5K 4K 3K 3IN1

Size D70XH60MM

Cutout Ø60MM

Shape RD

Lumens 820

Voltage 175-265AC

Material AL

12Watt

CCT 6K 5K 4K 3K 3IN1

Size D82XH66MM

Cutout Ø74MM

Shape RD

Lumens 1380

Voltage 175-265AC

Material AL

18Watt

CCT 6K 5K 4K 3K 3IN1

Size D103XH66MM

Cutout Ø95MM

Shape RD

Lumens 2080

Voltage 175-265AC

Material AL

BODY COLOR

PKW

BLK

LED CHIP



86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

ZENITH
Cob Light

7Watt

CCT 3K 4K 5K 6K 3IN1

Size	D62XH75MM
Cutout	Ø55MM
Shape	RD
Lumens	820
Voltage	175-265AC
Material	AL

12Watt

CCT 3K 4K 5K 6K 3IN1

Size	D72XH77MM
Cutout	Ø65MM
Shape	RD
Lumens	1380
Voltage	175-265AC
Material	AL

18Watt

CCT 3K 4K 5K 6K 3IN1

Size	D82XH77MM
Cutout	Ø75MM
Shape	RD
Lumens	2080
Voltage	175-265AC
Material	AL

BODY COLOR




LED CHIP



MOVEUP

Conceal Track Light



7Watt

CCT



Size **D73XH90MM**

Cutout **Ø65MM**

Lumens **820**

Voltage **175-265AC**

Material **AL**

12Watt

CCT



Size **D73XH90MM**

Cutout **Ø75MM**

Lumens **1380**

Voltage **175-265AC**

Material **AL**

BODY COLOR

PKW

BLK

LED CHIP



7x2Watt

CCT



Size **D145XH70X90MM**

Cutout **Ø135X60MM**

Lumens **820**

Voltage **175-265AC**

Material **AL**

12x2Watt

CCT



Size **D170XH85X90MM**

Cutout **Ø160X75MM**

Lumens **1380**

Voltage **175-265AC**

Material **AL**

**86%
SAVING**

**LONG
LIFE**

**BEAM
ANGLE**


**HIGH
LUMENS**

**SURGE 2.5KV
PROTECTION**

CRI >80

VICTOR

Movable Cob



3Watt

Size	R65XH30MM
Cutout	Ø55MM
Lumens	380
Voltage	175-265AC
Material	AL

7Watt

Size	R90XH52MM
Cutout	Ø75MM
Lumens	820
Voltage	175-265AC
Material	AL

12Watt

Size	R90XH62MM
Cutout	Ø75MM
Lumens	1380
Voltage	175-265AC
Material	AL

CCT



18Watt

Size	R115XH70MM
Cutout	Ø100MM
Lumens	2080
Voltage	175-265AC
Material	AL

24Watt

Size	R135XH77MM
Cutout	Ø125MM
Lumens	2670
Voltage	175-265AC
Material	AL

30Watt

Size	R160XH90MM
Cutout	Ø145MM
Lumens	3670
Voltage	175-265AC
Material	AL

50Watt

Size	R160XH105MM
Cutout	Ø145MM
Lumens	6540
Voltage	175-265AC
Material	AL

BODY COLOR


PKW

LED CHIP



RECTOR

Cylinder



7Watt

CCT

Size *R55XH70MM*Shape *RD*Lumens *820*Voltage *175-265AC*Material *AL*

12Watt

CCT

Size *R70XH85MM*Shape *RD*Lumens *1380*Voltage *175-265AC*Material *AL*

18Watt

CCT

Size *R95XH76MM*Shape *RD*Lumens *2080*Voltage *175-265AC*Material *AL*

BODY COLOR



LED CHIP


86%
SAVING

LONG
LIFE

BEAM
ANGLE


HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

RAY

Movable Cylinder

**7Watt**

CCT	3K 4K
Size	D55XH75
Shape	RD
Lumens	820
Voltage	175-265AC
Material	AL

12Watt

CCT	3K 4K
Size	D75XH97
Shape	RD
Lumens	1380
Voltage	175-265AC
Material	AL

18Watt

CCT	3K 4K
Size	D90XH105
Shape	RD
Lumens	2080
Voltage	175-265AC
Material	AL


BODY COLOR



LED CHIP



RAYON Track Light



10Watt

CCT

☒ 3K
 ☐ 4K
 ☐ 6K

Size R50XL100XH110MM

Lumens 1120

Voltage 175-265AC

Material AL

20Watt

CCT

☒ 3K
 ☐ 4K
 ☐ 6K

Size R58XL135XH120MM

Lumens 2230

Voltage 175-265AC

Material AL

BODY COLOR

PKW

BLK

LED CHIP

30Watt

CCT

☒ 3K
 ☐ 4K
 ☐ 6K

Size R65XL150XH145MM

Lumens 3370

Voltage 175-265AC

Material AL

50Watt

CCT

☒ 3K
 ☐ 4K
 ☐ 6K

Size R70XL180XH160MM

Lumens 5400

Voltage 175-265AC

Material AL

86%
SAVING

 LONG
LIFE

 120°
BEAM
ANGLE

 HIGH
LUMENS

 SURGE 2.5KV
PROTECTION

CRI >80

COB Light

JEMSROCK
LED LIGHTS

TRACK

Patti



1 MTR

Material PC

2 MTR

Material PC

BODY COLOR

PKW

BLK

PC COB

Movable Light



3Watt

CCT 6K 4K 3K 3IN1 RGB
PINK BLUE GREEN

Size D66XH38MM
Cutout Ø58MM
Shape RD
Voltage 175-265AC
Material PC

6Watt

CCT 6K 4K 3K 3IN1 RGB
PINK BLUE GREEN

Size D90XH40
Cutout Ø75MM
Shape RD
Voltage 175-265AC
Material PC


BODY COLOR

PKW

86%
SAVINGLONG
LIFE120°
BEAM
ANGLEHIGH
LUMENSSURGE 2.5KV
PROTECTION

CRI >80

JR JUNCTION Dob Light



4Watt

CCT

4K 3K 3IN1 RBP
PINK BLUE

Size **R80XH26MM**

Cutout **Ø55MM**

Shape **RD**

Voltage **175-265AC**

Material **PC**

BODY COLOR

PKW

86%
SAVING

LONG
LIFE


120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

LED JUNCTION Light



8+8Watt

CCT CW +3K CW +PGBSize *R90XH25MM*Cutout *Ø55MM*Shape *RD*Voltage *175-265AC*Material *PC*

12+12Watt

CCT CW +3K CW +PGBSize *R115XH25MM*Cutout *Ø55MM*Shape *RD*Voltage *175-265AC*Material *PC*

BODY COLOR

PKW
86%
SAVING

LONG
LIFE


BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

JR SURFACE Striker



3Watt

CCT 6K 4K 3K 3IN1
PINK BLUE RBP

Size	R63XH20MM
Shape	RD
Voltage	175-265AC
Material	PC

8Watt

CCT 6K 4K 3K RBP

Size	R92XH20MM
Shape	RD
Voltage	175-265AC
Material	PC

BODY COLOR

PKW

BLK

86%
SAVING

LONG
LIFE

BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

SPOT PC DOB Button



3Watt

CCT 6K 4K 3K
PINK BLUE RGB

Size **D38XH30MM**

Cutout **Ø28MM**

Shape **RD**

Voltage **175-265AC**

Material **PC**

BODY COLOR

**SHINING
RG** **SHINING
GUN
BLK** **MATT
PKW**

**86%
SAVING**

**LONG
LIFE**

**120°
BEAM
ANGLE**


**HIGH
LUMENS**

**SURGE 2.5KV
PROTECTION**

CRI >80

CURVE

Dob Button



3Watt

CCT

3K

4K

Size *D37XH21MM*

Cutout *Ø24MM*

Shape *RD*

Voltage *175-265AC*

Material *AL*

BODY COLOR

SHINING
RG

SHINING
GUN
BLK

MATT
PKW

LED CHIP

bridgelux®

86%
SAVING

**LONG
LIFE**


**120°
BEAM
ANGLE**

**HIGH
LUMENS**

**SURGE 2.5KV
PROTECTION**

CRI >80

NEO DOB Button



3Watt

CCT

3K

4K

6K

Size *D38XH28MM*

Cutout *Ø26MM*

Shape *RD*

Voltage *175-265AC*

Material *AL*

BODY COLOR

SHINING
RG

SHINING
GUN
BLK

MATT
PKW

LED CHIP

bridgelux®

86%
SAVING

LONG
LIFE

BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

The image is a full-page advertisement for JemsRock LED lights. It features a modern interior scene with a black magnetic track lighting system installed on a white ceiling. The track has three different light fixtures: two spotlights and one linear light fixture. The room includes a large window on the left showing a green landscape, a framed abstract artwork on the wall, and a sofa with cushions in the foreground. The JemsRock logo is centered in the upper half, and the product name 'MAGNETIC TRACK LIGHT' is overlaid in a semi-transparent yellow box on the right. The website 'JEMSROCK.COM' is at the bottom left.

JEMSROCK
LED LIGHTS

MAGNETIC TRACK LIGHT

JEMSROCK.COM

Magnetic Light

JEMSROCK
LED LIGHTS

MT-B1

Meg. Track Light



BODY COLOR

BLK

7Watt

CCT: 4K

Lumens 700

Material AL

Voltage 175-265AC

12Watt

CCT: 4K

Lumens 1200

Material AL

Voltage 175-265AC

24Watt

CCT: 4K

Lumens 2400

Material AL

Voltage 175-265AC

MT-B2

Conceal Linear

6Watt

CCT: 4K

Dimension 145mm

Lumens 600

Material AL

Voltage 175-265AC

12Watt

CCT: 4K

Dimension 225mm

Lumens 1200

Material AL

Voltage 175-265AC

18Watt

CCT: 4K

Dimension 330mm

Lumens 1800

Material AL

Voltage 175-265AC



BODY COLOR

BLK

Magnetic Light

MT-B3 *Surface Linear*

6Watt CCT: 4K

Dimension	115mm
Lumens	600
Material	AL
Voltage	175-265AC

12Watt CCT: 4K

Dimension	225mm
Lumens	1200
Material	AL
Voltage	175-265AC

18Watt CCT: 4K

Dimension	330mm
Lumens	1800
Material	AL
Voltage	175-265AC



BODY COLOR

BLK

MT-B4 *Conceal Profile*



12Watt CCT: 4K
(1 Feet)

Dimension	305mm
Lumens	1200
Material	AL
Voltage	175-265AC

24Watt CCT: 4K
(2 Feet)

Dimension	600mm
Lumens	2400
Material	AL
Voltage	175-265AC

BODY COLOR

BLK

MT-B5 Profile Light

12Watt

(1 Feet)

CCT: 4K

Dimension 305mm

Lumens 1200

Material AL

Voltage 175-265AC

24Watt

(2 Feet)

CCT: 4K

Dimension 600mm

Lumens 2400

Material AL

Voltage 175-265AC



BODY COLOR

BLK

48V MEGNATIC DRIVER



BODY COLOR

BLK

100Watt

200Watt

Magnetic Light

JEMSROCK
LED LIGHTS

25MM CONCEAL

Magnetic Track

50X25MM

1 MTR
2 MTR
3 MTR



BODY COLOR

BLK

MAGNETIC SURFACE


Track

BODY COLOR

BLK

50X25MM

1 MTR
2 MTR
3 MTR




JOINTER



L Jointer
I Jointer

CONNECTOR



Ceiling Corner
Wall Inner



JEMsROCK
LED LIGHTS

STEIP &
ROPELIGHT

JR 12V Strip Light

240 Led

CCT

3K

4K

6K



PRIMA 12V Strip Light



240 Led

CCT

3K

4K

6K

GOLD DIRECT 12V Strip Light


240 Led

CCT

3K

4K

6K



12V SMPS ECO Series



3AMP SMPS

Watt	36W
Input Vo.	110-265V
Surge Pro.	2.5KV

5AMP SMPS

Watt	60W
Input Vo.	110-265V
Surge Pro.	4KV

10AMP SMPS

Watt	120W
Input Vo.	110-265V
Surge Pro.	4KV

16.5AMP SMPS

Watt	200W
Input Vo.	110-265V
Surge Pro.	4KV

25AMP SMPS

Watt	300W
Input Vo.	110-265V
Surge Pro.	4KV

33AMP SMPS

Watt	400W
Input Vo.	110-265V
Surge Pro.	4KV

12V SMPS
ULTRA
Series



5AMP SMPS

Watt	60W
Input Vo.	110-265V
Surge Pro.	2.5KV

10AMP SMPS

Watt	120W
Input Vo.	110-265V
Surge Pro.	4KV

16.3AMP SMPS

Watt	200W
Input Vo.	110-265V
Surge Pro.	4KV

25AMP SMPS

Watt	300W
Input Vo.	110-265V
Surge Pro.	4KV

JEMSROCK
LED LIGHTS

FLOOD & STREET LIGHT



REONA *Street Light*



24Watt

CCT 6K

Size **W105XL280MM**

Lumens **2400LM**

Voltage **85-440AC**

Material **AL**

36Watt

CCT 6K

Size **W120XL320MM**

Lumens **3600LM**

Voltage **85-440AC**

Material **AL**

50Watt

CCT 6K

Size **W165XL400MM**

Lumens **5000LM**

Voltage **85-440AC**

Material **AL**

72Watt

CCT 6K

Size **W165XL400MM**

Lumens **7200LM**

Voltage **85-440AC**

Material **AL**

100Watt

CCT 6K

Size **W195XL460MM**

Lumens **10000LM**

Voltage **85-440AC**

Material **AL**

150Watt

CCT 6K

Size **W210XL580MM**

Lumens **15000LM**

Voltage **85-440AC**

Material **AL**

BODY COLOR

LED CHIP



MEXA Flood Light



30Watt

CCT 6K 3K

Size W165XL145MM

Lumens 3000LM

Voltage 85-440AC

Material AL

50Watt

CCT 6K 3K

Size W230XL220MM

Lumens 5000LM

Voltage 85-440AC

Material AL

100Watt

CCT 6K 3K

Size W270XL265MM

Lumens 10000LM

Voltage 85-440AC

Material AL

200Watt

CCT 6K 3K

Size W340XL320MM

Lumens 20000LM

Voltage 85-440AC

Material AL

BODY COLOR

BLK

86%
SAVING

LONG
LIFE

120°
BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80



BRIGHT 2X2 Panel Light



48Watt

CCT

3K

4K

6K

Size 600X600MM

Shape SQ

Voltage 175-265AC

Material PC

BODY COLOR

PKW

86%
SAVING

LONG
LIFE

BEAM
ANGLE

HIGH
LUMENS

SURGE 2.5KV
PROTECTION

CRI >80

SHINE LIKE A GEM, ROCK YOUR WORLD



   @JemsRocks_led_lights

 Jemsrocksledlights@gmail.com

www.jemsrock.com