





EL/K150 (6") Dimension and Performance




EL/K150 Information	150 (6")	150 (6")
Voltage	AC Technology	EC Technology
	220-240v/50Hz	220-240/50-60Hz
Working Power	41W	35W
Speed	2900RPM	3000RPM
Noise	55dB	56dB
Working temp	60 °C	60 °C
Maximum Flow Value	620CMH	660CMH
Speed Control Type	Constant Speed	PWM Control Type 0-5V

EL/K200 (8") Dimension and Performance




EL/K200 Information	200 (8")	200 (8")
	AC Technology	EC Technology
Voltage	220-240v/50Hz	220-240/50-60Hz
Working Power	143W	140W
Speed	2900RPM	3300RPM
Noise	59dB	61dB
Working temp	60 °C	60 °C
Maximum Flow Value	1020CMH	1310CMH
Speed Control Type	Constant Speed	PWM Control Type 0-5V

EL/K 250 (10'') Dimension and Performance





EUROVentus®





EL/K 250 Information	250 (10'')	250 (10'')
Voltage	AC Technology	EC Technology
	220-240v/50Hz	220-240/50-60Hz
Working Power	162W	195W
Speed	2750RPM	3000RPM
Noise	68dB	69dB
Working temp	60 °C	60 °C
Maximum Flow Value	1900CMH	2100CMH
Speed Control Type	Constant Speed	PWM Control Type 0-5V

EL/K 300 (12'') Dimension and Performance






EL/K300 (315) Information	300 (315) (12" or 12.5")	300 (315) (12" or 12.5")
Voltage	AC Technology	EC Technology
	220-240v/50Hz	220-240/50-60Hz
Working Power	320W	352W
Speed	2900RPM	3200RPM
Noise	72dB	74dB
Working temp	60℃	60℃
Maximum Flow Value	3150CMH	3500CMH
Speed Control Type	Constant Speed	PWM Control Type 0-5V

EL/K 355 (14") Dimension and Performance



EL/K355 Information	355 (14")	355 (14")
Voltage	AC Technology	EC Technology
	220-240v/50Hz	220-240/50-60Hz
Working Power	903W	659W
Speed	2900RPM	2800RPM
Noise	79dB	77dB
Working temp	80 °C	80 °C
Maximum Flow Value	6450CMH	6200CMH
Speed Control Type	Constant Speed	PWM Control Type 0-5V

EL/K400 (16") Dimension and Performance



EL/K400 Information	400 (16")	400 (16")
Voltage	AC Technology	EC Technology
	220-240v/50Hz	220-240/50-60Hz
Working Power	1.3KW	1.2KW
Speed	2940RPM	2800RPM
Noise	83dB	81dB
Working temp	80℃	80℃
Maximum Flow Value	7100CMH	6800CMH
Speed Control Type	Constant Speed	PWM Control Type 0-5V