

300,000 Pieces Exported to Multiple Countries Worldwide

*Data Source: ERP-based Internal Inventory Management System (as of 2023)



佛山市速美奥装饰材料有限公司

FOSHAN SUMEIAO DECORATION MATERIALS CO., LTD.

PRODUCT CATALLOGUE

1-1~1-38 SIMIADO

2-1~2-11 MILANSCLE

3-1~3-45 BG SIDUN

4-1~4-4 SHE DIAO

SIMIADO 9000 neutral silicone weatherproof sealant

Waterproof

Mold-
resistant

Weather-
resistant

Strong
adhesion

PRODUCT FEATURES:

793A is a one-component, neutral, room-temperature curing silicone sealant that is easy to use; Except for copper materials, it is non-corrosive to most building materials; It has good adhesion properties to a variety of building materials.

MAIN USES:

It is suitable for bonding, caulking, and sealing of various stainless steel doors and windows in households; bonding and sealing of building doors and windows made of aluminum alloy, glass, and plastic steel; bonding and sealing in various indoor and outdoor decorations; as well as other general industrial applications.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9000

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) / each

COLOR: transparent, black, porcelain white, silver gray



100%
Silicone

SIMIADO 9.0 High-Temperature Fire-Retardant Sealant



**850°F RTV
High Heat**

Waterproof

Heat
Resistant

Fireproof

Good
sealing

PRODUCT FEATURES:

The fire-retardant sealant instantly extinguishes flames, prevents fire spread, and ensures safety. Its pure, dense form cures to a sleek, glossy finish, fitting for both construction fire barriers and securing electronics. Deep-cure technology reinforces hardness and longevity, assuring lasting fire protection and sealing.

MAIN USES:

- Bonding and sealing of various fireproof doors and windows, and flame retardant sealing of all layers of curtain wall engineering.
- Flame retardant seals for all kinds of doors and windows.
- Fixing and flame retardant sealing of electronic and electrical components.
- Fire prevention and moisture-proof sealing in various public places.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9.0

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm)/each

COLOR: porcelain white, gray, red, Black

SIMIADO MS90 Multi-Purpose Silane Modified Sealant

Eco-
friendly

Mold-
resistant

High
flexibility

Low-VOC

PRODUCT FEATURES:

- Mold & Stain Resistance: Excellent mold-inhibiting properties and strong resistance against contamination.
- High Flexibility & Crack Resistance: Superior elasticity and crack-resistant, preventing cracks to ensure a durable seal.
- Eco-friendly & Low VOC: Free of volatile components with low VOC emissions, complying with environmental standards.

MAIN USES:

The product is widely used in trimming and sealing, suitable for a variety of materials such as wood, porcelain, metal, stainless steel and decorations, such as mirrors, handles, marble, etc., and is also used for calligraphy and painting, signage, acrylic, PVC bonding, is a waterproof, caulking, trimming multi-purpose solution in indoor and outdoor decoration projects.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: MS90

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 304mm x 204mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: white



MS-
Polymer

SIMIADO 9300 Neutral Silicone Anti-Mold Weatherproof Sealant



100%
Silicone

Waterproof

Mold-
resistant

Fast-
drying

Strong
adhesion

PRODUCT FEATURES:

- Fast-drying: Reduces curing time for efficient construction;
- Mold-resistant: Extends service life in humid environments;
- High weather resistance: Stably withstands indoor and outdoor conditions, climate changes, and UV effects, preserving sealing integrity.

MAIN USES:

Suitable for installation sealing of various door and window projects, aluminum panels, glass, as well as general sealing requirements in floor tiles, interior decoration, demonstrating excellent material compatibility

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9300

CAPACITY: 300ml each

SHELF LIFE: 12 months


NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, black, and other colors

SIMIADO S9700 Colorful Structural Weatherproof Sealant



PRODUCT FEATURES:

- Color modulation: Customized colors are available.
- Dual function: both structural sealant and weather-resistant sealant properties.
- Long warranty period: 15 years of warranty is promised to enhance user confidence.
- High modulus standard: follow the high modulus construction engineering standard, and can withstand large loads.

MAIN USES:

Applicable to a wide range of construction projects including glass, metal, stone slabs, ceramics, aluminum panel facades, window and door installations, as well as building exteriors, showcasing excellent material compatibility and versatility.



PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S9700

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 358mm x 242mm x 193mm

PRODUCT DIMENSIONS: 4 x 33(cm)/each

COLOR: #1Soft brown color、#2Deep brown color、and other colors



SIMIADO 995 Gold Standard Neutral Silicone Structural Sealant



Waterproof

High
elasticity

High
modulus

Strong
adhesion

PRODUCT FEATURES:

High-viscosity structural adhesive that can withstand 25% displacement capacity at seams. SMA-995 is a one-component, neutral room temperature, high-modulus silicone sealant that is easy to use, has the characteristics of high elasticity and aging resistance

MAIN USES:

Suitable for exterior walls, stone, metal, ceramics, canopy sealing, sunrooms, aluminum plastic panels, large-scale windows and doors, point-supported glass, aluminum panel facades, glazed roof lights, and small curtain wall joint sealing.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 995

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 33 (cm) /each

COLOR: transparent, black, and other colors

SIMIADO 9800 Engineering curtain wall structural sealant

High modulus

Mold-resistant

High-elasticity

Strong adhesion

PRODUCT FEATURES:

- High hardness and high rigidity, heavy bearing capacity, stable shape;
- Strong viscosity and flexibility, adaptable to deformation and crack prevention;
- Pure colloids to ensure the quality and beauty of the bond;
- Compatible with a wide range of materials, excellent adhesion to multiple materials.

MAIN USES:

Bonding, caulking and sealing of exterior wall projects such as various sunshine rooms, all kinds of canopies, dry-hung stone glass lighting roofs, point glass, aluminum-plastic panels, etc

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9800

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 33 (cm) /each

COLOR: transparent, black, grey, and other colors



SIMIADO 400

Two-component Tile grout



Waterproof

Yellowing
Resistance

No
cracking

Strong
adhesion

PRODUCT FEATURES:

High temperature tolerance, can withstand high temperature of 150° C; It has good ice resistance and is stable at -40° C. It is highly durable, resistant to yellowing, stains and easy to clean. The colloid is pure, the viscosity is strong and tough, and the beauty joint filling effect is both beautiful and stable, which can change with the expansion and contraction of the tile to prevent the cracks from falling off.

MAIN USES:

Suitable for a variety of tile materials including ceramic tiles, glass bricks, quartz tiles, and terracotta panels, as well as kitchen countertops, bathrooms, toilets, balconies, window sills, floor gaps, tile joints, and wall edges in various corners of interior decoration, meeting the needs of both beautifying and filling gaps.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 400

CAPACITY: 400ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 370mm x 240mm x 240mm

PRODUCT DIMENSIONS: 8 x 21 (cm) /each

COLOR: Porcelain white, grey, and other colors

30-Year
Endurance

SIMIADO 9300 Neutral Silicone Mold-proof Sealant

Waterproof

Mold-resistant

Fast-drying

Strong adhesion

PRODUCT FEATURES:

- Fast-drying: Reduces curing time for efficient construction;
- Mold-resistant: Extends service life in humid environments;
- High weather resistance: Stably withstands indoor and outdoor conditions, climate changes, and UV effects, preserving sealing integrity.

MAIN USES:

Suitable for installation sealing of various door and window projects, aluminum panels, glass, as well as general sealing requirements in floor tiles, interior decoration, demonstrating excellent material compatibility

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9300

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, black, grey, and other colors

100%
Silicone



SIMIADO S6 Solar Photovoltaic Specialized Sealing Sealant



Non-
corrosive

Mold-
resistant

High
toughness

Eco-
friendly

PRODUCT FEATURES:

The sealant combines anti-mildew, anti-corrosion, high-gloss and strong sealing properties to enhance the durability and aesthetics of the item. It is environmentally adaptable, especially suitable for outdoor and high-temperature environments, and environmentally friendly production, in line with green standards, is an ideal choice for the pursuit of quality and sustainable development.

MAIN USES:

Designed for solar PV modules, the sealant is suitable for laminate sealing, frame bonding and junction box fixing, meeting the specific needs of photovoltaics, and is widely used in interior architectural, decorative and industrial applications, showing excellent versatility and adaptability.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S6

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: black, white

SIMIADO 568 Fast-drying acid silicone glass sealant

Weather-
resistant

Rapid
drying

Heat-
resistant

Strong
adhesion

PRODUCT FEATURES:

This sealing compound finds broad application in sectors spanning construction, automotive manufacturing and repair, as well as electronics, exemplifying its multidisciplinary utility. Its features comprise rapid curing, high-temperature tolerance, and superior weather resistance, which collectively reduce labor time, boost productivity, and ensure lasting, dependable seals even under harsh conditions.

MAIN USES:

Suitable for glass fabrication projects such as doors, windows, glass aquariums, glass countertops, large glass panels, glass skylights, stainless steel and aluminum alloy profiles used in glass structures, as well as bonding and sealing in interior renovations.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 568

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, porcelain white, silvery-gray



100%
Silicone

SIMIADO 9.0 High-Temperature Fire-Retardant Sealant



Waterproof

Heat
Resistant

Fireproof

Good
sealing

PRODUCT FEATURES:

The fire-retardant sealant instantly extinguishes flames, prevents fire spread, and ensures safety. Its pure, dense form cures to a sleek, glossy finish, fitting for both construction fire barriers and securing electronics. Deep-cure technology reinforces hardness and longevity, assuring lasting fire protection and sealing.

MAIN USES:

- Bonding and sealing of various fireproof doors and windows, and flame retardant sealing of all layers of curtain wall engineering.
- Flame retardant seals for all kinds of doors and windows.
- Fixing and flame retardant sealing of electronic and electrical components.
- Fire prevention and moisture-proof sealing in various public places.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9.0

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 34 (cm)/each

COLOR: porcelain white, gray, red, Black

SIMIADO S7 Long-Lasting Mildew-Resistant Sealant

Eco-friendly

Mold-resistant

Waterproof

Strong adhesion

PRODUCT FEATURES:

- Eco-friendly A+ Grade: Odorless, certified by France, ensuring family health.
- 0-Level Mold Resistance: Top-tier mold prevention, effectively inhibiting fungal growth.
- Crack Prevention: Stable, non-shrinking formula to preserve wall integrity.
- Premium Quality Assurance: High standards for dependable sealing.

MAIN USES:

It is suitable for interior and exterior decoration joint trimming, waterproof and mildew sealing, covering kitchen and bathroom, interior decoration, door and window glass wall and various architectural decoration purposes, focusing on aesthetics and functionality, and non-structural assembly use.



PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S7

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, white, grey, black, and other colors

100%
Silicone

SIMIADO A2/A3

Polyurethane foam caulk



Waterproof

heat
insulation

Fast
curing

Rapid
expansion

PRODUCT FEATURES:

This polyurethane foam sealant is a high-quality, multipurpose material featuring fast curing, waterproofing, insulation, soundproofing, and rapid expansion, making it widely applicable in construction and renovation projects. The difference between the features of the two products: the A2 light model emphasizes flexible filling and general heat insulation, while the A3 heavy model focuses on high-strength reinforcement and advanced thermal insulation.

MAIN USES:

It is suitable for sealing and bonding various structural gaps and components such as door frame caulking, window fixing, pipe filling, cold storage thermal insulation, pool seam sealing, switch box gap filling, pipe mouth insulation and sealing, and net red bubble mirror, showing excellent multi-purpose characteristics.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: A2/A3

CAPACITY: 750ml each

SHELF LIFE: 9 months

NUMBER OF BOXES: 15 pieces per box

DIMENSIONS PER BOX: 335mm x 205mm x 340mm

PRODUCT DIMENSIONS: 6 x 32 (cm)/each

COLOR: white

SIMIADO 9000 Neutral silicone weather-resistant sealant

Waterproof

Mold-
resistant

Weather-
resistant

Strong
adhesion

PRODUCT FEATURES:

793A is a one-component, neutral, room-temperature curing silicone sealant that is easy to use; Except for copper materials, it is non-corrosive to most building materials; It has good adhesion properties to a variety of building materials.

MAIN USES:

It is suitable for bonding, caulking, and sealing of various stainless steel doors and windows in households; bonding and sealing of building doors and windows made of aluminum alloy, glass, and plastic steel; bonding and sealing in various indoor and outdoor decorations; as well as other general industrial applications.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9000

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 30 (cm) /each

COLOR: black, white, grey, and other colors



100%
Silicone

SIMIADO S9 High-performance sealant for mirrors



100%
Silicone

No
corrosive

Mold-
resistant

Good
stability

Eco-
friendly

PRODUCT FEATURES:

Robust chemical resistance ensures lasting stability against corrosive agents around mirrors; secure bonding promises enduring safety and usability; alcohol-based neutral curing is environmentally safe, emitting no offensive odors, gentle on surroundings; retains adhesion at high temperatures, fitting for mirror installations near heat sources or in hot climates.

MAIN USES:

It is suitable for interior and exterior decoration joint trimming, waterproof and mildew sealing, covering kitchen and bathroom, interior decoration, door and window glass wall and various architectural decoration purposes, focusing on aesthetics and functionality, and non-structural assembly use.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S9

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 302mm x 206mm x 245mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent

SIMIADO S9500 Super-Fast Drying Sliding Door Silicone Sealant

Fast curing

Ultra-long life

Weather-resistant

Strong adhesion

PRODUCT FEATURES:

Enables single-sided application with the ability to flip and continue work after just 2 hours, boosting efficiency. Offers broad weather resistance (-40°C to 150°C) and guarantees over a decade of durability—an ideal sealant for architectural decoration.

MAIN USES:

Suitable for bonding, caulking, and sealing of various high-end metal and glass sliding doors, hollow sliding doors, system windows and doors, profile door frames, decorative stones, panels, tiles, glass structures, and other building materials. Widely applied in diverse architectural decoration scenarios such as kitchen and bathroom ceiling installations or aluminum panel ceiling edge finishing.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S9500

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 358mm x 242mm x 193mm

PRODUCT DIMENSIONS: 4 x 32 (cm) /each

COLOR: white, black



100%
Silicone



SIMIADO 9300 Neutral Silicone Anti-Mold Weatherproof Sealant



Waterproof

Mold-resistant

Fast-drying

Strong adhesion

PRODUCT FEATURES:

- Fast-drying: Reduces curing time for efficient construction;
- Mold-resistant: Extends service life in humid environments;
- High weather resistance: Stably withstands indoor and outdoor conditions, climate changes, and UV effects, preserving sealing integrity.

MAIN USES:

Suitable for installation sealing of various door and window projects, aluminum panels, glass, as well as general sealing requirements in floor tiles, interior decoration, demonstrating excellent material compatibility

100%
Silicone

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9300

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 33 (cm) /each

COLOR: transparent, black, and other colors

SIMIADO PU88

One-Component PU ADHESIVE

ECO-
friendly

High
purity

Good
sealing

Strong
adhesion

PRODUCT FEATURES:

A single-component PU self-leveling sealant, this product provides a smooth, durable seal. Ideal for precision application, it cures into a flexible, weather-resistant layer, perfect for sealing joints in architectural projects.

MAIN USES:

It is suitable for the structural bonding of the corners of doors and windows such as broken bridge thermal insulation aluminum alloy, plastic steel co-extrusion profiles, wood-aluminum composite, metal curtain wall, conventional aluminum alloy wood-aluminum, etc.; Elastic bonding of passenger cars, trains, trucks, etc.



PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: PU88

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent



SIMIADO 9600 Engineering Curtain Wall weather-resistant Sealant

weather-resistant

Mold-resistant

High-elasticity

Strong adhesion

PRODUCT FEATURES:

- Weather Resistance: Offers excellent UV resistance, temperature fluctuation tolerance, and aging performance.
- Elastic Recovery: Provides good elastic recovery, accommodating structural displacement and deformation.
- Chemical Corrosion Resistance: Resists chemical erosion in acidic and alkaline environments, protecting joints from damage.

MAIN USES:

Can be used for doors and windows, stainless steel, aluminum alloy, aluminum profiles, canopies, stone, hollow glass, and residential conservatories.



PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 9600

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 33 (cm) /each

COLOR: transparent, black, grey, and other colors

100%
Silicone

SIMIADO 998 Large Panel Glass Aquarium Sealant

Waterproof

Eco-friendly

Weather-resistant

Strong adhesion

PRODUCT FEATURES:

- Strong adhesion: Suitable for large glass panels and various materials.
- Excellent waterproofing: High water resistance, ideal for long-term immersion environments.
- Weather resistance: Resists UV rays, ozone, and extreme temperature changes, making it suitable for indoor and outdoor use while maintaining bonding strength and elasticity over time.

MAIN USES:

High-end doors and windows, aquariums, public aquariums, glass counters, etc., and the bonding and sealing of projects such as bathtub, glass components engineering, large plate glass, point-supported glass, skylights, and more.



100%
Silicone

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 998

CAPACITY: 260ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: Glossy Black, Translucent, Glossy White

SIMIADO S650 Two-component silicone sealant for insulating glass

Aging
resistance

High
modulus

Strong
adhesion

eco-
friendly

PRODUCT FEATURES:

This product is a two-component, neutral cure silicone sealant, formulated to offer high modulus and high strength to meet the assembly requirements of insulating glass. In addition to the excellent weather resistance, high/low temperature resistance, and good adhesion properties typical of regular silicone sealants, it also features low permeability.

MAIN USES:

Non-structural secondary sealing for insulating glass, enhancing the stability and durability of the insulating glass units. Sealing and bonding for curtain walls, windows and doors, as well as interior decorative glass. Sealing and bonding for other glass products.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S650

CAPACITY: Component A 190L/Component B 19L


SHELF LIFE: 12 months

PACKAGING : component A iron drum/component B plastic drum

COLOR: Component A is white/Component B is black



SIMIADO S660 Two-component silicone structural sealant for insulating glass



PRODUCT FEATURES:

This product is a two-component silicone structural sealant, specifically designed for the structural assembly of insulating glass. It is a high-performance, neutral cure building sealant with excellent adhesion, and once cured, it offers outstanding weather resistance, UV resistance, and high/low-temperature performance.

MAIN USES:

Suitable for structural insulating glass assembly requiring high strength and stability, ensuring the safety and durability of the glass units. Sealing and bonding for curtain walls, windows and doors, as well as interior decorative glass.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S660

CAPACITY: Component A 190L/Component B 19L

SHELF LIFE: 12 months

PACKAGING : component A iron drum/
component B plastic drum

COLOR: Component A is white/
Component B is black

SIMIADO S690 Two-Component Silicone Structural Sealant for Curtain Walls

- Stable viscosity
- High modulus
- Strong adhesion
- eco-friendly

PRODUCT FEATURES:

This product is a two-component, neutral, room-temperature-curing, high-modulus silicone structural adhesive with excellent adhesion. It bonds well to materials such as glass and aluminum after curing, offering stable viscosity and smooth extrusion. Ideal for efficient application with fully automated two-component sealing machines.

MAIN USES:

It is suitable for high-strength and high-stability bonding between glass and metal frames in curtain wall systems, ensuring the safety, durability, and aesthetics of the curtain wall structure.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S690

CAPACITY: Component A 190L/Component B 19L

SHELF LIFE: 12 months

PACKAGING : component A iron drum/component B plastic drum

COLOR: Component A is white/Component B is black



SIMIADO Epoxy AB

Two-Component planting adhesive

ECO-
friendly

Low odor

fast
curing

Strong
adhesion

PRODUCT FEATURES:

The rebar anchoring adhesive offers high bonding strength, excellent durability, seismic performance, and low shrinkage. It cures quickly, is easy to apply, and is environmentally friendly, non-toxic, and low in odor, making it ideal for anchoring in buildings, bridges, tunnels, and other projects.

MAIN USES:

It is used for building reinforcement, repairing aging structures, seismic strengthening, reinforcing support systems in civil engineering, and securely connecting steel structures or precast components to concrete. It effectively enhances the load-bearing capacity, stability, and seismic performance of the structure.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: epoxy planting adhesive

CAPACITY: 360ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 30 pieces per box

DIMENSIONS PER BOX: 395mm x 270mm x 270mm

COLOR: Red



SIMIADO CP660 Two-component waterproof and fireproof foam sealant



Crack
Filling

Moldable
Structure

Heatproof

Sealing
Waterproof

PRODUCT FEATURES:

- Excellent fire resistance, prevents flame spread.
- Strong waterproof sealing, ideal for damp or outdoor use.
- High expansion rate, stable foam with no shrinkage.
- Strong adhesion to various materials.
- Thermal and sound insulation for energy efficiency.

MAIN USES:

- Effectively seals holes in cabinets, pipelines, walls, and cable entries.
- Provides sealing and thermal insulation for various pipelines.
- Fills wall cracks and seals gaps around HVAC, electrical, doors, and windows.
- Blocks gaps in buildings and roofs to prevent water leakage.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: CP660

CAPACITY: 400ml each

SHELF LIFE: 10 months

NUMBER OF BOXES: 20 pieces per box

COLOR: Red, blue

SIMIADO 150B

MS Sealant for Backing Boards

Fast
Curing

High
Toughness

Reliable
Sealing

Strong
adhesion

PRODUCT FEATURES :

- Superior bonding performance on various surfaces.
- Quick setting for improved efficiency.
- Enhanced resilience for long-term use.
- Provides lasting airtight and watertight protection.
- Stands the test of time without cracking or aging.

MAIN USES :

Suitable for indoor and outdoor joint filling, sealing, and waterproofing between various materials—ideal for use with wood veneer panels, decorative wall boards, feature walls, gypsum partitions, folding doors, and office partition systems.



PRODUCT PARAMETERS

BRAND : SIMIADO

MODEL : 150B

CAPACITY : 600ml each

SHELF LIFE : 12 months

NUMBER OF BOXES : 20 pieces per box

COLOR : black, White, gray

SIMIADO HI-TEMP RTV SILICONE



- WaterProof
- High elasticity
- High modulus
- Strong adhesion

PRODUCT FEATURES:
High-viscosity structural adhesive that can withstand 25% displacement capacity at seams. SMA-995 is a one-component, neutral room temperature, high-modulus silicone sealant that is easy to use, has the characteristics of high elasticity and aging resistance

MAIN USES:
Ideal for high-temperature sealing and repair in automobiles, industrial machinery, kitchen appliances, and electronic or construction installations. Commonly applied to valve covers, exhaust systems, ovens, and stoves.

PRODUCT PARAMETERS
BRAND: SIMIADO
MODEL: HI-TEMP RTV SILICONE
CAPACITY: 35g each & 85g each
SHELF LIFE: 16 months
NUMBER OF BOXES:
12 PCS/BOX, 12 BOXES/CARTON
12 PCS/BOX, 20 BOXES/CARTON
COLOR: Black, white, gray, transparent, red, blue

SIMIADO S29 Polyurethane Automotive Body Sealant

High
elongation

Vibration
resistant

Non
cracking

Eco
friendly

PRODUCT FEATURES :

Polyurethane automotive body sealant offers high elasticity, strong adhesion, and excellent vibration resistance. It provides effective waterproofing, dustproofing, and corrosion protection, performs well in various weather conditions, is environmentally friendly and odor-free, and can be painted after curing.

MAIN USES :

Widely used in automotive manufacturing and repair for sealing body seams, edges, and joints, providing waterproofing, anti-rust protection, and reliable sealing for various vehicles.



PRODUCT PARAMETERS

BRAND : SIMIADO


MODEL : S29

CAPACITY : 590ml each

SHELF LIFE : 12 months

NUMBER OF BOXES : 20 pieces per box

COLOR : black, White, gray



SIMIADO PUR189 Solvent-free Woodworking Adhesive



Solvent
free

Fast
drying

Moisture
resistant

High
Adhesion

PRODUCT FEATURES:

- Solvent-free – eco-friendly & safe
- Fast-drying – boosts efficiency
- Moisture-resistant – works in damp conditions
- Sandable & paintable – easy to finish
- High adhesion – bonds strongly to multiple materials

MAIN USES:

Suitable for bonding various substrates such as hardwood, asbestos cement, metal, laminate, plastic, PVC, and fiberglass. At least one substrate should be porous. It is especially ideal for wood structures and multi-material assemblies requiring excellent water resistance and durability under high and low temperatures.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: PUR189

CAPACITY: 125ml each、250ml each、
500ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: Carton Packaging

COLOR: Brown

SIMIADO S29 Polyurethane Automotive Body Sealant

High
elongation

Vibration
resistant

Non
cracking

Eco
friendly

PRODUCT FEATURES :

Polyurethane automotive body sealant offers high elasticity, strong adhesion, and excellent vibration resistance. It provides effective waterproofing, dustproofing, and corrosion protection, performs well in various weather conditions, is environmentally friendly and odor-free, and can be painted after curing.

MAIN USES :

Widely used in automotive manufacturing and repair for sealing body seams, edges, and joints, providing waterproofing, anti-rust protection, and reliable sealing for various vehicles.



PRODUCT PARAMETERS

BRAND : SIMIADO

MODEL : S29

CAPACITY : 300ml each

SHELF LIFE : 12 months

NUMBER OF BOXES : 24 pieces per box

COLOR : black, White, gray

SIMIADO S 131 High Performance MS Sealant



Odor-free

Solvent
free

Formaldehyde
free

Non
corrosive

PRODUCT FEATURES:

- Odor-free, More comfortable to use with no irritation.
- Solvent-free, Eco-friendly and safe, with no harmful vapors.
- Formaldehyde-free, Safe for users and suitable for indoor applications.
- Non-corrosive, Does not corrode glass, crystal, or similar materials and leaves no marks.

MAIN USES:

Suitable for assembling and fixing glass bricks and crystal bricks. Widely used for cabinets, bathroom fixtures, display cases, and crafts, with strong adhesion to glass, ceramics, metal, and some plastics. Features clear, no-trace bonding and excellent weather resistance, ideal for long-term indoor and outdoor use.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: S 131

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: Transparent

SIMIADO 8.1 Expanded Fireproof Sealant

Fire
resistant

Strong
sealing

CCS
certified

Eco
friendly

PRODUCT FEATURES :

- Intumescent fire protection: Expands when exposed to heat to block flames and smoke.
- Strong sealing performance: Suitable for various gaps and pipe penetrations.
- Compatible with multiple materials: Works with cables, steel pipes, plastic pipes, and HVAC ducts.
- For building and marine use: Certified by CCS .
- Safe and reliable: Passed ROHS testing.

MAIN USES :

This product is widely used for sealing building shafts, wall openings, electrical panels, cable penetrations or bundles, insulated or non-insulated steel pipes, plastic pipes ≤ 50 mm, and HVAC duct gaps. It is also suitable for the shipbuilding and marine industry, effectively sealing cabin openings, equipment perimeters, and various pipe penetrations.

PRODUCT PARAMETERS

BRAND : SIMIADO

MODEL : 8.1

CAPACITY : 300ml each

SHELF LIFE : 12 months

NUMBER OF BOXES : 24 pieces per box

COLOR : Red



SIMIADO D4 Marine-grade Polyurethane Adhesive



Waterproof

Eco
friendly

Corrosion
resistant

Strong
Adhesion

PRODUCT FEATURES:

This adhesive offers strong bonding on various marine materials, excellent resistance to seawater and salt spray, outstanding weatherability, high elasticity for shock absorption, superior waterproof sealing, low odor with low/zero VOCs, and is certified by classification societies.

MAIN USES:

Used for structural bonding of wood, asbestos cement, metal, laminates, various plastic materials, polyurethane PVC, fiberglass, polystyrene sandwich panels, and various coated substrates.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: D4

CAPACITY: 500ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: Brown

SIMIADO A500

Silicone Oxime Cure Sealant

Non
corrosive

Strong
sealing

Weather
resistant

Eco
friendly

PRODUCT FEATURES :

Silicone oxime cure sealant: neutral, eco-friendly, non-corrosive, excellent weather, water, and mold resistance, highly elastic, strong adhesion to various building materials, suitable for humid environments, and cures at room temperature for easy application.

MAIN USES :

Widely suitable for home and construction applications such as waterproofing, anti-mold sealing, edge sealing, and gap filling for windows, doors, kitchens, and bathrooms, as well as bonding wood veneers. Also adaptable for multi-industry sealing and bonding needs, including fabric lamination in textiles, leather bonding in footwear, and various packaging sealing applications.

PRODUCT PARAMETERS

BRAND : SIMIADO

MODEL : A500

CAPACITY : 300ml each


SHELF LIFE : 12 months

NUMBER OF BOXES : 24 pieces per box

COLOR : White, Black, Gray, Transparent, Custom Colors



SIMIADO MFC150 Adhesive for Melamine-Faced Panels



PRODUCT FEATURES:

- Heat-resistant, suitable for hot-pressing
- High bonding strength, resists delamination
- Fast curing for high production efficiency
- Low or zero formaldehyde emission—eco-friendly
- Excellent compatibility with melamine-impregnated paper
- Good water resistance and storage stability

MAIN USES:

Suitable for bonding and edge sealing melamine-faced, pre-laminated, and eco-boards. Bonds well with wood, aluminum, stainless steel, and PVC. Offers strong adhesion on cabinets, doors, and wall panels, with flexibility and moisture resistance for indoor use.

PRODUCT PARAMETERS

BRAND: SIMIADO
MODEL: MFC150
CAPACITY: 590ml each
SHELF LIFE: 12 months
NUMBER OF BOXES: 20 pieces per box
COLOR: Black, White, Gray

SIMIADO A300

Acid-cure silicone sealant

Waterproof

Strong
sealing

Weather
resistant

Fast
curing

PRODUCT FEATURES :

- Cures with moisture, releasing acetic acid (acidic).
- Strong adhesion to glass, metal, ceramic, and glazed tiles.
- Fast curing, especially in humid conditions.
- Excellent weather resistance, with strong UV and aging resistance.

MAIN USES :

Bonding and sealing for architectural windows and doors, sunrooms, skylights, and various aluminum or PVC window and door systems; also used for joint waterproofing of exterior wall cladding panels and metal components.

PRODUCT PARAMETERS

BRAND : SIMIADO


MODEL : A300

CAPACITY : 300ml each

SHELF LIFE : 12 months


NUMBER OF BOXES : 24 pieces per box

COLOR : Transparent, Milky white, Black



SIMIADO 150N

UV High-Gloss Panel Adhesive



Non
yellowing

Good
flexibility

Strong
adhesion

Eco
friendly

PRODUCT FEATURES:

- Strong adhesion: Excellent bonding to UV-coated panels, wood, metal, plastic, and other substrates.
- Low shrinkage / no warping: Minimal shrinkage after curing prevents panel warping or cracking.
- Good flexibility: Elastic enough to absorb thermal expansion and contraction stresses, preventing delamination.
- Non-yellowing: Resists discoloration over time, maintaining a bright, high-gloss finish.

MAIN USES:

UV high-gloss panel adhesive offers high clarity and strong adhesion to UV-coated panels, wood, metal, and more. It features low shrinkage, flexibility to resist delamination, adjustable fast curing, excellent yellowing resistance, and low odor—making it ideal for seamless bonding and sealing in premium interior applications.

PRODUCT PARAMETERS

BRAND: SIMIADO

MODEL: 150N

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

COLOR: Black, White, Gray

MILANSCLE nail-free adhesive

rapid-cure strong adhesive



Waterproof

NON-TOXIC

Rapid
Drying

Strong
adhesion

PRODUCT FEATURES:

This is a high-performance nail-free adhesive product with acidic and quick drying, extremely strong adhesion, wide substrate adaptability, wet wood bonding ability, flexibility and weather resistance, waterproof and non-brittleness, and adaptation to the characteristics of building movements.

MAIN USES:

It is suitable for wood, doors and windows, gypsum board, MDF, stone, tile, metal, plastic, rubber and other material surfaces, showing extremely high material compatibility.

PRODUCT PARAMETERS

BRAND: MILANSCLE

MODEL: nail-free adhesive

CAPACITY: 310ml each

SHELF LIFE: 18 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 302mm x 204mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: white, beige

MILANSCLE XK88 Neutral silicone door and window exterior wall structural sealant

Waterproof

Mold-resistant

High-elasticity

Strong adhesion

PRODUCT FEATURES:

- It can withstand 25% joint displacement, and is suitable for pasting small exterior walls and stones.
- It is widely used in sun rooms, doors and windows and metal, and has strong compatibility.
- Stable sealing under extreme weather and ultraviolet rays, long-lasting and effective.
- It integrates the functions of caulking, bonding and sealing to improve construction efficiency.
- Stable performance and long-lasting durability.

MAIN USES:

Bonding, caulking and sealing of exterior wall projects such as various sunshine rooms, all kinds of canopies, dry-hung stone glass lighting roofs, point glass, aluminum-plastic panels, etc



PRODUCT PARAMETERS

BRAND: MILANSCLE

MODEL: XK88

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 33 (cm) /each

COLOR: transparent, black, and other colors

100%
Silicone

MILANSCLE 8-second super fast setting adhesive



Waterproof

Good
sealing

Rapid
Curing

Strong
adhesion

PRODUCT FEATURES:

Positioning adhesive 2.0 upgraded version is a high-performance quick-drying positioning adhesive designed for advertising production and installation industry, with its 8-second positioning, colorless and transparent, highly targeted professional use and wide applicability to a variety of advertising materials, it provides an efficient and convenient bonding solution for the rapid and accurate installation and production of advertising products such as luminous words, signs, light boxes, etc.

MAIN USES:

It is suitable for the bonding, installation and production of advertising words, nameplates, signs, light boxes, PVC boards, etc. It is also widely used in the installation of plates, ceiling materials, decorative moldings, baseboards, etc.

PRODUCT PARAMETERS

BRAND: MILANSCLE

MODEL: 8-second super fast setting adhesive

CAPACITY: 310ml each

SHELF LIFE: 24 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 302mm x 204mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent

Strong
adhesion

MILANSCL 7132 Special sealant for large plate glass fish tank

Fast
curing

Bubble-
free

Waterproof

Strong
adhesion

PRODUCT FEATURES:

Fast curing improves efficiency, no bubbles to ensure beautiful sealing, anti-aging, color and quality retention, strong adhesion reinforcement and waterproofing, automatic vulcanization becomes tough when exposed to water, showing excellent silicone performance.

MAIN USES:

Manufacturing of high-end doors and windows, fish tanks, aquariums, glass display cases, as well as the fabrication of bathtubs, glass structures, large panel glass, point-supported glass, and skylights, along with bonding and sealing for these applications.



PRODUCT PARAMETERS

BRAND: MILANSCL

MODEL: 7132

CAPACITY: 260ml/300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 21 (cm) / 4 x 22 (cm) / each

COLOR: porcelain white, translucent, glossy black

100%
Silicone



MILANSCLE 1 second positioning advertising word special adhesive



Waterproof

Good
sealing

Rapid
Curing

Strong
adhesion

PRODUCT FEATURES:

Advertising word special adhesive is a set of fast positioning, fast drying, high-strength bonding, convenient construction, safe and environmental protection, cost-effective and many other advantages in one of the special adhesive, especially suitable for the advertising installation industry for the installation of high requirements for installation speed, effect stability and cost-effectiveness.

MAIN USES:

Designed with the unique needs of the advertising installation sector in mind, our Advertising Letter Special Adhesive serves as the ideal bonding solution for securing an array of signage materials – from acrylic and PVC letters, through carved and crystal designs, to sturdy metal fonts – all securely mounted onto backdrop walls and prominent signages.

PRODUCT PARAMETERS

BRAND: MILANSCLE

MODEL: advertising adhesive

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 290mm x 200mm x 240mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent

MILANSCLE XK88 neutral silicone door and window exterior wall structural sealant

Waterproof

Mold-
resistant

High-
elasticity

Strong
adhesion

PRODUCT FEATURES:

- It can withstand 25% joint displacement, and is suitable for pasting small exterior walls and stones.
- It is widely used in sun rooms, doors and windows and metal, and has strong compatibility.
- Stable sealing under extreme weather and ultraviolet rays, long-lasting and effective.
- It integrates the functions of caulking, bonding and sealing to improve construction efficiency.
- Stable performance and long-lasting durability.

MAIN USES:

Bonding, caulking and sealing of exterior wall projects such as various sunshine rooms, all kinds of canopies, dry-hung stone glass lighting roofs, point glass, aluminum-plastic panels, etc

PRODUCT PARAMETERS

BRAND: MILANSCLE

MODEL: XK88

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) / each

COLOR: black, Porcelain white



100%
Silicone

MILANSCL Weather-resistant Sealant for Hundred-story Curtain Walls



Waterproof

Good sealing

Mold-resistant

Strong adhesion

PRODUCT FEATURES:

- Excellent weather resistance: Effectively resist extreme weather and strong ultraviolet rays to ensure long-term sealing stability and good appearance.
- Strong waterproofing: Efficient anti-seepage, keep the structure dry, prevent moisture-induced corrosion and thermal insulation attenuation.

MAIN USES:

It is specially designed for the weather-resistant sealing design of point glass curtain wall, stone curtain wall, aluminum plate curtain wall, large exterior wall, large sun room, glass lighting roof and other construction projects, with strong pertinence.

PRODUCT PARAMETERS

- BRAND: MILANSCL
- MODEL: silicone sealant
- CAPACITY: 590ml each
- SHELF LIFE: 12 months
- NUMBER OF BOXES: 20 pieces per box
- DIMENSIONS PER BOX: 360mm x 244mm x 194mm
- PRODUCT DIMENSIONS: 4 x 36 (cm) /each
- COLOR: black, Porcelain white



MILANSICLE 168 Gold Medal Neutral Silicone mildew proof Sealant

Waterproof

Mold-
resistant

Fast
curing

Strong
adhesion

PRODUCT FEATURES:

- $\pm 35\%$ Joint movement capability with superior elasticity and adaptability.
- Eco-safe, emitting no harmful substances during curing
- Provides strong adhesion for reliable bonding of diverse materials.
- Excelled in water resistance, maintaining seals in damp conditions.
- Resists chemical corrosion, retaining stability in specific chemical environments.

MAIN USES:

- Sealing and caulking applications in a variety of projects including aluminum window and door curtain walls, dry-hung stone curtain wall projects, precast concrete panel constructions, and more.
- Joint sealing in tunnel and road construction projects where concrete expansion joints are present. Suitable for a wide range of industrial sealing purposes.
- Bonding and joint sealing in ceramic tile installations.
- Sealing of joints between stone and other materials such as glass, metal, and plastic.

PRODUCT PARAMETERS

BRAND: MILANSICLE

MODEL: 168

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 36 (cm) / each

COLOR: white, black, grey, and other colors



100%
Silicone

MILANSCLÉ hundred-story curtain wall structural sealant



Waterproof

Good
sealing

High
modulus

Strong
adhesion

PRODUCT FEATURES:

- $\pm 50\%$ Joint movement capability with superior elasticity and adaptability.
- Excellent adhesion: Firmly bonded to curtain wall materials to ensure structural stability.
- Excellent sealing: effective waterproofing, air insulation, and maintaining curtain wall insulation, sound insulation and wind resistance.

MAIN USES:

It is specially designed for curtain wall projects such as point glass curtain wall, aluminum curtain wall, large sun room, glass roof, stone curtain wall, large exterior wall, etc., with strong pertinence and meets the high-strength bonding and sealing needs of specific building structures.

PRODUCT PARAMETERS

BRAND: MILANSCLÉ

MODEL: silicone sealant

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 36 (cm) / each

COLOR: black

MILANSCL 168 Gold Medal Neutral Silicone mildew proof Sealant

Waterproof

Mold-
resistant

Fast
curing

Strong
adhesion

PRODUCT FEATURES:

- $\pm 35\%$ Joint movement capability with superior elasticity and adaptability.
- Eco-safe, emitting no harmful substances during curing
- Provides strong adhesion for reliable bonding of diverse materials.
- Excelled in water resistance, maintaining seals in damp conditions.
- Resists chemical corrosion, retaining stability in specific chemical environments.

MAIN USES:

- Sealing and caulking applications in a variety of projects including aluminum window and door curtain walls, dry-hung stone curtain wall projects, precast concrete panel constructions, and more.
- Joint sealing in tunnel and road construction projects where concrete expansion joints are present. Suitable for a wide range of industrial sealing purposes.
- Bonding and joint sealing in ceramic tile installations.
- Sealing of joints between stone and other materials such as glass, metal, and plastic.

PRODUCT PARAMETERS

BRAND: MILANSCL

MODEL: 168

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) / each

COLOR: Translucent, black, and other colors



100%
Silicone

MILANSCLE Two-Component Ceramic Tile Gap Filler



Waterproof

No fading

Non-shrinking

oil Proof

PRODUCT FEATURES:

- Hard as porcelain without shrinkage
- No fading scrub resistance
- Rich in color and lustrous
- Mildew proof waterproof oil Proof and antifouling

MAIN USES:

High-end star-rated hotels, bathroom projects, premium cabinet projects, tiles, mosaics, high-grade stone, sanitary ware, toilets, washbasins, glass, aluminum panels, and other materials for mold-proof gap decoration and sealing.

PRODUCT PARAMETERS

BRAND: MILANSCLE

MODEL: Two-Component Ceramic Tile Gap Filler

CAPACITY: 400ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

COLOR: Full color, multiple colors

BG SIDUN 2.0

Intumescent Fireproof Sealant



fireproof

ECO-
friendly

weathering
resistance

heat
resistant

PRODUCT FEATURES:

- Rapidly forms a dense insulating layer under high temperatures, effectively inhibiting the spread of fire.
- Exhibits outstanding adhesion to a variety of substrates, including concrete and metal.
- Resistant to UV rays, waterproof and moisture-proof, suitable for both indoor and outdoor environments.
- Environmentally friendly and non-toxic, producing minimal smoke upon burning, posing little harm to people and the environment.

MAIN USES:

- Sealing gaps and holes in buildings to improve fire protection ratings.
- Fireproofing cable trays and cable penetrations to prevent the extension of fire along cable routes.
- Protecting critical equipment in industries such as chemicals, power, and metallurgy from fire damage.
- Fire-sealing in transportation vehicles like airplanes, ships, and subways to ensure passenger safety.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 2.0

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: red

BG SIDUN 1077

Mildew Proof Sealant

Antibacterial

Mold-resistant

Odorless Paint

Strong adhesion

PRODUCT FEATURES:

This is a premium grouting product that combines mold resistance, antibacterial properties, odor elimination, broad applicability, and superior leveling characteristics. It is specifically designed to create a clean, healthy, and beautiful living environment, making it particularly suitable for users who have high requirements for home sanitation and air quality.

MAIN USES:

It is suitable for trimming and caulking of various materials such as floor tiles, wall tiles, porcelain tiles, wood grain tiles, etc., showing excellent material compatibility.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 1077

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) / each

COLOR: transparent, black, and other colors

BG SIDUN 3.1 silicone-free high temperature fire-resistant 1280°C sealant



fireproof

Good
sealing

Silicone-
free

Heat
Resistant

PRODUCT FEATURES:

- High-Temperature Stability: Remains stable in extreme conditions up to 800° C, far exceeding standard products.
- Safety Protection: Effectively halts fire sources and smoke, safeguarding personnel and building safety.
- Silicone-Free Advantage: Broadly applicable, reducing potential negative impacts.

MAIN USES:

Primarily serving the industrial sector, it is suitable for fireproof and dustproof workshops, fireproof doors and windows, specific curtain walls of high-rise buildings, and other places requiring strict fireproof isolation. It ensures the maintenance of sealing effect under fire conditions to prevent the leakage of high-temperature gases.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 3.1

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: white, black, grey

BG SIDUN PU288

two-part corner bond adhesive

eco-
friendly

highly
elastic

weather-
resistant

Strong
adhesion

PRODUCT FEATURES:

PU288 two-component corner adhesive is a high-performance adhesive used in the door and window industry, which includes solvent-free, high strength, good weather resistance, elasticity, special angle composition, odorless, easy to use, long storage period and fast curing. It is ideal for the manufacture of windows and doors.

MAIN USES:

Suitable for bonding aluminum alloy corner codes in aluminum alloy window and door production, stair manufacturing, the construction industry, and various assembly bonding applications in different industrial fields.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 288

CAPACITY: 600ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 10 pieces per box

DIMENSIONS PER BOX: 255mm x 250mm x 275mm

PRODUCT DIMENSIONS: 9 x 25 (cm) /each

COLOR: transparent



BG SIDUN PU88 polyurethane corner bonding adhesive



ECO-
friendly

Weather
Resistance

Good
sealing

Strong
adhesion

PRODUCT FEATURES:

Robust chemical resistance ensures lasting stability against corrosive agents around mirrors; secure bonding promises enduring safety and usability; alcohol-based neutral curing is environmentally safe, emitting no offensive odors, gentle on surroundings; retains adhesion at high temperatures, fitting for mirror installations near heat sources or in hot climates.

MAIN USES:

It is suitable for the structural bonding of the corners of doors and windows such as broken bridge thermal insulation aluminum alloy, plastic steel co-extrusion profiles, wood-aluminum composite, metal curtain wall, conventional aluminum alloy wood-aluminum, etc.; Elastic bonding of passenger cars, trains, trucks, etc.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: pu88

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent

BG SIDUN 109 neutral silicone sealant

eco-
friendly

watertight

Does
not corrode

Strong
adhesion

PRODUCT FEATURES:

Strong and durable bonding, suitable for a variety of materials, to ensure that the mirror is stable, non-corrosive, to protect the safety of materials, green and odorless: to ensure that the indoor air is fresh, waterproof and moisture-proof, heat-resistant and stable, adaptable to high-temperature environment, durable.

MAIN USES:

It is specially designed for pasting and fixing all kinds of mirrors, with strong pertinence, and is also suitable for environmental caulking in kitchens and bathrooms to ensure the safety and beauty of mirror installation.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 109

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 320mm x 210mm x 250mm

PRODUCT DIMENSIONS: 4 x 22 (cm) / each

COLOR: transparent



BG SIDUN 3.0 fireproof flame retardant high temperature sealant



fireproof

good
sealing

weathering
resistance

heat
resistant

PRODUCT FEATURES:

- Fire Retardant: Combats flames, slows fire spread.
- Smoke Suppression: Minimizes smoke, reduces risks.
- Heat Resistance: Maintains stability, prevents heat-induced deformation.
- Sealing Performance: Blocks smoke, gases, and moisture.

MAIN USES:

Suitable for adhesive and flame retardant sealing of various fireproof doors and windows, as well as between layers in curtain wall engineering. Ideal for the flame retardant sealing during the installation of different types of doors and windows, fixation and flame retardant sealing of electronic and electrical components. Additionally, it provides essential fireproof and moisture-proof sealing solutions for public venues.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 3.0

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 310mm x 210mm x 250mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: white, black, grey, red, transparent

850°F RTV
High Heat

BG SIDUN 108 kitchen and bathroom specialized silicone anti-mold sealant

mold-resistant

watertight

weather resistant

Good sealing

PRODUCT FEATURES:

Engineered to tackle mold issues in humid environments, this high-performance sealant boasts a specialized anti-mold formula, broad material compatibility, superior heat and water resistance, and versatility across various applications. It serves as an ideal solution for mold prevention in home renovations and commercial projects, ensuring long-lasting cleanliness and hygiene in kitchens, bathrooms, and other damp areas.

MAIN USES:

- Installation and waterproof sealing for kitchen appliances, bathroom fixtures, and general sanitary ware.
- Utilization in sealing seams and joints on diverse substrates including concrete, glass, marble, aluminum panels, and metals.
- Applicable for the installation of glass in various types of doors and windows.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 108

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 320mm x 210mm x 250mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, Porcelain white

BG SIDUN high magic temperature 500°C food grade high temperature resistant sealant



Food
grade

Heat
Resistant

Fireproof

Good
Sealing

PRODUCT FEATURES:

- Extreme Heat Resistance: Withstands 500° C, ensuring sealing effectiveness.
- Broad Application: Covers industries to households, showcasing versatility.
- Cross-Material Compatibility: Adapts to various materials, demonstrating flexibility.
- Fire-Retardant Safety: Enhances fire protection, securing stable high-temperature sealing.

MAIN USES:

Seal and repair leaks in steam and hot oil pipelines, corrosion and scoring in engine cylinder bodies, edge corrosion and air leakage at the end sealing surfaces of papermaking cylinders, and repairs to plastic molding molds; seal and stop leaks in flat surfaces, flanges, hydraulic systems, threaded connections of various machine tools, textile machinery, construction machinery; and seal and bond electrical equipment.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: silicone sealant

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, black, grey

BG SIDUN 817 polyurethane adhesive

Good
sealing

eco-
friendly

Strong
adhesion

Fast
curing

PRODUCT FEATURES:

Tough bonding and sealing ensure robust connections and waterproof integrity between diverse materials, reinforcing the structural stability of installations. A rapid 3-hour cure significantly reduces downtime, enhancing work efficiency and accelerating project completion, making it a high-performance adhesive solution for a wide range of installation applications.

MAIN USES:

Bathroom hardware installation, mirror frame installation, strong bonding and sealing of glass mirrors, wood, plastic, cement, and various metals. It is also suitable for quick bonding of plates, insulation boards, decorative panels, and baseboards in construction.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 817

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 310mm x 210mm x 250mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: brown



BG SIDUN PAX212

Non-Silicone Sealant



ECO-
friendly

Weather
Resistance

Good
sealing

Strong
adhesion

PRODUCT FEATURES:

This sealant, formulated without silicone, avoids potential incompatibility issues common with silicone-based sealants. It excels in bonding a variety of materials, demonstrating superior compatibility to meet diverse industrial needs. Simultaneously, it is widely favored in environmental protection, chemical engineering, and waterproofing sectors due to its distinctive advantages.

MAIN USES:

Suitable for bonding and sealing between various materials such as metal to metal, metal to glass, and plastic to metal, it is also applied in a wide range of industrial settings including machinery equipment, electronic appliances, automobiles, ships, cleanrooms, dust-free clean rooms, coating production lines, painting workshops, spray booths, purification equipment, paint baking facilities, air conditioning ducts, and electrical cabinets.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: PAX212

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 330mm x 220mm x 267mm

PRODUCT DIMENSIONS: 4 x 28 (cm) /each

COLOR: grey, white

BG SIDUN 2K Neutral silicone high-temperature sealant

Good
sealing

heat
resistant

Strong
adhesion

Fast
curing

PRODUCT FEATURES:

- Dual Component: Superior performance and broad applicability.
- Rapid Cure: Full cure in 2 hours, maximizing efficiency.
- High-Temperature Resistance: Effective up to 500° C.
- Reliable Sealing: Ensures safety and operational stability.
- Versatile Use: Strongly adaptable in complex industrial settings, from aerospace to construction machinery.

MAIN USES:

Steam, hot oil pipes, engines, papermaking flood cylinders, plastic molds, machine tools, textile machinery, construction machinery, flanges, hydraulic systems, internal combustion engine cylinder heads, valve covers, oil pans, high-pressure oil pipes, automobile gearboxes, rear axle housings, gasoline engines, thermostat bottoms, oil pumps, water pumps, oil filters, etc.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 2K

CAPACITY: 600ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: black, white, grey



BG SIDUN 3.0A

intumescent fireproof sealant



fireproof

Good
sealing

Rapid
expansion

Heat
Resistant

PRODUCT FEATURES:

Rapidly expanding upon fire exposure, creating a protective thermal barrier. Ensures a minimum 3-hour fire resistance. UV resistant, waterproof, and temperature-stable. Non-corrosive to building materials and cables. Maintains long-term air-tight and water-tight seals. Environmentally formulated, low-smoke producing. Some products recover original shape post-expansion.

MAIN USES:

Fire-rated door frames, shafts, panel cabinets, cable penetrations through walls, steel pipes with thermal insulation layers, gaps at points where copper pipes penetrate, gaps at points where cable bundles penetrate, gaps at points where plastic pipes penetrate ($\leq 50\text{mm}$), and gaps at points where HVAC ducts penetrate.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 3.0A

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 240mm x 200mm

COLOR: red

Rapid
expansion

BG SIDUN 113 metal self-leveling sealant

watertight

Weather-resistant

Strong adhesion

paintable

PRODUCT FEATURES:

- Self-penetrating Sealing: Automatically penetrates into minute gaps (<1mm) and small clearances (<3mm) on metal surfaces, forming an even and smooth sealing layer.
- Strong Adhesion: Exhibits excellent bonding strength on metal surfaces, ensuring stable and lasting seals.
- Weather Resistance: Resistant to UV rays, temperature and humidity changes, maintaining long-term sealing performance.
- Paintability: The surface can be painted after curing, facilitating color coordination and enhancing aesthetics.

MAIN USES:

- Gaps in Aluminum Alloy Windows and Doors
- Mechanical Components
- Metal Corner Brackets
- Structural Gaps
- Hardware Fittings

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 113

CAPACITY: 150ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: black, Porcelain white, transparent



BG SIDUN 99 Anti-Mildew Sealant (Kitchen and Bathroom Special)



watertight

Mold-
resistant

Good
sealing

Strong
adhesion

PRODUCT FEATURES:

- Purity & Elegance: Impurity-free, smooth and glossy, elevating decorative quality.
- Mold-Resistant & Healthy: Creates a dry, mold-free living space, safeguarding family health.
- Strong Bonding & Durability: Combines superior waterproofing with strong adhesion, ensuring long-lasting, leak-proof protection.

MAIN USES:

Applicable for toilets, washbasins, bathtubs, and around wall corners, effectively inhibiting mold growth, achieving waterproofing and preventing leaks, thus enhancing the sanitary environment.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 99

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: transparent, porcelain white

BG SIDUN Two-Component Polyurea Beauty sewing agent

watertight

Mold-resistant

Strong adhesion

No cracking

PRODUCT FEATURES:

- Durable & Easy Maintenance: Resists yellowing, stains, and wear, easy to clean.
- High-Quality Adhesive: Pure, strong bond, flexible, prevents cracking.
- Enhanced Living Experience: Comfortable, reassuring daily use.
- Trusted Brand: Commits to premium, reliable products.

MAIN USES:

This product is suitable for a variety of indoor decoration scenarios including wall tiles, flooring, window sills, balconies, bathrooms, showers, kitchen countertops, and more, covering the main areas of home renovation.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: Polyurea Beauty sewing agent

CAPACITY: 400ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 12 pieces per box

COLOR: black, white, transparent, and other colors



BG SIDUN PU299 single-component self-leveling polyurethane road crack sealant



watertight

No
cracking

Good
sealing

Oil-
resistant

PRODUCT FEATURES:

- Single-component polyurethane sealant, easy application, solvent-free, odorless and environmentally friendly after curing.
- Good fluidity, easy to use.
- Flexible, durable, crack-resistant, no delamination, strong seal and waterproof, high displacement, suitable for concrete pavements.
- Good compatibility with new and old sealants, easy to repair.
- Water, oil, acid and alkali, puncture-resistant.

MAIN USES:

- Sealing joints and gaps in building roofs and bathroom floors.
- Repairing cracks in highways, squares, roofs, bridges, and epoxy floors.
- Waterproof sealing of expansion joints and settlement joints in roads, airport runways, and basements.
- Repairing cracks in cement concrete pavements.
- Sealing treatment for pavement cutting joints.
- Waterproof sealing treatment for highway separation joints and cutting joints.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: PU299

CAPACITY: 18L each

SHELF LIFE: 8 months

OPERATING TEMPERATURE: 5°C–35°C

COLOR: grey

BG SIDUN 7132 specialized sealant for large plate glass aquariums

Fast
curing

High
toughness

Waterproof

Strong
adhesion

PRODUCT FEATURES:

- Excellent weather resistance: Superior aging resistance, maintaining good performance over time.
- Rapid drying and curing: Accelerates construction, minimizing downtime.
- High bonding strength: Suitable for various materials, providing safe seals.
- Long-lasting waterproofing: Continues to be waterproof even in damp environments.

MAIN USES:

Specially designed for aquarium and all-glass structure assembly, particularly suitable for high-end doors and windows, glass fish tanks, aquariums, glass countertops, bathtubs, glass component engineering, large glass panels, tiles, ceramic products, and similar production and installation.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 7132

CAPACITY: 300ml each

SHELF LIFE: 12 months


NUMBER OF BOXES: 24 pieces per box

COLOR: white, transparent

100%
Silicone



BG SIDUN BG-9X TUV Back Coating Installation Adhesive



PRODUCT FEATURES:

- Precise Positioning: Ensures accurate placement.
- High Strength: Provides secure bonding, resisting detachment.
- Rapid Cure: Reduces construction time, enabling quicker utilization.
- Safety & Eco-friendliness: Natural rubber base, harmless and environmentally friendly.
- Strong Adhesion: Specialized for advertising applications, delivering high efficiency and professionalism.

MAIN USES:

It is specially designed for the pasting and installation of acrylic UV spray signs, signs, acrylic words, chevrolet/PVC words, carved words/crystal words, background walls, metal words/signboard plates and KT advertising plates, with strong pertinence, covering a variety of application scenarios in the advertising and sign industry.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: BG-9X

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: transparent

BG SIDUN 101 neutral silicone weather-resistant sealant

Fast
curing

High
elasticity

Weather
resistance

Strong
adhesion

PRODUCT FEATURES:

This is a professional adhesive sealant suitable for a variety of building materials including glass, aluminum, aluminum composite panels, and stainless steel. It boasts broad applicability, superior bonding performance, high-quality gel consistency, excellent user experience, and advanced properties such as deep curing, high hardness, and wear-resistance. Designed to offer a specialized, efficient, aesthetic, and durable solution for architectural sealing needs.

MAIN USES:

Suitable for the bonding and sealing of various types of glass, aluminum, aluminum composite panels, architectural doors and windows, curtain walls, as well as stainless steel profiles. It also extends to other applicable areas, demonstrating a broad and professional adaptability to a variety of materials.



100%
Silicone

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 101

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: white, black, transparent, and other colors

BG SIDUN 7.0 Marine Deck Hardware Sealant



Waterproof

weather
resistance

Corrosion-
resistant

Strong
adhesion

PRODUCT FEATURES:

- Sea Water Corrosion Resistance: maintaining seal integrity in marine environments.
- Weather Resistance: Withstands sunlight, rain, wind, and temperature fluctuations.
- High Elasticity: Retains flexibility during deck expansion and contraction.
- Strong Adhesion: Adheres well to metal, wood, and fiberglass.
- Superior Waterproofing: Prevents moisture penetration, protecting the ship's structure.

MAIN USES:

Specifically designed for the unique conditions of marine vessels, it is suitable for a variety of marine applications including fiberglass decks and hulls, wood and fiberglass composites, porthole frames, hull seams, and bonding and sealing metal structures, demonstrating a high level of professional specificity.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 7.0

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: transparent, black, white

BG SIDUN CSS329 acrylic (plexiglass) plastic adhesive

Fast
curing

Low Odor

Weather
resistance

Strong
adhesion

PRODUCT FEATURES:

- Excellent Bonding Strength: Ensures strong and durable bonds.
- Special Material Bonding: Performs well on acrylic and other special materials.
- High Transparency: Remains highly transparent after curing.
- Fast Curing: Enhances production efficiency.
- Strong Weather Resistance: Maintains stable bonding performance under various environmental conditions.
- Low Odor: Environmentally friendly with low odor, suitable for indoor use.

MAIN USES:

It is widely applicable for bonding metals (such as steel, iron, copper, aluminum, galvanized and cadmium-plated materials, etc.), glass products, ceramics, marble, jade, wood, plexiglass, cement concrete, fiberglass, plastic products (except non-polar materials). It is used in fields such as optical instruments, meters, handicrafts, machinery processing, electronics, automobiles, textiles, household daily adhesion repair and other areas.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: css329

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: white, black, grey



BG SIDUN 5.0

polyurethane sealant for ships



Waterproof

weather
resistance

Corrosion-
resistant

Strong
adhesion

PRODUCT FEATURES:

Superior water and weather resistance suitable for harsh marine environments; High elasticity and strength to accommodate dynamic stresses and vibrations on ships; Rapid curing to expedite construction processes; Broad adhesion properties applicable to a variety of substrates; Chemical stability resistant to seawater, fuel, and oils; Environmental friendliness and biofouling resistance meeting environmental standards and preventing microbial growth.

MAIN USES:

Fiberglass decks and hulls, composite structures of wood and fiberglass, portlights and frames, hull seams, and bonding and sealing of metal structures.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 5.0

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: transparent, black, white

BG SIDUN 288

Self-leveling metal sealant

Corrosion-resistant

Fast curing

Strong adhesion

Low voc

PRODUCT FEATURES:

- Corrosion-resistant: Excellent corrosion resistance, suitable for various metal surfaces.
- Self-leveling: Good flowability, suitable for sealing irregular surfaces.
- High bonding strength: Strong adhesion, ensures long-lasting sealing.
- High temperature resistant: Maintains stability in high-temperature environments.
- Fast curing: Quick curing, improves construction efficiency.
- Environmentally friendly with low odor: Low odor during use, non-irritating, safe and environmentally friendly.

MAIN USES:

- Construction: Sealing and fixing doors, windows, curtain walls, and metal structures, especially for waterproof and leak-proof areas.
- Industrial: Sealing and bonding mechanical equipment, pipelines, and flange connections.
- Home Renovation: Sealing metal-to-metal or metal-to-other materials in wet environments like kitchens and bathrooms.
- Automotive: Sealing and bonding metal parts during vehicle manufacturing.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 288

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: black, white, grey, and other colors



BG SIDUN 600 odorless and efficient porcelain sewing crystals



- easy to clean
- Mold-resistant
- eco-friendly
- anti-yellowing

PRODUCT FEATURES:

- Anti-yellowing: Maintains original color over the long term, avoids discoloration caused by oxidation.
- Mold resistance and easy to clean: Effectively prevents mold growth, durable and easy to maintain.
- Environmentally friendly and safe: Paste-like consistency for easy application, free from harmful gases such as benzene and formaldehyde.
- Indoor air quality standard A+: Meets stringent indoor air quality standards, no health risks.

MAIN USES:

- Interior Decoration: Used for decorating walls, floors, ceilings, etc.
- Commercial Spaces: Used in malls, hotels, and other public areas to provide effective odor removal and stain resistance.
- Home Renovation: Applied in household kitchens, bathrooms, etc., to maintain freshness and ease of cleaning.
- Specialized Areas: Used in places like hospitals, laboratories, which demand high hygiene and durability.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 600/700

CAPACITY: 400ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 12 pieces per box

COLOR: Porcelain white, and other colors

BG SIDUN 6.0 automotive windshield polyurethane sealant

Weather-resistant

watertight

Strong adhesion

eco-friendly

PRODUCT FEATURES:

- High bonding strength: Firmly bonds the windshield to the vehicle body for long-lasting fixation.
- Excellent weather resistance: Resistant to aging, UV rays, and water, maintaining stable performance in various climates.
- Great elasticity: Adapts to vehicle vibrations and deformations, preventing glass breakage or detachment.
- Environmentally friendly and safe: Solvent-free formula, harmless to humans and the environment.

MAIN USES:

Specially formulated for the windshield sealing requirements of smaller vehicles such as cars and electric quads, it precisely meets the sealing demands of both windshield installation and repair on these types of vehicles.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 6.0

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: black



BG SIDUN 200

automotive windshield adhesives



Waterproof

Strong
adhesion

Weather-
resistant

Quick
drying

PRODUCT FEATURES:

High-performance bonding ensures that the glass is stable, adapts to high-speed and harsh conditions, cures quickly, improves efficiency, shortens waiting time, weather resistance, resists environmental changes, waterproof and sound insulation, environmental protection, reduces harmful substances, and protects environmental health.

MAIN USES:

Its utility is not confined merely to automobile front windshields; it has expanded to encompass a myriad of additional automotive glass sealing contexts, including roof sunroofs and rearview mirrors, thereby showcasing the product's extensive versatility.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 200

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 12 pieces per box

COLOR: white, black, grey

BG SIDUN 365 cold Storage dedicated sealant

Silicone-
free

Mold-
resistant

Strong
adhesion

Oil
resistance

PRODUCT FEATURES:

- Silicone-Free, ideal for sensitive environments.
- Superb Low-Temp Performance at -40°C .
- Strong Adhesion ensures secure bonds.
- Oil Resistant for stability in oily conditions.
- Mold-Resistant Formula prevents deterioration.
- Durable, lasting up to 20 years.
- Multi-Protection against noise, air, and moisture.

MAIN USES:

It is suitable for leakage and anti-penetration of hidden gaps in freezer rooms and refrigerated cabinets, dark corners inside and outside cold storage, installation and sealing of electrical circuits in cold storage, and bonding and sealing of low-temperature materials.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 365

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: black, white, grey, transparent

BG SIDUN 335T

Quick-drying electronic sealant



moisture
protection

Strong
adhesion

Electrical
insulation

Fast
curing

PRODUCT FEATURES:

SIDUN 335T is a fast-curing, electronically pure sealant offering electrical insulation, vibration and moisture resistance, thermal stability, chemical resistance, and strong adhesion to various substrates. Ideal for securing and protecting electronic components efficiently.

MAIN USES:

Computer motherboards, mobile phone motherboards, electromagnetic coils, household appliances, lamps, LED strips, and various precision components.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 335T

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: white, black, grey, transparent

BG SIDUN PU89

self-leveling joint sealant

eco-
friendly

Weather
Resistance

Strong
adhesion

solvent-
free

PRODUCT FEATURES:

Extreme Temperature Adaptability: Resistant to both high and low temperatures, maintaining elasticity and sealing properties. It ensures long-term good adhesion and sealing, preventing the infiltration of water, air and other mediums. The eco-friendly formula is self-leveling, solvent-free and silicone-free, causing no harm to the environment and fully compliant with green building standards.

MAIN USES:

This product is specifically designed for gap sealing between metal materials such as doors and windows, stainless steel, aluminum alloy, and aluminum profiles. It has strong applicability and can effectively meet the sealing requirements of metal doors, windows, and structures.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: PU89

CAPACITY: 1kg/drum

SHELF LIFE: 12 months

COLOR: transparent



BG SIDUN 0 Zero Mold ceramic seam crystal anti-mold sealant



Mold-
Resistant

watertight

strong
adhesion

Fast
curing

PRODUCT FEATURES:

- Superior Adhesion: Rapid curing, solid bonding, enhancing construction efficiency.
- High-Quality Sealant: Impurity-free, high-gloss, showcasing professional aesthetics.
- Durable Mold Resistance: Moisture-resistant, maintaining long-term seal and mold prevention.
- Product Feature: Single-component polyurethane formula, tightly bonded molecules, flexible deformation adaptation, ensuring long-term sealing stability.

MAIN USES:

Specifically designed for sinks, bathtubs, toilets, stoves, and other kitchen and bathroom fixtures, as well as common small damp crevices. It is highly targeted and meets the sealing needs for waterproofing and mildew prevention in bathrooms.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: anti-mold sealant

CAPACITY: 120ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 25 pieces per box

COLOR: transparent, black, white

BG SIDUN 101A

Kitchen windowsill sealant

Weather-resistant

Ozone resistant

Strong adhesion

Fast curing

PRODUCT FEATURES:

Silicone sealant is a one-component type that can be extruded and used under a wide range of climatic conditions, rapidly reacting with moisture in the air to cure into a durable, high-performance sealant with high movement capability (displacement capacity $\pm 20\%$). It is resistant to ozone, ultraviolet rays, rain, frost, and other natural erosions, primarily used for weatherproof sealing applications in common curtain wall systems. It exhibits excellent adhesion to most building materials.

MAIN USES:

Can be used on most building material surfaces, such as plastic, tile, glass, metal, marble, granite, wood, etc. (not suitable for PP, PE, Teflon materials).



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 101A

CAPACITY: 120ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 25 pieces per box

COLOR: white



BG SIDUN PU388 crack sealing compound



watertight

Weather-
resistant

eco-
friendly

Fast
curing

PRODUCT FEATURES:

- High bonding strength ensures secure connections.
- Excellent weather resistance and waterproof properties suitable for various climatic conditions.
- Elasticity and flexibility to accommodate structural deformations.
- Rapid curing enhances construction efficiency.
- Chemical stability compatible with multiple materials.
- Environmentally friendly and non-toxic, meeting safety standards.

MAIN USES:

This involves sealing the gaps found at 45-degree angle connections in aluminum alloy window and door frames, as well as curtain wall structures. It also includes sealing connections at the central uprights of these structures, along with the spaces between frames in the manufacturing of roller shutter doors, advertising signage, and vehicles.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: PU388

CAPACITY: 120ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 30 pieces per box

COLOR: transparent

BG SIDUN 103A wall repair plaster

strong and
sturdy

Good
coverage

Strong
adhesion

Fast
curing

PRODUCT FEATURES:

This product is a highly adhesive white paste with superior coverage capabilities. It's quick and convenient to use, easily spread by trowel, and once dried, forms a solid and durable surface that won't crumble or produce dust.

MAIN USES:

Wall repair paste used to fix damage, cracks, scratches, bulging, peeling, nail holes, fissures, and holes on white walls.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 103A

CAPACITY: 120ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 25 pieces per box

COLOR: white

BG SIDUN CS23 Polyurethane Multifunctional Sealant and Adhesive



high elasticity

weather resistance

excellent adhesion

chemical resistance

PRODUCT FEATURES:

- High elasticity:accommodating minor building deformations.
- Excellent adhesion: Adheres firmly to various substrates like concrete, stone, wood, and metal.
- Strong weather resistance: UV and aging resistant, suitable for outdoor exposure.
- Chemical resistance: Resists various chemicals such as oils and solvents.
- Easy application: Applies with a standard caulking gun, cures moderately fast for convenient use.

MAIN USES:

Building exterior walls,Window and door installation, Roofing, Underground works, Interior decoration, Industrial applications, Roads and bridges, Marine and automotive

PRODUCT PARAMETERS

BRAND:BG SIDUN
MODEL: CS23
CAPACITY: 590ml each
SHELF LIFE: 12 months
NUMBER OF BOXES: 20 pieces per box
COLOR: transparent, black, white

BG SIDUN W7 extra large aquarium glass sealant

Fast
curing

weather
resistance

Waterproof

Strong
adhesion

PRODUCT FEATURES:

- Age Resistance: Defends against environmental factors, maintaining performance over time.
- Waterproofing: Superior water-seal capability, suitable for underwater or high-moisture settings.
- Strong Bonding: High-strength adhesion for glass, ceramics, plastics, and various materials.
- Rapid Cure: Reduces curing time, enhancing efficiency.
- Eco-friendly Formula: Solvent-free, silicone-free, minimizing harm to the environment and living organisms.

MAIN USES:

- Bonding glass or acrylic panels to ensure structural stability.
- Repairing leaks with waterproof effectiveness.
- Securing underwater decorations.
- Installing and fixing aquarium equipment.
- Sealing seams to prevent water leakage.



PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: W7

CAPACITY: 310ml each

SHELF LIFE: 18 months

NUMBER OF BOXES: 24 pieces per box

COLOR: Porcelain white, transparent



FITODOND heavy duty construction adhesive



- eco-friendly
- weather resistance
- Fast curing
- Strong adhesion

- PRODUCT FEATURES:**
- Strong adhesion
 - Weather-resistant, moisture-proof, and waterproof
 - Fast curing
 - Easy application – requires only single-side application using a standard caulking gun
 - Low environmental requirements – can be applied in wet and cold conditions without freezing
 - Environmentally friendly and healthy – fully complies with the national indoor hazardous air control standard
 - Suitable for both horizontal and vertical surfaces
 - Imported from the USA

MAIN USES:

It can be used for bonding various surface-treated materials, including wood, metal, stone, concrete, drywall, brick, ceramic, tiles, hard plastics, and mirrors.

PRODUCT PARAMETERS

- BRAND:** FITODOND
- MODEL:** construction adhesive
- CAPACITY:** 300ml each
- SHELF LIFE:** 12 months
- NUMBER OF BOXES:** 12 pieces per box
- COLOR:** brown

Multi-Purpose Eco-Friendly Sealant

solvent-free

Quick
Drying

Eco-Friendly

Sealant

PRODUCT FEATURES:

- Environmentally Safe: Water-based, low VOC, non-toxic, low odor.
- Versatile: Widely applicable across various materials and industries.
- Efficient and Fast Drying: Accelerates operational processes, enhances efficiency.
- High Strength Bonding: Ensures strong connections, suitable for a wide range of applications.

MAIN USES:

Suitable for sealing around windows, doors, frames, wooden boards, pictures, seams, or edges.



PRODUCT PARAMETERS

BRAND: MAX

MODEL: Acrylic sealant

CAPACITY: 310ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

COLOR: white



BG SIDUN 3.0 fireproof flame retardant high temperature sealant



fireproof

good
sealing

weathering
resistance

heat
resistant

PRODUCT FEATURES:

- Fire Retardant: Combats flames, slows fire spread.
- Smoke Suppression: Minimizes smoke, reduces risks.
- Heat Resistance: Maintains stability, prevents heat-induced deformation.
- Sealing Performance: Blocks smoke, gases, and moisture.

MAIN USES:

Suitable for adhesive and flame retardant sealing of various fireproof doors and windows, as well as between layers in curtain wall engineering. Ideal for the flame retardant sealing during the installation of different types of doors and windows, fixation and flame retardant sealing of electronic and electrical components. Additionally, it provides essential fireproof and moisture-proof sealing solutions for public venues.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 3.0

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

COLOR: white, black, grey, red, transparent

SIDUN 8.1 Two-Component Waterproof and fireproof Foaming agent

Waterproof

Fast Curing

Fireproof

High Density

PRODUCT FEATURES:

This product is halogen- and asbestos-free, with excellent air and water tightness and an IP68 waterproof rating. It has high compressive strength (2.26 MPa, equivalent to a load of 22.6 kg/cm²; 226 tons/cm²), provides thermal insulation, antibacterial and mold resistance, expands in 10 seconds, cures in 60 seconds, and maintains stable performance within a temperature range of -30°C to 100°C after curing.

MAIN USES:

Waterproof sealing of holes in cabinets, pipes, and walls; sealing of cable holes; pipe sealing and insulation; filling of wall cracks; sealing of air conditioning holes, electrical installations, and door/window gaps; moldable into various structural components; sealing and leak prevention of gaps in houses and roofs.

PRODUCT PARAMETERS

BRAND: SIDUN

MODEL: 8.1

CAPACITY: 400ml each

SHELF LIFE: 10 months

NUMBER OF BOXES: 12 pieces per box

COLOR: Blue



BG SIDUN 9.0 Two-Component Fireproof Foam Sealing Agent



fireproof

Good
sealing

High
Density

Fast
Curing

PRODUCT FEATURES:

- Adheres to concrete, drywall, and masonry.
- Cures quickly in less than 10 minutes.
- Suitable for complex and hard-to-reach applications — can be installed unilaterally without reinforcement material.
- Can be re-entered in the future to increase cable capacity.

MAIN USES:

- Electrical: Large openings or special partition applications for cables, cable bundles, cable trays, and cable conduits (telecom, industrial).
- Mechanical: Non-combustible (metal) pipes with mineral wool/ non-combustible insulated small-diameter combustible (plastic) pipes, providing smoke- and airtight sealing, without the need for backing material.
- Sealing for pipes and pipe bundles.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 9.0

CAPACITY: 600ml each

SHELF LIFE: 10 months

NUMBER OF BOXES: 12 pieces per box

COLOR: Red

BG SIDUN 189 One-component polyurethane adhesive

Good water
resistance

weather
resistance

Strong
adhesion

eco-
friendly

PRODUCT FEATURES:

The 189 Woodworking Adhesive is a moisture-curing, one-component polyurethane adhesive with high bonding strength. It is widely used in construction applications requiring long-term heavy load-bearing. It features excellent weather and water resistance, including resistance to seawater and harsh weather. This adhesive can be used for bonding new structures as well as repairing existing ones.

MAIN USES:

- Wood Bonding: Suitable for bonding various types of wood.
- Multi-material Bonding: Can be used for bonding wood to metal, stone, glass, PVC, and other materials.
- Construction Applications: Particularly suitable for applications requiring long-term heavy load-bearing.
- Repair Work: Can be used for repairing and reinforcing existing structures.

PRODUCT PARAMETERS

BRAND: BG SIDUN

MODEL: 189

CAPACITY: 500ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 12 pieces per box

COLOR: brown



BG SIDUN CS23 Root-Resistant Polyurethane Sealant



- Good Water Resistance
- Weather Resistance
- Excellent Elasticity
- Strong adhesion

PRODUCT FEATURES:
The Root-Resistant Polyurethane Sealant features strong root resistance, excellent elasticity and flexibility, good adhesion, and outstanding weather resistance, suitable for various substrates and environments. It offers strong water resistance, easy application, and is environmentally friendly with low VOC emissions, ensuring long-term waterproof performance.

MAIN USES:
Root-Resistant Polyurethane Sealant is used in waterproofing projects to prevent plant roots from penetrating. It is primarily applied in green roofs, underground engineering, landscaping, and municipal projects, offering elasticity, weather resistance, and root resistance to ensure long-term waterproof performance.

PRODUCT PARAMETERS
BRAND: BG SIDUN
MODEL: CS23
CAPACITY: 590ml each
SHELF LIFE: 9 months
NUMBER OF BOXES: 20 pieces per box
COLOR: black, white

BG SIDUN 300 DURABILITY PUR SEALANT



- High durability
- Strong adhesion
- Good flexibility
- Temperature resistant

PRODUCT FEATURES:

- High durability: Made with premium polyurethane, offering excellent weather and aging resistance.
- Strong adhesion: Bonds well to sheet metal and other metals, ideal for industrial use.
- Good flexibility: Forms an elastic seal that adapts to expansion and contraction.
- Temperature resistant: Performs reliably in both high and low temperatures.

MAIN USES:

Applicable to fields such as automobile sheet metal, marine applications, metal structures, aerospace, bus and coach bodywork, carriage body assembly, general machinery assembly, and containers and shipping equipment.

PRODUCT PARAMETERS

BRAND: BG SIDUN
MODEL: 300
CAPACITY: 310ml each
SHELF LIFE: 12 months
NUMBER OF BOXES: 12 pieces per box
COLOR: black

BG SIDUN 600 Two-component epoxy structural adhesive



Solvent
Resistance

Strong
Adhesion

Weather
Resistance

Impact
Resistance

PRODUCT FEATURES:

- Withstands high temperatures and freezing conditions for long-term performance.
- Provides lasting waterproof and airtight sealing.
- High bonding strength with resistance to shock and pressure.
- Maintains elasticity without hardening or deteriorating over time.

MAIN USES:

Suitable for joint filling, sealing, and waterproofing between various materials both indoors and outdoors, including metal, ceramic, glass, hard plastic, stone, and wood.

PRODUCT PARAMETERS

BRAND:BG SIDUN

MODEL: 600

CAPACITY: 600ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 10 pieces per box

COLOR: White,black,gray,dark gray

SHE DIAO 825 Neutral Gold Medal Engineering Structural sealant



Mold-
Resistant

High
elasticity

Non-
Corrosive

Strong
adhesion

PRODUCT FEATURES:

SD-825 Silicone Sealant is designed for curtain wall joint sealing and bonding. It is a one-component, neutral, room-temperature curing sealant, easy to use. It offers excellent adhesion, corrosion resistance, mold resistance, and weathering durability. After curing, it remains stable within the temperature range of -40°C to 150°C .

MAIN USES:

- Sealing of joints in aluminum windows, curtain walls, dry-hanging stone, and precast concrete panels.
- Sealing of expansion joints in tunnel and road concrete works.
- Bonding and sealing of joints in ceramic projects.
- Sealing of joints between stone and other materials such as glass, metal, and plastic.

PRODUCT PARAMETERS

BRAND: SHE DIAO

MODEL: 825

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 31 (cm) /each

COLOR: transparent, black, and other colors

SHE DIAO 820 Neutral Silicone Weatherproof Sealant

Mold-Resistant

Non-Corrosive

Weather-resistant

Strong adhesion

PRODUCT FEATURES:

SD-820 Premium Neutral Silicone Weatherproof Sealant is a one-component, neutral, room-temperature curing sealant with excellent adhesion to a variety of substrates. It is non-corrosive, highly resistant to weathering and aging, and maintains stable performance within the temperature range of -40° C to 150° C.

MAIN USES:

- Suitable for sealing installations in various aluminum window projects, aluminum composite panels, glass, etc.
- General sealing for tiles and roofing.
- Various other industrial and construction applications.

PRODUCT PARAMETERS

BRAND: SHE DIAO

MODEL: 820

CAPACITY: 590ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 20 pieces per box

DIMENSIONS PER BOX: 360mm x 244mm x 194mm

PRODUCT DIMENSIONS: 4 x 33 (cm) /each

COLOR: transparent, black, and other colors



100%
Silicone



SHE DIAO 825 Neutral Gold Medal Engineering Structural sealant



Mold-Resistant

High elasticity

Non-Corrosive

Strong adhesion

PRODUCT FEATURES:

SD-825 Silicone Sealant is designed for curtain wall joint sealing and bonding. It is a one-component, neutral, room-temperature curing sealant, easy to use. It offers excellent adhesion, corrosion resistance, mold resistance, and weathering durability. After curing, it remains stable within the temperature range of -40°C to 150°C .

MAIN USES:

- Sealing of joints in aluminum windows, curtain walls, dry-hanging stone, and precast concrete panels.
- Sealing of expansion joints in tunnel and road concrete works.
- Bonding and sealing of joints in ceramic projects.
- Sealing of joints between stone and other materials such as glass, metal, and plastic.

PRODUCT PARAMETERS

BRAND: SHE DIAO

MODEL: 825

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, black, and other colors

100%
Silicone

SHE DIAO 820 Neutral Silicone Weatherproof Sealant

Mold-Resistant

Non-Corrosive

Weather-resistant

Strong adhesion

PRODUCT FEATURES:

SD-820 Premium Neutral Silicone Weatherproof Sealant is a one-component, neutral, room-temperature curing sealant with excellent adhesion to a variety of substrates. It is non-corrosive, highly resistant to weathering and aging, and maintains stable performance within the temperature range of -40° C to 150° C.

MAIN USES:

- Suitable for sealing installations in various aluminum window projects, aluminum composite panels, glass, etc.
- General sealing for tiles and roofing.
- Various other industrial and construction applications.

PRODUCT PARAMETERS

BRAND: SHE DIAO

MODEL: 820

CAPACITY: 300ml each

SHELF LIFE: 12 months

NUMBER OF BOXES: 24 pieces per box

DIMENSIONS PER BOX: 300mm x 200mm x 243mm

PRODUCT DIMENSIONS: 4 x 22 (cm) /each

COLOR: transparent, black, and other colors



100%
Silicone