



# Interpretive Report

Genesys Diagnostics, Inc.  
8 Enterprise Lane, Oakdale, CT 06370  
Tel. 860-574-9172 Fax. 860-574-9264  
www.gdilabs.com  
CLIA #07D2046796  
CT State License #CL-0687

**Patient Name:** Smith, Joan  
**Birth Date:** 02/08/2016  
**Ordered By:** Physician, Ordering  
**Specimen Type:** Stool in Cary Blair  
**Indication:** Diarrhea  
**Tests Ordered:** Gastrointestinal Panel

**Sex:** F

**Lab Number:** 1600001  
**Client Order#:**  
**Date Collected:** 01/11/2016  
**Date Received:** 01/11/2016

**Result:** Negative

## Interpretation:

Not Detected	Campylobacter
Not Detected	Clostridium difficile toxin A/B
Not Detected	Plesiomonas shigelloides
Not Detected	Salmonella
Not Detected	Vibrio
Not Detected	Vibrio cholerae
Not Detected	Yersinia enterocolitica
Not Detected	Enteraggregative E. coli (EAEC)
Not Detected	Enteropathogenic E. coli (EPEC)
Not Detected	Enterotoxigenic E. coli (ETEC) lt/st
Not Detected	Shiga-like toxin-producing E. coli (STEC) stx1/stx2
N/A	E. coli O157
Not Detected	Shigella/Enteroinvasive E. coli (EIEC)
Not Detected	Cryptosporidium
Not Detected	Cyclospora cayetanensis
Not Detected	Entamoeba histolytica
Not Detected	Giardia lamblia
Not Detected	Adenovirus F 40/41
Not Detected	Astrovirus
Not Detected	Norovirus GI/GII
Not Detected	Rotavirus A
Not Detected	Sapovirus

## Disclaimer:

The manner in which this information is used to guide patient care is the responsibility of the healthcare provider. This test using the film array technology has been cleared and approved by the U. S. Food and Drug Administration.

**Report Date:** 1/11/2016 4:52PM

**Signed:** Wyandt, Herman