

Patient Name: [REDACTED]
Birth Date: [REDACTED]
Ordered By: **BICKSLER, BRITTNEY**
Specimen Type: **Stool**
Client Order #: [REDACTED]
Patient ID: [REDACTED]
Indication: **Diarrhea, unspecified**
Tests Ordered: **Gastrointestinal Pathogen Panel**

Lab Number: [REDACTED]
Sex: **F**
Date Collected: **02/07/2023**
Date Received: **02/09/2023**

Result

****DETECTED** Norovirus GI/GII

Interpretation

Not Detected Campylobacter
Not Detected Clostridium difficile toxin A/B
Not Detected Plesiomonas shigelloides
Not Detected Salmonella
Not Detected Vibrio
Not Detected Vibrio cholerae
Not Detected Yersinia enterocolitica
Not Detected Enteraggregative E. coli (EAEC)
Not Detected Enteropathogenic E. coli (EPEC)
Not Detected Enterotoxigenic E. coli (ETEC) lt/st
Not Detected Shiga-like toxin-producing E. coli (STEC) stx1/stx2
N/A E. coli O157
Not Detected Shigella/Enteroinvasive E. coli (EIEC)
Not Detected Cryptosporidium
Not Detected Cyclospora cayetanensis
Not Detected Entamoeba histolytica
Not Detected Giardia lamblia
Not Detected Adenovirus F 40/41
Not Detected Astrovirus
****DETECTED** Norovirus GI/GII
Not Detected Rotavirus A
Not Detected Sapovirus

Disclaimer:

The manner in which this information is used to guide patient care is the responsibility of the healthcare provider. This test using the film array technology has been cleared and approved by the U. S. Food and Drug Administration. This assay will not detect any targets outside of this panel.

Pt: [REDACTED] / [REDACTED] *Clinician:* BICKSLER, BRITTNEY

This report **electronically signed by Natalie Cummins, MS, MB(ASCP)CM at 02/09/2023 03:50:00 PM**