

Safety Data Sheets (SDS) Updated: June 20, 2023

This file contains Safety Data Sheets for the Blade Pro family of products. This is a two-component system. It is imperative that you know whether you need information on the Resin or the Hardener.

Resin: Pages 2-9 Hardener: Pages 10-17

If this is a medical emergency, call 911 or your local poison control center. Seek medical attention.

For technical assistance, call System Three Technical Support at 253-333-8118 option 2.

These SDS are provided pursuant to 29 CFR 1910.1200(g).



SAFETY DATA SHEET

1. Product Identification

Product nameBlade Pro Resin, Part A

SDS Number 1260A00

Product type Epoxy polymer mixture

Recommended use of the chemical and

restrictions on use

Telephone

Directed at, but not limited to, the adhesion of similar and dissimilar

substrates.

Restrictions None known.

Manufacturer/Supplier information

Company name SYSTEM THREE RESINS, INC.

Address 8517 Commerce Place Dr NE.

Suite 105

Lacey, WA 98516 United States 1-253-333-8118

Website www.systemthree.com

Email support@systemthree.com

Emergency Contact CHEMTEL (U.S. and CANADA) 1-800-704-9215
CHEMTEL (Outside the U.S.) – Call Collect accepted +1-360-256-7365

2. Hazard(s) Identification

Classification of substance or WARNING

mixture/Signal Word Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2

Skin Sensitization - Category 1

Specific Target Organ Toxicity (Single Exposure) [Respiratory tract irritation] –

Category 3

GHS Label Elements
Hazard Pictograms



Hazard Statements/Classification of

substance or mixture

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

Precautionary statements

Precautionary Statements

Prevention P280 Wear protective gloves. Wear eye or face protection.

P201 Obtain special instructions before use.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash hands thoroughly after handling.

Response P304 + 340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P313 Call a POISON CENTER or doctor/physician if you feel unwell. P302+352+363 IF ON SKIN: Wash with soap and water. Take off

contaminated clothing and wash before reuse.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing. P401 Store at room temperature in a well-ventilated area.

StorageP401Store at room temperature in a well-ventilated area.DisposalP501Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Hazards not otherwise classified (HNOC) None Available.

3. Composition/Information On Ingredients

Chemical Name	CAS Number	Content (%)
Diglycidyl Ether of Bisphenol A	25068-38-6	90-100%
Diglycidyl Ether of Bisphenol F	28064-14-4	1-10%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

Skin contact Remove contaminated clothing and shoes and wipe excess off skin. Flush skin

with water. Follow by washing in soap and water. If irritation occurs, seek medical attention. Do not reuse clothing until cleaned. Contaminated leather

articles (shoes) cannot be decontaminated and should be destroyed.

Eye contact Flush with water for 15 minutes holding eye lids open. Seek medical attention.

Ingestion Do not give liquids if victim is unconscious of very drowsy. Otherwise, give no

more than 2 glasses of water and induce vomiting by giving 2 tablespoons syrup of ipecac (1 tablespoon and 1 glass of water for child). If ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of throat. Keep head below hips while vomiting. Get medical attention.

Inhalation Remove victim to fresh air and provide oxygen if breathing is difficult. Give

artificial respiration if not breathing. Get medical attention.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physicianTreat symptoms as they appear. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments No specific treatment.

5. Fire-Fighting Measures

Suitable extinguishing media Alcohol-resistant foam.

Carbon dioxide (CO₂).

Dry chemical Water Fog

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical Hazardous decomposition products Potential skin irritation. Epoxy in mass can create exotherm. Decomposition products may include the following materials:

Carbon dioxide
Carbon monoxide

Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. No action shall be taken involving any personal risk or

Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure

without suitable training.

Special protective equipment for fire-

fighters

Further informationDo not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

6. Accidental Release Measures

Personal precautions Wear proper personal protective equipment (PPE). Avoid direct contact with

material. Proper PPE includes: disposable gloves, eye protection and skin

protection.

Emergency procedures If materials is spilled, avoid contact with material. Persons not wearing

appropriate protective equipment should leave the area of the spill until

cleanup is complete.

Methods and materials for

Environmental precautions

containment/cleanup

sawdust or other absorbent, and shoveled into disposal container.

Stop spill at source, dike area to prevent spreading, pump liquid to salvage

tank or drum. Remaining liquid may be taken up on clay, diatomaceous earth,

Avoid dispersal of spilled material, contact with soil, waterways, drains and

sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

7. Handling and Storage

Precautions for safe handling Put on appropriate personal protective equipment. Persons with a history of

skin sensitization problems should not be employed in any process in which this product is used. Avoid contact with skin and eyes. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. When using, do not eat, drink or smoke. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering

eating areas. See also Section 8 for additional information on hygiene measures.

Precautions/Recommendations for Store

safe/proper storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Store locked up. Keep container

tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental

contamination.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits

None established.

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controlsUse appropriate containment to avoid environmental contamination. Do not

allow spill to enter sewers or waterways.

Individual protection measures/Personal

protective equipment

Eye/face protection Splash-proof goggles or safety spectacles with side shields are recommended.

Always wear eye protection when sanding cured epoxy resins to avoid dust in

eyes.

Hand protection Always wear impervious gloves: butyl rubber, nitrile rubber, Neoprene, PVC

disposable gloves,

Skin protection Wear clean, body-covering clothing to avoid skin contact.

Respiratory protectionUse a properly fitted, air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards

of the product and the safe working limits of the selected respirator.

Special instructions for protection and

hygiene

Wear gloves at all times when handling product, avoid direct contact with skin. When finished using product, dispose of gloves properly and wash hands with

warm, soapy water.

9. Physical and Chemical Properties

Chemical family Epoxy Resin

Appearance Clear viscous liquid

Physical State Epoxy polymer mixture

Form Liquid

Color Water clear

Odor Little or no odor

Density (Specific Gravity) 9.5-9.7 lb/gal (1.1-1.2)

Viscosity 8,000-10,000 cps @ 25°C

pH Data not available

Melting point/freezing point Data not available

Initial boiling point and boiling range Data not available

Flash point >300°F, Pensky-Martens Closed Cup

Evaporation rate Slower than ether Flammability (solid, gas) Data not available

Upper/lower flammability limit (by volume)

Upper flammability limit (by volume) N/A

Lower flammability limit (by volume) N/A

Material VOC None

Vapor densityHeavier than airRelative densityNot determinedSolubility in waterNegligible, in water

Partition coefficient: n-octanol/water 3

Auto-ignition temperature 300°C (572.00°F)

10. Stability and Reactivity

Reactivity None

Chemical Stability Stable under normal conditions.

Possibility of hazardous reactions Hazardous polymerization will not occur.

Conditions to avoid Epoxy resins and epoxy resin hardeners react with each other producing heat.

They should not be mixed with each other under uncontrolled conditions or in large mass as the ensuing exotherm may result in heat and smoke, resulting in

hazardous decomposition products.

Incompatible materials Strong oxidizing agents, Lewis and mineral acids.

Hazardous decomposition products Oxides of carbon, aldehydes, acids.

Other hazards None known.

11. Toxicological Information

Acute Health Hazard (components)

No comprehensive data (ingestion, inhalation, dermal) on mixture (product).

Component	Result	Species	Dose	Exposure
Diglycidyl Ether of Bisphenol A	LD50 Oral	Rat	11,400 mg/kg	-
	LD50 Dermal	Rat	2,000 mg/kg	-

Irritation/Corrosion (components)

No information on product itself.

Component	Result	Species	Test	Exposure
Diglycidyl Ether of Bisphenol A	Skin – Erythema/Eschar 404 Acute Dermal Irritation/Corrosion	Rabbit	1.5 – 2	-
	Skin – Edema 404 Acute Dermal Irritation/Corrosion	Rabbit	1.0 -1.5	-
	Eyes – 405 Acute Eye Irritation/Corrosion		0	-
	Eyes – Redness of the conjunctivae	Rabbit	0.7	-
	Skin – Moderate irritant	Rabbit		24 hrs
	Eyes – Mild irritant	Rabbit		-

SensitizationNo information on product itself.MutagenicityNo information on product itself.CarcinogenicityNo information on product itself.Reproductive ToxicityNo information on product itself.TeratogenicityNo information on product itself.Specific target organ toxicity (single)No information on product itself.

<u>exposure)</u>

Component	Category	Route of exposure	Target organs
Diglycidyl Ether of Bisphenol A	Category 3		Respiratory tract irritation
Diglycidyl Ether of Bisphenol F	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated

exposure)

Not available.

Aspiration hazard Not available.

Potential acute health effects

Eye ContactCauses serious eye irritation.InhalationMay cause respiratory irritation.

Skin Contact Causes skin irritation. May cause an allergic skin reaction.

Ingestion Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical

and toxicological characteristics

Eye Contact Adverse symptoms may include the following:

Pain or irritation

Watering Redness

Inhalation Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin Contact Adverse symptoms may include the following:

Irritation Redness

Not available.

Ingestion No specific data.

Delayed and immediate effects and also

chronic effects from short and long term

exposure

Potential chronic health effects

General Once sensitized, a severe allergic reaction may occur when subsequently

exposed to very low levels.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

12. Ecological Information

Ecotoxicity

No information on product itself.

Component	Result	Species	Exposure
Diglycidyl Ether of Bisphenol A	Acute LC50 1.3 mg/l – 203 Fish, Acute Toxicity Test	Fish – Fish	96 h
	Acute EC50 2.1 mg/l – 202 Daphnia sp. Acute Immobilization Test and Reproduction Test	Aquatic invertebrates. Water flea	48 h
	Acute NOEC 0.3 mg/l – 211 Daphnia Magna Reproduction Test	Aquatic invertebrates. Water flea	21 d
	Acute LC50 > 11 mg/l	Aquatic plants – Algae	72 h

<u>Persistence and degradability</u> No information on product itself.

<u>Bioaccumulative Potential</u> No information on product itself.

Component	LogPow	BCF	Potential
Diglycidyl Ether of Bisphenol A	2.64 – 3.78	3 – 31 31.00	low
Diglycidyl Ether of Bisphenol F	3	-	low

Mobility in Soil

Soil/water partition coefficient (KOC) No information on product itself.

Other adverse effects No known significant effects or critical hazards.

13. Disposal Considerations

Waste from residues/ unused products

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is

required.

Contaminated packaging Dispose of container and unused contents in accordance with federal, state

and local requirements.

14.Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International Transport Regulations

Regulatory information	UN/NA number	Proper Shipping Name	Classes/*PG	Additional Information
DOT		Non-regulated		
TDG		Non-regulated		
IMO/IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A EPICHLOROHYDRIN RESIN)	Class 9 III	
IATA	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A EPICHLOROHYDRIN RESIN)	Class 9 III	
*PG: Packing group				

Special precautions for user: Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to

do in the event of an accident or spillage.

15. Regulatory Information

UNITED STATES

U.S. Federal Regulations United States – TSCA 12(b) – Chemical export notification: None Required.

United States – TSCA 5(a)2 – Final significant new use rules: Not Listed.
United States – TSCA 5(a)2 – Proposed significant new use rules: Not Listed.

United States – TSCA 5(e) – Substance consent order: Not listed.

California Prop. 65 WARNING: This product can expose you to chemicals including Oxirane, 2-

(chloromethyl)- that is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to

www.P65Warnings.ca.gov.

EPA SARA 302 Extremely Hazardous

Substances

None required.

EPA SARA 302/304/311/312 Hazardous

Chemicals

Acute Health Hazard.

United States inventory (TSCA 8b) All components are listed or exempted.

CANADA

WHMIS (Canada) Class D-2B: Material causing other toxic effects (Toxic).

Canadian NPRINone RequiredCEPA Toxic substancesNone Required

INTERNATIONAL REGULATIONS

International Lists Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted. **Korea inventory:** All components are listed or exempted. **Japan inventory:** All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

New Zealand inventory (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted.

16. Other Information, Including Date of Preparation or Last Revision

HMIS Rating



Date of Preparation February 27, 2023

Date of Last Revision March 9, 2020

Revision # 3.0

More Information 1-253-333-8118

Prepared by System Three Resins Inc.

The information contained herein is based on the data available to us and is believed to be correct. However, System Three Resins, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. System Three assumes no responsibility for injury from the use of the product described herein.



SAFETY DATA SHEET

1. Product Identification

Product name Blade Pro Hardener, Part B

1260B00 **SDS Number**

Product type Amine/Butadiene mixture

Manufacturer/Supplier information Directed at, but not limited to, the adhesive of similar and dissimilar

substrates.

Company name SYSTEM THREE RESINS, INC.

Address 8517 Commerce Place Dr. NE

> Lacey, WA 98516 **United States**

1-253-333-8118

Telephone

Website www.systemthree.com

Email support@systemthree.com

CHEMTEL (U.S. and CANADA) **Emergency Contact** 1-800-704-9215

CHEMTEL (Outside the U.S.) – Call Collect accepted +1-360-256-7365

2. Hazard(s) Identification

Classification of substance or **DANGER**

mixture/Signal Word ACUTE TOXICITY (ORAL) - Category 4

> SKIN IRRITATION/CORROSION - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - 1

SKIN SENSITIZATION - Category 1 REPRODUCTIVE TOXICITY – Category 2

SPECIFIC TARGET ORGAN TOXICITY [Repeated Exposure] - Category 1

GHS Label Elements Hazard Pictograms







Hazard Statements/Classification of substance or mixture

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Causes serious eye damage. H318

Suspected of damaging fertility or the unborn child. H361

H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Precautionary Statements

Prevention P201 Obtain special instructions before use.

> P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe vapours.

P261 Avoid breathing fume/vapours.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of workplace.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Response P310 Immediately call a POISON CENTER or doctor/physician.

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P308+313 If exposed or concerned: Get medical attention.

P303+361+353 IF ON SKIN: Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340 IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing. P333+313 If skin irritation or rash occurs: Get medical

advice/attention.

P362+264 Take off contaminated clothing and wash before resuse.

Storage P405 Store locked up.

Disposal P501 Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Hazards not otherwise classified (HNOC) None Available.

3. Composition/Information On Ingredients

Chemical Name	CAS Number	Content (%)
ATBN Polymer	68683-29-4	60 – 65%
Modified Polyamines	Trade Secret	35 – 40%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

Skin contact Remove contaminated clothing and shoes and wipe excess off skin. Flush skin

with water. Follow by washing in soap and water. If irritation occurs, seek medical attention. Do not reuse clothing until cleaned. Contaminated leather

articles (shoes) cannot be decontaminated and should be destroyed.

Eye contact Get medical attention immediately. Call a poison center or physician.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. If

material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get

medical attention immediately.

Inhalation Remove victim to fresh air and provide oxygen if breathing is difficult. Give

artificial respiration if not breathing. Get medical attention.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be

delayed. The exposed person may need to be kept under medical surveillance

for 48 hours.

5. Fire-Fighting Measures

Suitable extinguishing media Alcohol-resistant foam.

Carbon dioxide (CO₂).

Dry chemical Water Fog

Unsuitable extinguishing media Specific hazards arising from the chemical None known.

Product is not considered a fire hazard but will burn if ignited. Hot vapor or

mists may be susceptible to spontaneous combustion when mixed with air. Ignition temperatures decrease with increasing vapor volume and vapor/air contact time and are influenced by pressure changes. Therefore, ignition may occur below published ignition temperatures. Use of this product in processes involving elevated-temperatures, vacuum if subject to sudden ingress of air, sudden escape of vapor or mist, etc., must be thoroughly evaluated to assure safe operation. Closed container may rupture (due to build up in pressure)

when exposed to extreme heat.

Hazardous decomposition products Decomposition products may include the following materials:

Carbon dioxide Carbon monoxide Nitrogen oxides

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-

fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

Further information

Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental Release Measures

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear proper protective clothing, gloves and eye/face protection. Use self-contained breathing apparatus and chemically protective clothing.

Emergency procedures

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

Methods and materials for containment/cleanup

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

7. Handling and Storage

Precautions for safe handlingAvoid contact with skin and eyes. Emergency showers and eye wash stations

should be readily accessible. Adhere to work practice rules established by government regulations. Use personal protective equipment. When using, do

not eat, drink or smoke.

Precautions/Recommendations for

safe/proper storage

Store epoxy products in temperature stable environment, out of the reach of pets or children. Securely fasten container lids and tops, and prevent products

from sitting and below freezing temperatures.

8. Exposure Controls/Personal Protection

Permissible exposure limit (OSHA) None established.

Threshold limit value (ACGIH) None established.

Appropriate engineering controlsUse only with adequate ventilation. If user operations generate dust, fumes,

gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below

any recommended or statutory limits.

Environmental exposure controlsUse appropriate containment to avoid environmental contamination. Do not

allow spill to enter sewers or waterways.

Individual protection measures/Personal

protective equipment

Eye/face protection Splash-proof goggles or safety spectacles with side shields are recommended.

Always wear eye protection when sanding cured epoxy resins to avoid dust in

eyes.

Hand protection Always wear impervious gloves: butyl rubber, nitrile rubber, Neoprene, PVC

disposable gloves,

Skin protection Wear clean, body-covering clothing to avoid skin contact.

Respiratory protectionUse a properly fitted, air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards

of the product and the safe working limits of the selected respirator.

Special instructions for protection and

hygiene

Wear gloves at all times when handling product, avoid direct contact with skin.

When finished using product, dispose of gloves properly and wash hands with

warm, soapy water.

9. Physical and Chemical Properties

Chemical family Polyamine

Appearance Amber colored liquid

Physical State Amine/Butadiene mixture

Form Liquid
Color Amber
Odor Mild

Density (Specific Gravity) 8.07 lb/gal (0.97)

Viscosity 8,360 cps at 77 °F (25 °C)

pH N/A

Melting point/freezing point N/A Initial boiling point and boiling range N/A Flash point N/A

Evaporation rate Slower than ether Data not available Flammability (solid, gas)

Upper/lower flammability limit (by volume) N/A

Material VOC None

Vapor density Heavier than air Relative density Not determined

Partition coefficient: n-octanol/water N/A **Auto-ignition temperature** N/A **Decomposition temperature** N/A

10. Stability and Reactivity

Solubility in water

Reactivity No specific test data related to reactivity available for this product.

Negligible

Chemical Stability Stable under normal conditions.

Possibility of hazardous reactions Hazardous polymerization will not occur.

Conditions to avoid Epoxy resins and epoxy resin hardeners react with each other producing heat.

> They should not be mixed with each other under uncontrolled conditions or in large mass as the ensuing exotherm may result in heat and smoke, resulting in

hazardous decomposition products.

Incompatible materials Strong oxidizing and reducing agents. Lewis and mineral acids.

Hazardous decomposition products Oxides of carbon and nitrogen.

11. Toxicological Information

Acute Toxicity No information on product itself.

Irritation/Corrosion Classifies as Skin Corrosion Category 1 and Serious Eye Damage Category 1

based on GHS cut-off values and concentration limits.

Sensitization No information on product itself.

Component	Species	Result
ATBN Polymer	Guinea Pig	Strong Sensitizer

No information on product itself. Mutagenicity Carcinogenicity No information on product itself. **Reproductive Toxicity** No information on product itself. **Teratogenicity** No information on product itself. Specific target organ toxicity (single No information on product itself.

exposure)

Specific target organ toxicity (repeated No information on product itself.

exposure)

Aspiration hazard No information on product itself.

Potential acute health effects

Eye Contact Causes serious eye damage.

Inhalation Not available.

Skin Contact Causes severe skin burns. May cause an allergic skin reaction.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical

and toxicological characteristics

Eye Contact Adverse symptoms may include the following:

Pain Watering Redness

Inhalation Adverse symptoms may include the following:

No data available

Skin Contact Adverse symptoms may include the following:

Pain or irritation

Ingestion Adverse symptoms may include the following:

No data available

Not available.

Delayed and immediate effects and also

chronic effects from short and long term

<u>exposure</u>

Potential chronic health effects

General Causes damage to organs through prolonged or repeated exposure: Once

sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity No known significant effects or critical hazards.

Mutagenicity No known significant effects or critical hazards.

Teratogenicity No known significant effects or critical hazards.

Developmental effectsNo known significant effects or critical hazards.

Fertility effects No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates (ATE_{mix})

Route	ATE value
Oral	1496.2 mg/kg
Dermal	2479.1 mg/kg
Inhalation (vapors)	404.16 mg/l

12. Ecological Information

Ecotoxicity

No information on product itself.

Component	Test	Endpoint	Exposure	Species	Result
ATBN Polymer	OECD 202	Acute EC50	48 hrs	Invertebrates	>1000 mg/l
	Invertebrates				
	OECD 201 Algae,	Acute EC50	72 hrs	Algae	>1000 mg/l
	Growth Inhibition				
	Test				

 Persistence and degradability
 No information on product itself.

 Bioaccumulative Potential
 No information on product itself.

Mobility in Soil

Soil/water partition coefficient (KOC)No information on product itself.

Other adverse effects No known significant effects or critical hazards.

13. Disposal Considerations

Waste from residues/ unused products

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is

required.

Contaminated packaging Dispose of container and unused contents in accordance with federal, state

and local requirements.

14. Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International Transport Regulations

Regulatory information	UN/NA number	Proper Shipping Name	Classes/*PG	Additional Information
DOT	UN 2735	Amines, liquid, corrosive, n.o.s. (n-aminoethylpiperazine)	Class 8 III	
TDG	UN 2735	Amines, liquid, corrosive, n.o.s. (n-aminoethylpiperazine)	Class 8 III	
IMO/IMDG	UN 2735	Amines, liquid, corrosive, n.o.s. (n-aminoethylpiperazine)	Class 8 III	
IATA	UN 2735	Amines, liquid, corrosive, n.o.s. (n-aminoethylpiperazine)	Class 8 III	
*PG: Packing group				
Special precautions for user:		Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		

15. Regulatory Information

UNITED STATES

III D STATES	
U.S. Federal Regulations	United States – TSCA 12(b) – Chemical export notification: None Required. United States – TSCA 5(a)2 – Final significant new use rules: Not Listed. United States – TSCA 12(b) – Proposed significant new use rules: None Required. United States – TSCA 5(e) – Substance consent order: Not listed.
Clean Air Act – Ozone Depleting	This product does not contain nor is it manufactured with ozone depleting

Substances (ODS)

This product does not contain nor is it manufactured with ozone depleting substances.

Clean Air Act Section 112(b) Hazardous

Air Pollutants (HAPs)

Methanol

None.

Pennsylvania – RTK

California Prop. 65 WARNING: This product can expose you to chemicals including Methanol that

is known to the State of California to cause birth defects or other reproductive

harm. For more information go to www.P65Warnings.ca.gov.

EPA SARA 302/304/311/312

Substances EPA SARA 313

Form R – Reporting requirements

CERCLA Hazardous Substances

Acute Health Hazard, Chronic Health Hazard

Product Name			Concentration %		
Methanol					
Component	%	Section 304 CERCLA Hazardous Substance		CERCLA Reportable Quantity (Lbs)	Product Reportable Quantity (Lbs)
Methanol				5,000	

United States inventory (TSCA 8b)

All components are listed or exempted.

CANADA

WHMIS (Canada) Class D-1B: Material causing immediate and serious toxic effects (Toxic).

Class D-2B: Material causing other toxic effects (Toxic).

Class E: Corrosive material.

Canadian NPRINone RequiredCEPA Toxic substancesNone Required

INTERNATIONAL REGULATIONS

International Lists Australia inventory (AICS): All components are listed or exempted.

Korea inventory: All components are listed or exempted.

Japan inventory (ENCS): All components are listed or exempted. **China inventory (IECSC):** All components are listed or exempted.

16. Other Information, Including Date of Preparation or Last Revision

HMIS Rating



Date of Preparation February 27, 2023

Date of Last Revision March 9, 2020

Revision # 4.0

More Information 1-253-333-8118

Prepared by System Three Resins Inc.

The information contained herein is based on the data available to us and is believed to be correct. However, System Three Resins, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. System Three assumes no responsibility for injury from the use of the product described herein.