


STRATA



ALL WEATHER CABINETRY



20
26

WWW.STRATAMODULAR.COM



STRATA



Premium Outdoor Cabinetry Solutions

STRATA specializes in the design and manufacture of high-quality Compact HPL (High Pressure Laminate) cabinetry, engineered to perform in versatile and demanding outdoor environments.

With a highly skilled production team based in Bogotá, Colombia, **STRATA** ensures a fast and efficient turnaround — from personalized kitchen design and technical drawings to fully assembled cabinets, ready for seamless installation.



ENVIRONMENTALLY FRIENDLY

High Pressure Laminate and the Compact Laminate are sheets consisting of layers of papers impregnated with thermosetting resin, dried and bond together in a high pressure process. The kraft papers we used are mostly recycled papers, also called “regenerated papers”.



FEATURES & BENEFITS

-  Moisture-proof
-  Fire-resistant
-  Impact-proof
-  Rub resistance
-  Resistance to dry heat
-  Mold-resistant
-  Easy to clean
-  Scratch-proof
-  Hygienic
-  Excellent intensity and colour depth
-  Machining friendly
-  Various surface
-  Longtime stability
-  Stain resistant
-  Antistatic
-  Self-supporting

Built for Life Outdoors

Thoughtfully designed and engineered to match your unique lifestyle, **STRATA** offers a collection of innovative, weather-resistant cabinets ideal for both residential and commercial outdoor spaces.

Durable and long-lasting, our cabinetry ensures your investment with years of outdoor living enjoyment.

CABINETS

SPECIFICATIONS

- Full Access, frameless construction
- Standard depth is 24" deep, can be ordered 28" deep. Drawers remain 21" deep
- 1/4" LDPE thick cabinet backs with 4" nailers top and bottom
- Full depth adjustable shelves
- 110° soft-close stainless steel concealed hinges
- Finished back and side panels
- slides, concealed by drawer sides and treated with corrosion blocker
- Standard base cabinets are 30 1/2" H plus an adjustable leg leveler (standard toe kick is 4")
- Standard cabinets for any type of appliances with customizable cutouts

FINISHES



OAK



NOCE



WALNUT

CABINETS

CONSTRUCTION

Cabinet Box: 3/4" thick Anthracite Compact Laminate

Drawer Box: 3/4" thick Anthracite Compact Laminate

Door Hinges: Stainless Steel

Cabinet Shelves: 3/4" thick Anthracite Compact Laminate

Drawer and Door Finishes: 3/4" thick Compact Laminate in WOOD finish

Back Panel and Side Panel Finishes: 3/4" thick Compact Laminate in wood color

Toe Kick: Aluminum with adjustable legs





LIST OF CABINETS

Functionality and Design

- Base Cabinet
- Appliances Cabinet
- Wall Cabinet
- Tall Cabinet
- Accessories
- Special Order Cabinet

CABINETS



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC1DO-12	12	304.8	31	787.4	23	584.2
BC1DO-15	15	381	31	787.4	23	584.2
BC1DO-18	18	457.2	31	787.4	23	584.2
BC1DO-21	21	533.4	31	787.4	23	584.2
BC1DO-24	24	609.6	31	787.4	23	584.2
BC1DOX-12	12	304.8	31	787.4	26	660.4
BC1DOX-15	15	381	31	787.4	26	660.4
BC1DOX-18	18	457.2	31	787.4	26	660.4
BC1DOX-21	21	533.4	31	787.4	26	660.4
BC1DOX-24	24	609.6	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC1T1DO-12	12	304.8	31	787.4	23	584.2
BC1T1DO-15	15	381	31	787.4	23	584.2
BC1T1DO-18	18	457.2	31	787.4	23	584.2
BC1T1DO-21	21	533.4	31	787.4	23	584.2
BC1T1DO-24	24	609.6	31	787.4	23	584.2
BC1T1DOX-12	12	304.8	31	787.4	26	660.4
BC1T1DOX-15	15	381	31	787.4	26	660.4
BC1T1DOX-18	18	457.2	31	787.4	26	660.4
BC1T1DOX-21	21	533.4	31	787.4	26	660.4
BC1T1DOX-24	24	609.6	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC1T2DO-30	30	762	31	787.4	23	584.2
BC1T2DO-36	36	914.4	31	787.4	23	584.2
BC1T2DO-42	42	1066.8	31	787.4	23	584.2
BC1T2DO-48	48	1219.2	31	787.4	23	584.2
BC1T2DOX-30	30	762	31	787.4	26	660.4
BC1T2DOX-36	36	914.4	31	787.4	26	660.4
BC1T2DOX-42	42	1066.8	31	787.4	26	660.4
BC1T2DOX-48	48	1219.2	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC1T2DW-12	12	304.8	31	787.4	23	584.2
BC1T2DW-15	15	381	31	787.4	23	584.2
BC1T2DW-18	18	457.2	31	787.4	23	584.2
BC1T2DW-21	21	533.4	31	787.4	23	584.2
BC1T2DW-24	24	609.6	31	787.4	23	584.2
BC1T2DWX-12	12	304.8	31	787.4	26	660.4
BC1T2DWX-15	15	381	31	787.4	26	660.4
BC1T2DWX-18	18	457.2	31	787.4	26	660.4
BC1T2DWX-21	21	533.4	31	787.4	26	660.4
BC1T2DWX-24	24	609.6	31	787.4	26	660.4

CABINETS



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC1T3DW-12	12	304.8	31	787.4	23	584.2
BC1T3DW-15	15	381	31	787.4	23	584.2
BC1T3DW-18	18	457.2	31	787.4	23	584.2
BC1T3DW-21	21	533.4	31	787.4	23	584.2
BC1T3DW-24	24	609.6	31	787.4	23	584.2
BC1T3DWX-12	12	304.8	31	787.4	26	660.4
BC1T3DWX-15	15	381	31	787.4	26	660.4
BC1T3DWX-18	18	457.2	31	787.4	26	660.4
BC1T3DWX-21	21	533.4	31	787.4	26	660.4
BC1T3DWX-24	24	609.6	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC2DO-30	30	762	31	787.4	23	584.2
BC2DO-36	36	914.4	31	787.4	23	584.2
BC2DO-42	42	1066.8	31	787.4	23	584.2
BC2DO-48	48	1219.2	31	787.4	23	584.2
BC2DOX-30	30	762	31	787.4	26	660.4
BC2DOX-36	36	914.4	31	787.4	26	660.4
BC2DOX-42	42	1066.8	31	787.4	26	660.4
BC2DOX-48	48	1219.2	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC2DW1POT-12	12	304.8	31	787.4	23	584.2
BC2DW1POT-15	15	381	31	787.4	23	584.2
BC2DW1POT-18	18	457.2	31	787.4	23	584.2
BC2DW1POT-21	21	533.4	31	787.4	23	584.2
BC2DW1POT-24	24	609.6	31	787.4	23	584.2
BC2DW1POTX-12	12	304.8	31	787.4	26	660.4
BC2DW1POTX-15	15	381	31	787.4	26	660.4
BC2DW1POTX-18	18	457.2	31	787.4	26	660.4
BC2DW1POTX-21	21	533.4	31	787.4	26	660.4
BC2DW1POTX-24	24	609.6	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC2POT-12	12	304.8	31	787.4	23	584.2
BC2POT-15	15	381	31	787.4	23	584.2
BC2POT-18	18	457.2	31	787.4	23	584.2
BC2POT-21	21	533.4	31	787.4	23	584.2
BC2POT-24	24	609.6	31	787.4	23	584.2
BC2POTX-12	12	304.8	31	787.4	26	660.4
BC2POTX-15	15	381	31	787.4	26	660.4
BC2POTX-18	18	457.2	31	787.4	26	660.4
BC2POTX-21	21	533.4	31	787.4	26	660.4
BC2POTX-24	24	609.6	31	787.4	26	660.4

CABINETS



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
BC3DWL-12	12	304.8	31	787.4	23	584.2
BC3DWL-15	15	381	31	787.4	23	584.2
BC3DWL-18	18	457.2	31	787.4	23	584.2
BC3DWL-21	21	533.4	31	787.4	23	584.2
BC3DWL-24	24	609.6	31	787.4	23	584.2
BC3DWLX-12	12	304.8	31	787.4	26	660.4
BC3DWLX-15	15	381	31	787.4	26	660.4
BC3DWLX-18	18	457.2	31	787.4	26	660.4
BC3DWLX-21	21	533.4	31	787.4	26	660.4
BC3DWLX-24	24	609.6	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
CBCL-44	44	1117.6	31	787.4	23	584.2
CBCLX-44	44	1117.6	31	787.4	26	660.4
CBCR-44	44	1118	31	787.4	23	584.2
CBCRX-44	44	1118	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
GC1FF2DO-36	36	914.4	31	787.4	23	584.2
GC1FF2DO-39	39	990.6	31	787.4	23	584.2
GC1FF2DO-42	42	1066.8	31	787.4	23	584.2
GC1FF2DO-45	45	1143	31	787.4	23	584.2
GC1FF2DO-48	48	1219.2	31	787.4	23	584.2
GC1FF2DOX-36	36	914.4	31	787.4	26	660.4
GC1FF2DOX-39	39	990.6	31	787.4	26	660.4
GC1FF2DOX-42	42	1066.8	31	787.4	26	660.4
GC1FF2DOX-45	45	1143	31	787.4	26	660.4
GC1FF2DOX-48	48	1219.2	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
GC1FF4DO-51	51	1295.4	31	787.4	23	584.2
GC1FF4DO-54	54	1371.6	31	787.4	23	584.2
GC1FF4DO-57	57	1447.8	31	787.4	23	584.2
GC1FF4DO-60	60	1524	31	787.4	23	584.2
GC1FF4DOX-51	51	1295.4	31	787.4	26	660.4
GC1FF4DOX-54	54	1371.6	31	787.4	26	660.4
GC1FF4DOX-57	57	1447.8	31	787.4	26	660.4
GC1FF4DOX-60	60	1524	31	787.4	26	660.4

CABINETS



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
GEC1DO-24	24	609.6	31	787.4	23	584.2
GEC1DO-36	36	914.4	31	787.4	23	584.2
GEC1DOX-24	24	609.6	31	787.4	26	660.4
GEC1DOX-36	36	914.4	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
LP1DO-18	18	457.2	31	787.4	23	584.2
LP1DO-21	21	533.4	31	787.4	23	584.2
LP1DO-24	24	609.6	31	787.4	23	584.2
LP1DO-30	30	762	31	787.4	23	584.2
LP1DO-36	36	914.4	31	787.4	23	584.2
LP1DOX-18	18	457.2	31	787.4	26	660.4
LP1DOX-21	21	533.4	31	787.4	26	660.4
LP1DOX-24	24	609.6	31	787.4	26	660.4
LP1DOX-30	30	762	31	787.4	26	660.4
LP1DOX-36	36	914.4	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
LP1TD1DO-18	18	457.2	31	787.4	23	584.2
LP1TD1DO-21	21	533.4	31	787.4	23	584.2
LP1TD1DO-24	24	609.6	31	787.4	23	584.2
LP1TD1DO-30	30	762	31	787.4	23	584.2
LP1TD1DO-36	36	914.4	31	787.4	23	584.2
LP1TD1DOX-18	18	457.2	31	787.4	26	660.4
LP1TD1DOX-21	21	533.4	31	787.4	26	660.4
LP1TD1DOX-24	24	609.6	31	787.4	26	660.4
LP1TD1DOX-30	30	762	31	787.4	26	660.4
LP1TD1DOX-36	36	914.4	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
LPFF1DO-18	18	457.2	31	787.4	23	584.2
LPFF1DO-21	21	533.4	31	787.4	23	584.2
LPFF1DO-24	24	609.6	31	787.4	23	584.2
LPFF1DO-30	30	762	31	787.4	23	584.2
LPFF1DO-36	36	914.4	31	787.4	23	584.2
LPFF1DOX-18	18	457.2	31	787.4	26	660.4
LPFF1DOX-21	21	533.4	31	787.4	26	660.4
LPFF1DOX-24	24	609.6	31	787.4	26	660.4
LPFF1DOX-30	30	762	31	787.4	26	660.4
LPFF1DOX-36	36	914.4	31	787.4	26	660.4

CABINETS



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
OBC-12	12	304.8	31	787.4	23	584.2
OBC-15	15	381	31	787.4	23	584.2
OBC-18	18	457.2	31	787.4	23	584.2
OBC-21	21	533.4	31	787.4	23	584.2
OBC-24	24	609.6	31	787.4	23	584.2
OBCX-12	12	304.8	31	787.4	26	660.4
OBCX-15	15	381	31	787.4	26	660.4
OBCX-18	18	457.2	31	787.4	26	660.4
OBCX-21	21	533.4	31	787.4	26	660.4
OBCX-24	24	609.6	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
OBCREF-15	15	381	31	787.4	4.50	114.30
OBCREF-18	18	457.2	31	787.4	4.50	114.30
OBCREF-21	21	533.4	31	787.4	4.50	114.30
OBCREF-24	24	609.6	31	787.4	4.50	114.30



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
SB1DO-12	12	304.8	31	787.4	23	584.2
SB1DO-15	15	381	31	787.4	23	584.2
SB1DO-18	18	457.2	31	787.4	23	584.2
SB1DO-21	21	533.4	31	787.4	23	584.2
SB1DO-24	24	609.6	31	787.4	23	584.2
SB1DOX-12	12	304.8	31	787.4	26	660.4
SB1DOX-15	15	381	31	787.4	26	660.4
SB1DOX-18	18	457.2	31	787.4	26	660.4
SB1DOX-21	21	533.4	31	787.4	26	660.4
SB1DOX-24	24	609.6	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
SB2DO-27	27	685.8	31	787.4	23	584.2
SB2DO-30	30	762	31	787.4	23	584.2
SB2DO-33	33	838.2	31	787.4	23	584.2
SB2DO-36	36	914.4	31	787.4	23	584.2
SB2DO-39	39	990.6	31	787.4	23	584.2
SB2DO-42	42	1066.8	31	787.4	23	584.2
SB2DO-48	48	1219.2	31	787.4	23	584.2
SB2DOX-27	27	685.8	31	787.4	26	660.4
SB2DOX-30	30	762	31	787.4	26	660.4
SB2DOX-33	33	838.2	31	787.4	26	660.4
SB2DOX-36	36	914.4	31	787.4	26	660.4
SB2DOX-39	39	990.6	31	787.4	26	660.4
SB2DOX-42	42	1066.8	31	787.4	26	660.4
SB2DOX-48	48	1219.2	31	787.4	26	660.4

CABINETS



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
SB4DO-51	51	1295.4	31	787.4	23	584.2
SB4DO-54	54	1371.6	31	787.4	23	584.2
SB4DO-57	57	1447.8	31	787.4	23	584.2
SB4DO-60	60	1524	31	787.4	23	584.2
SB4DO-63	63	1600.2	31	787.4	23	584.2
SB4DOX-51	51	1295.4	31	787.4	26	660.4
SB4DOX-54	54	1371.6	31	787.4	26	660.4
SB4DOX-57	57	1447.8	31	787.4	26	660.4
SB4DOX-60	60	1524	31	787.4	26	660.4
SB4DOX-63	63	1600.2	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
SBFF1DO-12	12	304.8	31	787.4	23	584.2
SBFF1DO-15	15	381	31	787.4	23	584.2
SBFF1DO-18	18	457.2	31	787.4	23	584.2
SBFF1DO-21	21	533.4	31	787.4	23	584.2
SBFF1DO-24	24	609.6	31	787.4	23	584.2
SBFF1DOX-12	12	304.8	31	787.4	26	660.4
SBFF1DOX-15	15	381	31	787.4	26	660.4
SBFF1DOX-18	18	457.2	31	787.4	26	660.4
SBFF1DOX-21	21	533.4	31	787.4	26	660.4
SBFF1DOX-24	24	609.6	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
SBFF2DO-27	27	685.8	31	787.4	23	584.2
SBFF2DO-30	30	762	31	787.4	23	584.2
SBFF2DO-36	36	914.4	31	787.4	23	584.2
SBFF2DO-42	42	1066.8	31	787.4	23	584.2
SBFF2DO-48	48	1219.2	31	787.4	23	584.2
SBFF2DOX-27	27	685.8	31	787.4	26	660.4
SBFF2DOX-30	30	762	31	787.4	26	660.4
SBFF2DOX-36	36	914.4	31	787.4	26	660.4
SBFF2DOX-42	42	1066.8	31	787.4	26	660.4
SBFF2DOX-48	48	1219.2	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
SBFF4DO-51	51	1295.4	31	787.4	23	584.2
SBFF4DO-54	54	1371.6	31	787.4	23	584.2
SBFF4DO-57	57	1447.8	31	787.4	23	584.2
SBFF4DO-60	60	1524	31	787.4	23	584.2
SBFF4DO-63	63	1600.2	31	787.4	23	584.2
SBFF4DOX-51	51	1295.4	31	787.4	26	660.4
SBFF4DOX-54	54	1371.6	31	787.4	26	660.4
SBFF4DOX-57	57	1447.8	31	787.4	26	660.4
SBFF4DOX-60	60	1524	31	787.4	26	660.4
SBFF4DOX-63	63	1600.2	31	787.4	26	660.4

CABINETS



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
SBU1FF1DO-12	12	304.8	31	787.4	23	584.2
SBU1FF1DO-15	15	381	31	787.4	23	584.2
SBU1FF1DO-18	18	457.2	31	787.4	23	584.2
SBU1FF1DO-21	21	533.4	31	787.4	23	584.2
SBU1FF1DO-24	24	609.6	31	787.4	23	584.2
SBU1FF1DO-12	12	304.8	31	787.4	26	660.4
SBU1FF1DO-15	15	381	31	787.4	26	660.4
SBU1FF1DO-18	18	457.2	31	787.4	26	660.4
SBU1FF1DO-21	21	533.4	31	787.4	26	660.4
SBU1FF1DO-24	24	609.6	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
TC1DW-12	12	304.8	31	787.4	23	584.2
TC1DW-15	15	381	31	787.4	23	584.2
TC1DW-18	18	457.2	31	787.4	23	584.2
TC1DW-21	21	533.4	31	787.4	23	584.2
TC1DW-24	24	609.6	31	787.4	23	584.2
TC1DWX-12	12	304.8	31	787.4	26	660.4
TC1DWX-15	15	381	31	787.4	26	660.4
TC1DWX-18	18	457.2	31	787.4	26	660.4
TC1DWX-21	21	533.4	31	787.4	26	660.4
TC1DWX-24	24	609.6	31	787.4	26	660.4



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
TC1TD1DW-12	12	304.8	31	787.4	23	584.2
TC1TD1DW-15	15	381	31	787.4	23	584.2
TC1TD1DW-18	18	457.2	31	787.4	23	584.2
TC1TD1DW-21	21	533.4	31	787.4	23	584.2
TC1TD1DW-24	24	609.6	31	787.4	23	584.2
TC1TD1DW-12	12	304.8	31	787.4	26	660.4
TC1TD1DW-15	15	381	31	787.4	26	660.4
TC1TD1DW-18	18	457.2	31	787.4	26	660.4
TC1TD1DW-21	21	533.4	31	787.4	26	660.4
TC1TD1DW-24	24	609.6	31	787.4	26	660.4

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
WC1DO30-12	12	304.8	30	762	12	304.8
WC1DO30-15	15	381	30	762	12	304.8
WC1DO30-18	18	457.2	30	762	12	304.8
WC1DO30-21	21	533.4	30	762	12	304.8
WC1DO30-24	24	609.6	30	762	12	304.8

CABINETS




VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
WC1DO36-12	12	304.8	36	914.4	12	304.8
WC1DO36-15	15	381	36	914.4	12	304.8
WC1DO36-18	18	457.2	36	914.4	12	304.8
WC1DO36-21	21	533.4	36	914.4	12	304.8
WC1DO36-24	24	609.6	36	914.4	12	304.8

VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
WC2DO30-24	24	609.6	30	762	12	304.8
WC2DO30-27	27	685.8	30	762	12	304.8
WC2DO30-30	30	762	30	762	12	304.8
WC2DO30-33	33	838.2	30	762	12	304.8
WC2DO30-36	36	914.4	30	762	12	304.8



VERSION	WIDTH		HEIGHT		DEPTH	
	IN.	MM	IN.	MM	IN.	MM
WC2DO30-24	24	609.6	30	762	12	304.8
WC2DO30-27	27	685.8	30	762	12	304.8
WC2DO30-30	30	762	30	762	12	304.8
WC2DO30-33	33	838.2	30	762	12	304.8
WC2DO30-36	36	914.4	30	762	12	304.8



DESIGN

Complimentary Design Services for Custom Outdoor Kitchens

Unlike indoor kitchens, outdoor kitchens demand a unique design mindset. Priorities shift — from how storage is configured to the strategic placement of appliances — all while considering exposure to the elements, traffic flow, and lifestyle needs. Our expertise ensures that every detail is optimized for outdoor living, durability, and daily enjoyment.

STRATA offers free design consultation and expert advice for every custom outdoor kitchen project. Whether you're creating a space for family gatherings or upscale entertaining, our team is here to help you bring your vision to life — beautifully and efficiently.

Colombia

Ave. Troncal de Occidente # 20-85, Int 34
Bod 1, Mosquera, Cundinamarca, Colombia.

Panama

Av Centenario, Torre Aseguradora Ancon,
Piso 13, Oficina 13a, Frente A Ph Sol De
Panama, 0832, Panama

USA

3201 NW 82nd Ave Doral FL 33122, USA

Contact

Phone: 786-851-3546

Emails: info@stratamodular.com

Web: www.stratamodular.com

