



**Ozone  
Generator**



## Ozone Generator Catalog

C2C Technology Singapore Pte Ltd

# OWS-SERIES

## OZONE WATER SYSTEM

Self contained oxygen concentrator, mixing pump, gas liquid separator and off gas destructor. The Ozone Water System (OWS) deliver concentrated aqueous ozone for a variety of water treatment applications.

### FEATURES

Concentrated aqueous ozone up to 18 ppm

Self-contained oxygen concentrator, venturi/mixing pump

Auto on/off based on water flow

LCD display

Easy transportation

### APPLICATIONS

Washing and disinfection, agricultural irrigation, laboratory etc.,



### SPECIFICATIONS

| MODEL        | MAX OZONE PRODUCTION | OXYGEN CONSUMPTION |      |      | MAX WATER FLOW |      |      | DISSOLVED OZONE | MAX POWER | LENGTH x WIDTH x HEIGHT |                | WEIGHT |       |
|--------------|----------------------|--------------------|------|------|----------------|------|------|-----------------|-----------|-------------------------|----------------|--------|-------|
|              | g/hour               | l/min              | m3/h | SCFH | l/min          | m3/h | GPM  |                 | W         | cm                      | inches         | kg     | lbs   |
| OWS-5G PLUS  | 5                    | 1                  | 0.06 | 2.1  | 10             | 0.6  | 2.6  | 1-3ppm          | 300       | 37x25x35                | 14.6x9.8x13.8  | 12.6   | 27.7  |
| OWS-10G MIN  | 10                   | 3                  | 0.18 | 6.4  | 33             | 2    | 8.8  | 1-3.5ppm        | 600       | 57x35x46                | 22.4x13.8x18.1 | 31     | 68.2  |
| OWS-10G PLUS | 10                   | 3                  | 0.18 | 6.4  | 30             | 1.8  | 7.9  | 1-4ppm          | 850       | 45x70x70.5              | 17.7x27.6x27.8 | 59.5   | 130.9 |
| OWS-20G PLUS | 20                   | 5                  | 0.3  | 10.5 | 50             | 3    | 13.2 | 1-5ppm          | 1080      | 45x70x70.5              | 17.7x27.6x27.8 | 63.5   | 139.7 |

## OWS-SERIES

### OZONE WATER SYSTEM

The Ozone Water System (OWS) provide turnkey integrated system for your water applications.

#### FEATURES

Self-contained oxygen concentrator

Self-contained mixing pump

Handle large flow

Rugged stainless steel housing

Ease of use

#### APPLICATIONS

Well water, drinking water, pool water etc.,



#### SPECIFICATIONS

| MODEL   | MAX OZONE PRODUCTION | OXYGEN CONSUMPTION |      |      | MAX WATER FLOW |      |     | DISSOLVED OZONE | MAX POWER | LENGTH x WIDTH x HEIGHT |                | WEIGHT |       |
|---------|----------------------|--------------------|------|------|----------------|------|-----|-----------------|-----------|-------------------------|----------------|--------|-------|
|         | g/hour               | l/min              | m3/h | SCFH | l/min          | m3/h | GPM | PPM             | W         | cm                      | inches         | kg     | lbs   |
| OWS-10G | 10                   | 3                  | 0.18 | 6.4  | 47             | 2.8  | 12  | 1-3             | 900       | 50x40x110               | 19.7x15.7x43.3 | 52     | 114.6 |
| OWS-20G | 20                   | 5                  | 0.3  | 10.6 | 58             | 3.5  | 15  | 1-4             | 1000      | 50x40x128               | 19.7x15.7x50.4 | 57.5   | 126.8 |
| OWS-30G | 30                   | 6                  | 0.36 | 12.7 | 58             | 3.5  | 15  | 1-5             | 1200      | 50x40x128               | 19.7x15.7x50.4 | 68.4   | 150.8 |



+65-80537572

✉ [ufb@c2csingapore.com](mailto:ufb@c2csingapore.com)

🌐 [ufblab.c2csingapore.com](https://ufblab.c2csingapore.com)

📍 Shenton way, Downtown, Singapore