



325 OFFICE SQUARE LANE
VIRGINIA BEACH, VA 23462
PH. 757.499.9559 | FX. 757.490.2117

Patient _____

☐ Frame Try-In ☐ Bisque Bake ☐ Finish

Enclosed Items

- ☐ Temp. Models
☐ Pre-op Models
☐ Opposing Model
☐ Occlusal Record
☐ Impression
☐ Photos
☐ Facebow
☐ _____

Service Desired: _____

Doctor's Signature _____

License# _____

Date _____

DELIVERY APPT DATE

REQUESTED RETURN DATE

Dr. _____

Addr. _____

Ph. _____

☐ Custom Shade

Patient Ph # _____


Stump Shade

Restoration Shade

INSURANCE ESSENTIALS

- ☐ Z-MONO
☐ Z-MONO/Layered Buccal or Facial
☐ E-MONO
☐ E-MONO/Layered Buccal or Facial
☐ Screw Retained Z-MONO Crown
☐ Screw Retained E-MONO Crown

MODEL: _____
SCAN: _____
FIT/FN: _____
PORC: _____



Implant Type & Size _____ ☐ Abutment Try-In

Implants

- ☐ Screw Retained
☐ Cement Retained
☐ Zirconium Abut.
☐ Prefab Titanium Abut
☐ Cust. e.max Abut.
☐ Cust. Titanium Abut.
☐ Cust. Cast Abut (Gold)

All Ceramic

- ☐ Porc to Zr
☐ IPS e.max (layered)
☐ PMMA Temporary

Metal Choice

- ☐ Noble White
☐ High Noble White
☐ High Noble Yellow
☐ C & B Gold

Full Cast

- ☐ Full Crown
☐ Inlay
☐ Onlay
☐ Post & Core

PFM Crown

- ☐ Porcelain Margin
☐ Metal Occlusal/Ling
☐ 360° Collar
☐ Lingual Collar