vantageo™

Vantageo 24G1-RS-P

High Performance, Scalable, and Secure





Key Features

- The MGX[™] 4U Al Server, up to 8 x dual-slot GPU (L40S,RTX Pro 6000 or H200 NVL)
- · NVIDIA® NVLink® Bridge support
- 2-Socket AMD EPYC[™] 9005 Series processors, up to 5GHz
- Up to 5 x PCle5.0 x16 slot for NICs
- Up to 8 x E1.S SSD


Target Applications:

- · NVIDIA Al Enterprise
- · Generative Al
- Altraining
- · High Performance Compute


Data Sheet Page 2

Vantageo 24G1-RS-P

Front/Rear Placement



System Configuration



Data Sheet Page 3

Technical details Vantageo 24G1-RS-P

Form Factor	4U
Chassis Dimension (mm)	440 (W) x 176 (H) x 800 (D)
Mainboard Form Factor	MGX Board
Mainboard Dimension (mm)	424.5 x 305.59
Processor	Number of Processors 2
	Processor Type AMD EPYC™ 9005 Processor Max. TDP Support 400W
GPU	Up to 8 DS PCIe GPU up to 600W (NVIDIA H200 NVL, RTX PRO™ 6000, L40S) Up to 16 SS PCIe GPU up to 300W
Memory	Total Slots 32 x DIMM slots
	Memory Type DDR5 RDIMM (6400MT/s rated): 1DPC: 5200MT/s (1R/2R) 2DPC: 4400 MT/s (1R) / 4000 MT/s (2R)
	DIMM Capacity (GB per DIMM) 32GB, 64GB, 128GB
Expansion Slots	5x PCle 5.0 x16 SS FHFL: For NVIDIA BlueField®-3 & ConnectX®-7 card
Storage Bays	8x E1.S NVMe
Onboard Storage	2x M.2 2280/22110 NVMe
Management	DC-SCI BMC Management (Aspeed® AST2600)
Security	TPM 2.0 PROT (optional)
Networking Interface	1x IPMI RJ45
Front I/O Ports	1x IPMI RJ45 1x MiniDP 1x USB 3.2 Gen 1 1x Micro USB COM Port 1x Power button LED
OS Support	Red Hat Enterprise Linux 9.2 or later Ubuntu 22.04 LTS
Power Supply	3 + 1 pcs 2700W CRPS Titanium solution
Fans	10 x 8080 Fans
Operating Properties	Ambient operating temperature range: 5°C to +35 °C
	Ambient Non-operating temperature: -40°C to +68 °C
	Operating relative humidity: 10% to 90%, noncondensing
	Non-operating relative humidity: up to 93%, noncondensing

Recommended support

24x7 - 4 hours Response, Next Business Day Call to Resolution CTR

24x7 - 4 hours Response, 24 Hours Call to Resolution CTR

24x7 - 4 Hours Response, 6 Hours Call to Resolution CTR

Default support Next Business Day Consulting and deployment offerings are also available. Contact Vantageo representative for the more information.

Disclaimer: Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.