

VANTAGEO S-NAS 2402

Flexible, Scalable, and Secure



- Hard Drives + Flash SSDs = The best of both worlds
- Quad-Core Intel N5105 CPU
- 4GB DDR4 RAM
- 2x 3.5"/2.5" SATA HDD/SSD
- 4x M.2 slots for NVMe SSDs
- USB 3.2 Gen 2 ports
- Enjoy, download, upload and stream content with 4K transcoding
- Supports Wake on LAN and Wake on WAN
- HDMI

Powered by Intel 10 nm processors

- Intel's Quad-Core N5105 CPU comes clocked at 2.0 GHz with boost clocks of up to 2.9 Ghz for efficient content creation.

Efficient Cooling

- The AS54 series now come with four M.2 slots for NVMe SSDs. The high performance of M.2 SSDs requires heat dissipation and the upgraded chassis reflects the needs of the four M.2 slots found inside. Specially designed cooling vents ensure installed SSDs remain cool and stay at their maximum performance while also remaining aesthetically pleasing.

Four M.2 Slots

- The AS54 series come with four M.2 slots for caching, storage or both. Either use all slots for one purpose or mix and match depending on your needs.





Superfast 2.5-Gigabit Ethernet ports

- The AS54 series, despite being extremely affordable, contains dual 2.5-Gigabit Ethernet for up to 5 Gbps of performance when combined using SMB multichannel.

Data Protection Starts with Storage

- Vantageo understands that your data is priceless, therefore Vantageo NAS provides numerous options for protecting your data from a variety of threats. Your data is important and receives numerous levels of protection from the moment it is first stored on the NAS. Take advantage of a variety of data protection features found inside an Vantageo NAS, including, but not limited to RAID, easy automatic backups and snapshots. Vantageo recommends planning a holistic 3-2-1 backup solution to protect data easily, efficiently and effectively

VANTAGEO S-NAS 2402

	Single	JBOD	RAID 0	RAID 1	RAID 5	RAID 6	RAID 10
Minimum Number of drives	1	2	2	2	3	4	4
Fault tolerance (Number of drives)	X	X	X	1	1	2	1
Increased transfer rates	X	X	✓	X	✓	✓	✓
Maximum Use of Storage Space	✓	✓	✓	 x1/2	 -1	 -2	 x1/2

Smarter Stability

- When your system volume usage approaches 100%, system performance and stability may decrease. ADM strengthens management and monitors your system storage space usage to keep the NAS stable and fast. When usage rates approach 95%, Snapshot Center, in addition to other stability measures in ADM, adds an option to prevent storage space from being completely used up by deleting older unlocked volume snapshots to preserve data integrity while maintaining system stability

360° Backup and Virtualization Solution

- Rsync, MyArchive
- Snapshot Center
- Cloud Backup Center, DataSync Center
- Complete iSCSI/IP-SAN and NFS support
- VMware, Citrix and Hyper-V ready
- Supports Virtualization and Docker apps

Upgraded Security

- ADM 4.2 eliminates suspicious behavior and is able to remove or isolate problematic files or viruses in real time. It also incorporates multiple new security measures. Every time you log into ADM and AiMaster, your NAS will detect and provide real-time information for immediate optimization.

Snapshot Center

- Snapshot Center allows Vantageo NAS devices to utilize Btrfs and iSCSI volumes to take snapshots of the information inside a NAS. Snapshot Center supports up to 256 snapshots of a volume and can be done every five minutes, creating a backup that can be restored easily if data is damaged or lost. MyArchive also now supports Btrfs and snapshots. Btrfs for MyArchive supports snapshots and version history to help protect against accidental deletions or modifications.

Automatic Sync

- Vantageo EZ Sync brings the magic of cloud sync services right to your home. With an Vantageo NAS and EZ Sync, data can be synchronized anywhere with an internet connection without a monthly bill or a data limit. If data is unintentionally modified, restoration is easy with EZ Sync's automatic file history management feature.

Safer and Easier Scheduled MyArchive Backups

- ADM now supports automatic mounting and dismounting of MyArchive drives when backing up important data from an Vantageo NAS to a MyArchive drive. ADM will automatically mount a connected MyArchive when a backup begins, and automatically eject a MyArchive drive after the backup is complete. In addition to making performing 3-2-1 backups easier than ever, MyArchive drives are more comprehensively protected from various threats due to a different set of risks that complement the risks to data on a NAS.

Comprehensive Surveillance System

- Vantageo NAS provides optimal reliability for home and small businesses looking to set up a surveillance system. Four free camera channels are provided, making it an extremely cost-effective surveillance solution for users with smaller demands. The AS5402T supports up to 44 cameras with licenses sold separately. View surveillance feeds on Surveillance Center and its corresponding mobile app AiSecure. AiSecure also supports streams while on the go with an Internet connection.

Wake on LAN and Wake on WAN – Always on Standby

- Save power and money with Wake on LAN and Wake on WAN. Vantageo NAS features Wake on LAN and Wake on WAN to allow your NAS to power off when not in use and be woken up with a click. Use Wake on LAN when you are on the same network as the NAS while Wake on WAN is for when you are away from the NAS. Wake on LAN and Wake on WAN also protect against attacks by only waking up to your demands.

Created for the Digital Home

- Your Vantageo NAS allows you to enjoy thrilling digital entertainment at any time. Pair the HDMI port on your Vantageo on the NAS with various multimedia apps to an UHD TV for maximum enjoyment or similarly use the UPnP multimedia server inside your NAS to stream your favorite media to compatible computers, phones, tablets or set top boxes.

Portainer – Easy Docker Deployments

- Even more possibilities for ADM can be done with Portainer for Docker images. With thousands of images, Portainer can download and deploy more types of programs than ever before. Portainer is incredibly user friendly and employs a graphical interface to make Docker images easier to deploy than ever.

Technical details

VANTAGEO S-NAS 2402 Details

Processor	Intel Celeron N5105 Quad-Core, 2.0 GHz up to 2.9 GHz
Memory	4GB DDR4-2933 SO-DIMM (Expandable. max. 16GB, 8GB x2)
Drive Bays	2
M.2	-
USB	3x USB 3.2 Gen 2x1 (1x Front ; 2x Rear)
LAN	2x 2.5-Gigabit (Wake On WAN)
Dimensions(HxWxD)	170x114x230 mm
Weight	1.71kg/3.77lb
Power	65W AC Adapter
Operation/Disk Hibernation/Sleep Mode (S3)	22.9W/12.7W/0.71W
Volume Type	Single, JBOD, RAID 0/1
Display Out	1x HDMI 2.0b
Infrared Receiver	Yes
Part Number	VT-2BIN4M2

Automatic Sync

Operating System

- ADM 4.2 Onwards
- Supports Online Firmware Updates
- Built-in App Central for Various Apps

Supported OS

- Windows 7, 8, 10, 11, Server 2003, Server 2008, 2012, 2016, 2019, 2022 macOS 10.6 Onwards UNIX, Linux, BSD

Access Control

- Supports 2-Step Verification
- Supports Batch Creation and Importation of ADM Accounts
Maximum Number of Users: 4096
- Maximum Number of Groups: 512
- Maximum Number of Shared Folders: 512
- Maximum Number of Concurrent Connections: 512
- Supports Windows Active Directory/LDAP

File Explorer

- Web-based File Management
- ISO File Mounting
- Task Monitor
- Thumbnail Previews
- Browse Files on Local PC
- Data Access via External Optical Drive
- Supports video playback
- Share Links quick upload

System Administration

- Log Types: System Log, Connection Log, File Access Log
- Real-time Online User Monitor
- Real-time System Monitor
- User Quota
- Virtual Drives (ISO Mounting, Maximum 16)
- UPS Support

Storage Management

- Supports Multiple
- Volumes with Spare Disks Volume Type: Single disk, JBOD, RAID 0/1
- Support for RAID Level Migration
- Support for RAID Capacity Expansion

Disk Management

- Scheduled Bad Block Scans
- Scheduled S.M.A.R.T Scans
- Seagate IronWolf Health Management

External Devices

- Supports USB External Storage Devices
- USB Wi-Fi Dongle Support
- Bluetooth Dongle/Speaker Support
- USB Printer Support
- USB DAC/IR Receiver/Keyboard/Mouse Support
- USB CD ROM Drive/DVD ROM Drive/BD-ROM

Network

- TCP/IP (IPv4 & IPv6)
- Jumbo Frames (MTU)
- VLAN SMB Multichannel
- EZ-Connect
- Wireless Network
- DDNS and EZ-Router
- Supports Wake-on-LAN (WOL)
- Supports Wake-on-WAN (WOW)

Network Protocols

- Network Protocols CIFS/SMB, SMB 2.0/3.0, AFP, NFS, FTP (Unicode Supported), TFTP, WebDAV, Rsync, SSH, SFTP, iSCSI/IP-SAN, HTTP, HTTPS, Proxy, SNMP, Syslog

Security

- Security AES 256-Bit Folder Encryption
- Firewall: Prevent Unauthorized Access
- Alert Notifications: Encrypted Connections: HTTPS, FTP over SSL/TLS, SSH, SFTP, Rsync over SSH
- Built-in Hardware Encryption Engine: AS63, 64, Nimbustor (G1-G2), Lockerstor (G1-G2), Lockerstor Pro, Flashstor series

Backup Solutions (Two-Way Backup)

- Rsync (Remote Sync) Backup
- SMB Backup
- Cloud Backup
- FTP Backup
- External Backup
- USBOne Touch Backup EZ Sync

Snapshot Center

- Btrfs Snapshots
- 256 snapshots
- iSCSI LUNs
- Supported Models:
AS31/32/40/50/51/61/62/63/64/70/ Nimbustor/
Lockerstor G1-G2/Lockerstor Pro/Flashstor
series *Snapshot Center will not display Volume
snapshots information in other models

EZ Sync Manager

- Automatically synchronizes files between a PC and NAS
- Can restore previous versions of files
- Supports file sharing
- AiData now supports accessing EZ Sync files

Supported Browsers

- Firefox, Chrome, Safari, Microsoft Edge

Network Recycle Bin

- Share folder-based
- Maintains original directory structure and file permission
- On-click restore
- Supports scheduled emptying
- Filtering rules: 1.File size 2.File extension
- Deletion Settings: 1.File size 2.File date

Server

- VPN server, SNMP server, RADIUS server, Syslog server, Mail server, DHCP server, Web server, FTP server, Print server, Rsync server

ACL

- Provides both Windows ACL and Linux ACL permission configuration methods
- Can enable Windows ACL for specific shared folders
- Comprehensive support for Windows' 13 types of advanced permission settings
- Can view Windows ACL permission settings from within ADM
- Supports local users and groups
- Exclusive permission reset function allows users to quickly restore default permissions

iSCSI/IP-SAN

- Maximum Targets: 256
- Maximum Snapshot Versions of a Single LUN: 256
- Maximum LUNs: 256
- Target Masking
- LUN Mapping
- ISO File Mounting
- Supports MPIO
- SCSI-3 Persistent Reservations

Featured Apps

- ClamAV Antivirus
- Download Center
- FTP Explorer
- DataSync Center
- Cloud Backup Center
- RADIUS Server
- Mail Server
- DataSync Center
- LooksGood
- Photo Gallery 3
- SoundsGood
- Surveillance Center
- UPnP Media Server
- Surveillance Center
- VPN Server
- VPN Client

Mobile Apps

- AiMaster
- AiFoto 3
- AiMusic
- AiVideos
- AiData
- AiDownload (Android)
- AiSecure
- AiRemote

Recommended support

24x7 - 4 hours Response, Next Business Day Call to Resolution CTR

24x7 - 4 hours Response, 24 Hours Call to Resolution CTR

24x7 - 4 Hours Response, 6 Hours Call to Resolution CTR

Default support Next Business Day Consulting and deployment offerings are also available. Contact Vantageo representative for the more information.

Disclaimer: Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.