


Facility made easier than before!

Cost-effective solution
for petroleum industries!

www.regentofe.com





Develop equipment to
service the global
markets!

About us

Regent Oilfield Equipment Trading is a part of Alajban Importing and Trading Establishment was established in 1992. It is an integrated equipment rental, manufacturing, planning and designing company recognized for its quality service and equipment. The company has focused on developing products for the oil and gas industry by designing and manufacturing oilfield storage and transportation tanks, triplex twin pumps, silo tanks, centrifugal pumps, batch mixer, oilfield equipment solutions and supply of spare parts. Our mission is to develop equipment to service the global markets and to be recognized as leader in quality innovation, value and customer satisfaction.

Our mission

To deliver our best provided ,safest and most efficient servicesof Oil Field Equipment that fit to customer requirements, and exceed the level of customer satisfaction worldwide

Our vision

To be the most admired and trusted company Field industry through high quality products and services


Our values

Honesty, Integrity, Respect, Care,
Humility, Commitment and
Excellence

We Provide Energy

Performance & Short Delivery Time

REGENT OILFIELD EQUIPMENT Trading is dedicated to providing customers worldwide with highend oilfield equipment to ensure quality service and stability. With reliable performance and short delivery time and professional after sales service, the company equipment has been distributed around Middle East and regions providing safe, environment friendly and eliable service for the oil and gas industry offshore and onshore



Our Team

Exceptional Teams Delivering Integrated Services

With team efforts, we have established ourselves as a leader in oilfield storage tanks and a professional pump manufacturer and centrifugal pumps throughout the global market. Our technology, quality workmanship and customer service have helped us to be able to provide a wide range of diversified products



Our Services

“We rather than the I”

At REGENT OILFIELD EQUIPMENT everything we do revolves around the team. Our mindset is driven by the “We rather than the I” mentality. That have remained our driving force, in our quest to deliver continuous value to all our stakeholders.



Equipment Profile

We are proud of the products we manufacture. The quality of product & performance reliability That we offer to our customers and we appreciate the chance to talk to you about the products and capabilities of Regent Oilfield Equipment Trading. Our equipment are all certified.



TRIPLEX TWIN PUMP

The twin pump is used for performing high pressure well service treatments. The high pressure pumping system consists of

two diesel engines, two power shift transmission and two triplex pumps. They are characterized by their compactness, data acquisition, lightweight, high efficiency and ease of maintenance. The pumps are equipped with hard surface plungers and are recommended for pumping cement, acid, water and other fluids. We have also available single

SAFTEY CARVAN



CT UNIT PACKAGE COMPOSED OF

Blow Out Preventer Stuffing Box
Side door stripper Shear Seal
Injector Power Hose Reelower Pack
Unit Open Loop Design Control Cabin
Coiled Tubing Reel
Injector Head
Injector Head Well Control Equipmen



COILED TUBING TRAILER MOUNTED

Power Pack Unit
Open Loop Design Control Cabin
Coiled Tubing Reel
Injector Head
Well Control Equipment



BATCH MIXER MOUNTINED TRAILER

Batch Mixer Mounting Trailer is mainly used for slurry mixing of onshore and desert oilfield cementing jobs, especially those with critical requirements of the slurry. This unit mainly consists of the trailer, engine, pump drive, centrifugal pumps, batch mixing tanks





BATCH MIXER MOUNTING SKID

SPECIFICATIONS

Engine C9 caterpillar Veljin
(Dennison Style) hydraulic system
Centrifugal Pump (mission &
double-life) Murphy control panel
Butterfly Valve
(SPM, FMC & Demco Actuator valve
(FMC) Chalwyn Valve
Spark Arrestor
Shutdown Emergency System Drust
gear box

**OUR BATCH MIXER IS TESTED IN ZONE 2 AND
SAFE ZONE. BELOW IS OUR OPTION FOR BATCH
MIXER CAPACITY:**

SKID MOUNTED FILTRATION EQUIPMENT

Regent filtration unit can help identify and apply targeted solutions to clean the wellbore of contaminants and prevent particles from blocking pores in the formation. We have developed a range of filtration solutions, including dual pod filtration units



C-PUMP

Centrifugal pumps are used to transport fluids such as ACID, CRUDE OIL.. Etc. by the conversion of rotational kinetic energy to the hydrodynamic energy of the fluid flow.

The rotational energy typically comes from engine or electric motor.



CRUDE OIL STORAGE TANK

The design of storage tanks for crude oil is a process that requires special knowledge of the ACME standard to meet the global standard .



ACID TANK MOUNTED TRAILER

The Acid Tank Mounted Trailer is designed to store and transport acid it is use to Provides acid storage and transport for oilfield use and used to fill up an acid plant. The fill and discharge line are placed on the rear for easy access.





FRAC TANK

A Frac Tank used to hold water or a proppant, when a well fractured. The material is held in a frac tank and connected by a hose or pipeline to a pump that will flow it down the wellbore at a high pressure to push open the formation and the prop pant is used to keep it open

BOP 41/16

4 1/16" 15K Quad BOP is a 4 ram configuration designed to protect against blowouts of coiled tubing operations. That includes pipe seal, pipe cut, pipe clamping and complete well seal which is suitable for high pressure wellhead control and H2S S service. Hydraulically driven and manual lock capability ensures quick response and safe operation, even with rams applicable to oil tubing of various sizes. The designed hydraulic system facilitates quick and easy maintenance operation without removing hydraulic cylinder from the BOP. Pressure balance piston for shear operations with no booster required. The compact size and light weight



SURGE TANK

The surge tank is designed to receive cement, bentonite baryte , from bulk plant or trailer and to supply dry materials for mixing with a bowl or PCM (Process Control Mixer). The fill and vent line are located on the side for easy access A vent line is available for use with a dust collector. The pressure relief valve provides safe unload- ing. The interior is designed to allow dry material to flow out under air pressure. The silo is equipped with multi section air pad which requires minimum maintenance. Manholes are located for easy access



NITROGEN PUMP 1 80K

An Oilfield Nitrogen pumping unit is highly sophisticated device which performs several simultaneous functions in order to convert liquid to a gas. Nitrogen unit is fed with liquid nitrogen at a temperature of -196°C . It then pumps the liquid nitrogen at this temperature to pressure up to 15,000 psi before it supplies heat to transform the liquid.



MAIN FEATURES

Power up to 600 HP

DNV 2.7-1 frame

Zone II certified

Flow Rates up to 6000 scfm

Pumping pressure up to 15,000 psi

HT-400 PUMPING UNIT



New custom made heavy-duty crash frame with forklift pocket, certified pad eye and lifting slings, control panel mounted on platform for controlling, bet better unit supervision and maintenance purposes, epoxy coated

Serviced Detroit Diesel 12V-71 /480hp.

Halliburton HT 400, equipped with 4.5" Plunger, 5" stroke, MAWP 7000PSI, (Min at 1.5bpm at 6290 psi, Max Rate 8.4bpm at 1660psi)

Alison 6061 coupled with diesel engine up to 650hp

Brand new 5x4x14, to feed the main pump.

Brand new mechanical panel, equipped with the required gauges to monitor engine and operation parameters, sketch to help the operator controlling the valve actuators and pumping lines.


Serviced engine radiator, and New cooler for hydraulic system and triplex lubricant.

Line Brand new, certified ABCO high-pres- sure line for discharge and circulation. HP pressure relief valve on discharge side.

BLASTING, PAINTING, & SPECIAL COATING


SANDBLASTING

Sandblasting, sometimes known as abrasive blasting, is the operation of forcibly propelling a stream of abrasive material against a surface under high pressure to smooth a rough surface, roughen a smooth surface, shape a surface or remove surface contaminants.



PAINTING

Painting is a visual art, which is characterized by the practice of applying paint, pigment, color or other medium to a solid surface (called "matrix" or "support"). The medium is commonly applied to the base with an airless spray & spray gun. Each project will require different painting system



Our Accreditation



ISO 9001 : 2015

ISO 45001 : 2018

ISO 14001 : 2015





REGENT
OIL FIELD EQUIPMENT

REGENT OIL FIELD EQUIPMENT

Office M02, Mezzanine, Building C87, MBZ, Abu Dhabi – UAE

Yard: Alfayah Parking, Alain – Abu Dhabi High Way – UAE

www.regentofe.com +971563333060