

From -IV
(See rule 13)
Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars				
1.	Particulars of the Occupier				
	(i) Name of the authorized person (occupier or operator of facility)		Medical Officer In Charge CHC Indupur		
	(ii) Name of HCF or CBMWTF		Indupur CHC		
	(iii) Address for Correspondence		Medical Officer In Charge, CHC INDUPUR KENDRAPADA, PIN- 754214		
	(i) Address of Facility		Medical Officer In Charge, CHC INDUPUR KENDRAPADA, PIN- 754214		
	(ii) Tel. No, Fax. No.		06727-278979		
	(V) E-mail ID		bpmuchcindupur@gmail.com		
	(i) URL of Website		-no-		
	(ii) GPS coordinates of HCF of CBMWTF		-no-		
	(iii) Ownership of HCF of CBMWTF		(State Government of Private or Semi Govt. or any other) : State Govt.		
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules		Authorization No. 7196IND-IV-BW-503 Valid up to : 31.03.2023		
	(v) Status of Consents under Water Act and Air Act		Valid up to: -		
2.	Type of Health Care Facility		CHC (Community Health Centre)		
	(i) Bedded Hospital		No. of Beds S/F (16/16)		
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)				
	(iii) License number and its date of expiry				
3.	Details of CBMWTF				
	(i) Number healthcare facilities covered by CBMWTF		NO CBMWTF		
	(ii) No. of beds covered by CBMWTF				
	(iii) Installed treatment and disposal capacity of CBMWTF		Kg per day		
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF		Kg/day Monthly Annually		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow category	kg	31.791kg
		Red Category:	272.8715kg	22.73 kg	
		White:	107.731kg	8.97kg	
		Blue Category:	356.27kg	29.68 kg	
		General Solid waste	107.53kg	8.96 Kg	
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility				

(ii) Disposal Facilities		Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum
		Incinerators			
		Plasma Paralysis			
		Autoclaves			
		Microwave			
		Hydroclave			
		Shredder			
		Needle tip cutter or destroyer		4/100g/8kg	
		Sharps			
		encapsulation or concrete pit		5/2kg/25kg	
		Deep Burial pits:			
		Chemical disinfection:		3/10kg/145.50kg	
		Any other treatment		Chemical treatment with bleaching powder/line and earth equipment:	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	Red Category (like plastic, glass etc.)			
		Red-234.09kg, Blue-300.82kg			
		Send to DHH for treatment and shredders			
	(iv) No of vehicles used for collection and transportation of biomedical waste.	One (provided by District)			
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	Quantity Generated	Where disposal		
		Incineration Ash			-NA-
		ETP Sludge			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	<ul style="list-style-type: none"> - Sharp and body parts - General Waste 			
	(vii) List of member HCF not handed over bio-medical waste.	<ul style="list-style-type: none"> - No - 			
	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	<ul style="list-style-type: none"> - Yes - Period (Jan 2021 to Dec 2021) (enclosed herewith) 			
7.	Detail trainings conducted on BMW				
	(i) Number of training conducted on BMW Management.	1(One)			
	(ii) Number of personnel trained	75			
	(iii) Number of personnel trained at the time of induction	-			
	(iv) Number of personnel not undergone any training so far	05			
	(v) Whether standard manual for training is available ?	-yes			

	(iv) Any Fatality occurred, details.		- Nil -
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		- NA -
	Details of Continuous online emission monitoring systems installed		- NA -
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		- YES -
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		- Temporary process has been done to procure OT test materials from district. - After that test will be done
12.	Any other relevant information		(Air Pollution Control Device attached with the incinerator.) - NA -

Certified that the above report is for the period from
Jan-2021 to Dec-2021 as per the BMW rule-2016

Amrit Kumar Bhat

Name and Signature of the Head of the Institution

Date: 11/05/22
Place: Indapur

Amrit Kumar Bhat
11/05/22