



WY-802F MANUAL CUP SEALING MACHINE

Specification :

MODEL	WY-802F
VOLTAGE	220/100V50/60 HZ
POWER	313 W
CAPACITY	600 CUPS/HOUR
AVAILABLE CUP DIAMETER	95MM
WEIGHT	8.5 KG
DIMENSION	305x255x500 MM



DZ-260/400/500 VACUUM PACKING MACHINE

Specification :

Model	DZ-260	DZ-400	DZ-500
Power source	110V/220V 50/60HZ	220V 50/60HZ	220V, 50/60 Hz
Power	1.0 KW	1.5 KW	1.6 KW
Workroom size	280 x 390 / 60 mm	420 x 440 x 80 mm	520 x 540 x 80 mm
Sealing length	260 x 10 mm	400 x 10 mm	500 x 10 mm
Sealing speed	1-4 time/minute	1-4 time/minute	1-4 time/minute
Weight	21 kgs	81 kgs	95 kgs
External size	438 x 340 x 345 mm	660 x 600 x 1050 mm	760 x 700 x 1050mm



LGYF-2000AX-I INDUCTION SEALER

Specification :

MODEL	LGYF-2000AX-I
VOLTAGE	220/100V50/60 HZ
POWER	1500 W
CAPACITY	0-12M/MIN
SEALING DIAMETER	0-130 MM
BOTTLE DIAMETER	40-300 MM
WEIGHT	54 KG
DIMENSION	470x660x950 MM



XD-600 VACUUM MACHINE DOUBLE CHAMBER S/S

Specification :

Model	DZ-400	DZ-500	XD-600
CHAMBER SIZE	450*500*40MM*2	570*550*40MM*2	650*530*120MM*2
SEALING LENGTH	400MM*2	500MM*2	600MM*2
CAPACITY	2-4 TIMES/MIN	3-4 TIMES/MIN	2-5 TIMES/MIN
VOLTAGE	380V/220V 50HZ	380V/220V 50HZ	380V/220V 50HZ
PUMP POWER	0.75 KW	1.5 KW	1.5 KW
Weight	120 KG	150 KG	168 KG
External size	438 x 340 x 345 mm	1230 x 670 x 930 mm	1600 x 1070 x 750mm



BS-4525A ROD / BELT SHRINK TUNNEL



BS-4535A ROD / BELT SHRINK TUNNEL



BS450B Manual L sealer



BS5540 2 IN 1 Shrink packager



BS4525C Continuous seal-cut-shrink combined packager(Pneumatic)

Specification :

	BS-4525A	BS450B	BS-4535A	BS4525C	BS5540
Power source			380V/50HZ		
Heater power	6.5KW	0.80 KW	6.5 KW	9.0 KW	3.80 KW
Speed(m/min)	10				
Max sealing size "W)	450 x 350 (Max size For Packed Object : L + H < 450 MM, W + H < 350 MM)				
Machine size (L * W * H)	1300 x 740 x 630 mm	1600 x 700 x 1170mm	1700 x 720 x 630 mm	2630 x 790 x 1440mm	1400 x 730 x 1450mm
Machine weight	83 kg	55 kgs	90 kgs	220 kgs	128 kgs
Film material	POF, PVC				



BSC 260 SHRINK TUNNEL



BSC 400 SHRINK TUNNEL

♦ According to customer's special needs, we can make various specifications size of shrink machine.

Model	BSC 260 SHRINK TUNNEL	BSC 400 SHRINK TUNNEL
Voltage	220v/380v 50-60Hz	220v/380v 50-60Hz
Power	4.8kw	8kw
Conveyor speed	0-10m/min	0-10m/min
Tunnel size	250 x 150mm	400 x 200mm
MACHINE WEIGHT	45 KG	58 KG
Machine size	1200 x 510 x 680 mm	1170 x 660 x 770 mm



Specification :

QL450B/K AUTOMATIC L SEALER

MODEL	QL450B/K
MAX PACKING SIZE (MM)	550 x 450 x 130 MM
MAX SEALING SIZE (MM)	550 x 450MM
POWER	1.3 KW
CAPACITY	0-16M/MIN
VOLTAGE	220/100V50/60 HZ
WEIGHT	320 KG
DIMENSION	1750x104x1650 MM



FXJ6050 SEMI-AUTOMATIC CARTON SEALER

Specification :

MODEL	FXJ6050
CONVEYOR SPEED	20M/MIN
MAX.PACKING SIZE	500 x 600MM
MIN.PACKING SIZE	150 x 120MM
WIDTH OF TAPE	36,48,50,60MM
VOLTAGE/POWER	110V/220V/50-60HZ 0.18KVA
WEIGHT	165 KG
DIMENSION	1160x890x1330 MM



XD-130 SMALL CODE MACHINE

Specification :

MODEL	XD-130
POWER RATING	25W
CARTRIDGE TYPE	12.7MM
POWER SUPPLY MODE	FAST CHARGE 3.0 ADAPTER
PRINT RESOLUTION	600 DPI MAX
PRINTING DISTANCE	2-5MM
POWER INPUT	DC 9V/2A
CHARGING INTERFACE	TYPE - C
SYSTEM SUPPORT	ANDROID SYSTEM
LANGUAGE	CHINESE/ENGLISH
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC
WEIGHT	0.36 KG
DIMENSION	96.5x49.5x28.5 MM



APM-5050 FLAP FOLD CARTON SEALER

Specification :

MODEL	APM-5050
CONVEYOR SPEED	16M/MIN
MAX.PACKING SIZE	500x500MM
MIN.PACKING SIZE	120x120MM
VOLTAGE/POWER	110V/220-240V/50-60HZ / 240W
WIDTH OF TAPE	36,48,60MM
WEIGHT	240 KG
DIMENSION	1930x1010x1580 MM



A10 MULTIHEAD WEIGHER
A14 MULTIHEAD WEIGHER

MODEL	AI A10	AI A14
IDENTIFY CODE	A10-1-8	A14-1-8
WEIGHING RANGE	10-1000G	10-1500G
ACCURACY	X(0.5)	X(0.5)
MAX SPEED	30P/M	60P/M
HOPPER VOLUME	1.6/2.5L	1.6/2.5L
CONTROL PANNEL	7" TOUCH SCREEN	
OPTIONS	DIMPLE PLATE/TIMING HOPPER/PRIINTER REJECT DEVICE	
DRIVING SYSTEM	STEP MOTOR	
POWER REQUIREMENTS	220V/1000W/50/60HZ/10A	220V/1000W/50/60HZ/10A
PACKING DIMENSION	1620 x 1100 x 1110 MM	1700 x 1100 x 1265 MM
WEIGHT	340/343 KG	420/440 KG



XD-AT5050B FLAP FOLD CARTON SEALER

Specification :


MODEL	XD-AT5050B
CONVEYOR SPEED	16M/MIN
MAX.PACKING SIZE	630x500x500MM
MIN.PACKING SIZE	200x120x120MM
VOLTAGE/POWER	110V/220-240V/50-60HZ / 240W
AIR SOURCE	300L/MIN
WEIGHT	255 KG
DIMENSION	1780x950x1640 MM



Specification :

Model	G1WG500
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	50-500ml
Filling accuracy	1%
Packing size	920 x 340 x 330 (mm)
WEIGHT	26 KG

G1WG500 PASTE FILLING MACHINE 50-500ml SINGLE HEAD



Specification :

Model	G1WG100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	10-100ml
Filling accuracy	1%
Packing size	920 x 340 x 330 (mm)
WEIGHT	22.8 KG

G1WG100 PASTE FILLING MACHINE 10-100ml SINGLE HEAD



Specification :

Model	G1WG1000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	100-1000ml
Filling accuracy	1%
Packing size	1120 x 340 x 330 (mm)
WEIGHT	28.8 KG

G1WG1000 PASTE FILLING MACHINE 100-1000ml SINGLE HEAD



Specification :

Model	G1WY5000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	500-5000ml
Filling accuracy	1%
Packing size	1350 x 450 x 430 (mm)
WEIGHT	27 KG

G1WY5000 LIQUID FILLING MACHINE 500-5000ml singlehead



DX-450 SEMI AUTO CAPPING SEALING MACHINE

Specification :

Model	DX-450
Voltage	220V/50 HZ
Power	25 W
Bottle diameter	10-50mm
Bottle height	40-200mm
Output capacity	20-40pcs/min
Size	530 x 460 x 800 mm
Weight	36.5 Kg



FR-900 CONTINUOUS SEALER MACHINE MS/SS HORIZONTAL

Specification :

Model	FR-900 MS HORIZONTAL	FR-900 SS HORIZONTAL
Voltage	220V/50 HZ	220V/50 HZ
Power	500 W	500 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	17 Kg	20 Kg
Size	900 x 420 x 350 mm	900 x 420 x 350 mm



FR-900 CONTINUOUS SEALER MACHINE MS/SS VERTICAL

Specification :

Model	FR-900 MS VERTICAL	FR-900 SS VERTICAL
Voltage	220V/50 HZ	220V/50 HZ
Power	500 W	500 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	18 Kg	21 Kg
Size	900 x 420 x 350 mm	900 x 420 x 350 mm



Specification :

Model	G1WG1000 WITH TANK
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (2 filling nozzle)
Adjustable model	10-1000ml
Filling accuracy	1%
Packing size	1200 x480 x 900 (mm)
WEIGHT	81 KG

G1WG1000 PASTE FILLING MACHINE WITH TANK



Specification :

MODEL	QLF-1680
WORKING SPEED	0-13M/MIN
SEALING WIDTH	15MM
TEMP.RANGE	0-300°C
MAX LOADING	15 KGS
VOLTAGE/POWER	110V/220V/50-60HZ 1000W
WEIGHT	130 KG
DIMENSION	1560x830x1620 MM

QLF-1680 AUTOMATIC VERTICAL FILM SEALING MACHINE



BS-D4522 SHRINK TUNNEL



APM06 MANUAL FILLING MACHINE

Specification :

MODEL	APM06
VOLTAGE	220/100V50/60 HZ
FILLING RANGE	5-60 ML
FILLING SPEED	20-30/MIN
BUCKET VOLUME/DIAMETER	10L/28CM
FILLING NOZZLE DIAMETER	4MM/8MM
MACHINE SIZE	320 x320 x 750 (mm)
WEIGHT	12 KG

No. 9



Specification :

MODEL	DCGY-F200
VOLTAGE	220/110V50/60 HZ
POWER	500 W
SEALING DIAMETER	20-100 MM
SEALING SPEED	0-50PCS/MIN
SEALING TYPE	PORTABLE
MACHINE SIZE	590 x 450 x 440 (mm)
WEIGHT	2.5 KG

DCGY-F200 INDUCTION SEALING MACHINE



Specification :

MODEL	DCGY-F1000A
VOLTAGE	220/110V50/60 HZ
POWER	500 W
SEALING DIAMETER	70-130 MM
SEALING SPEED	0-50PCS/MIN
SEALING TYPE	PORTABLE
MACHINE SIZE	680 x 450 x 560 (mm)
WEIGHT	3.4 KG

DGYF-1000A MANUAL INDUCTION SEALER



APM03 MANUAL FILLING MACHINE

Specification :

MODEL	APM03
VOLTAGE	220/100V50/60 HZ
FILLING RANGE	5-50 ML
FILLING SPEED	20-30/MIN
BUCKET VOLUME/DIAMETER	10L/28CM
FILLING NOZZLE DIAMETER	4MM/8MM
MACHINE SIZE	320 x320 x 750 (mm)
WEIGHT	13 KG

Specification :

MODEL	MT-150
VOLTAGE	220/110V50/60 HZ
POWER	180 W
LABELLING SPEED	15-30times/min
LABEL ROLL DIAMETER	Min ≥Ø75mm.Max. Ø260mm
LABEL SIZE	W: 20-100MM L: 30-150MM
MACHINE SIZE	780 x 610 x 680 (mm)
WEIGHT	36 KG

MT-150 FLATE LABEL MACHINE

No. 10





Specification :

MODEL	APM02
VOLTAGE	220/100V50/60 HZ
FILLING RANGE	5-50 ML
FILLING SPEED	20-30/MIN
BUCKET VOLUME/DIAMETER	10L/28CM
FILLING NOZZLE DIAMETER	4MM/8MM
MACHINE SIZE	320 x320 x 750 (mm)
WEIGHT	13 KG

APM02 PNEUMATIC FILLING MACHINE



HP-241 COLOR RIBBON CODE PRINTER

Specification :

Model	HP-241
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma≤16MMx35mm
Hot printer width	Ma≤35mm
Size (L x W x H)	650 x 220 x 325mm
Weight	7.5 kg



DZ-600 VACUUM PACKAGING MACHINE OUTSIDE M.S / S.S

Specification :

Model	DZ 600 OUTSIDE M.S / S.S
Voltage/Power	220V/50HZ / 0.8KW
Vacuum pump power	0.75KW
Sealing bar size	600mm x 10mm
Working table size	600mm x 400mm
Packing speed	1-3 times/min
Size (L x W x H)	1100 x 760 x 460mm
Weight	60KG / 58 KG

Specification :

MODEL	PFS-200	PFS-250	PFS-300	PFS-400
VOLTAGE	110V/220-240V/50-60HZ			
POWER	180W	330W	430W	600W
SEALING LENGTH	2MM	2MM	2MM	2MM
HEATING TIME	0.2-1.3 SEC	0.2-1.3 SEC	0.2-1.3 SEC	0.2-1.3 SEC
WEIGHT	2 KG	2.2 KG	2.95 KG	3.5 KG
DIMENSION (MM)	52x35x37	52x40x38	56x48x40	100x56x66

PFS-200/250/300/400 IRON BODY IMPULSE SEALER



DBFM 125 TUBE SEALING MACHINE

Specification :

Model	DBFM 125
Voltage/Power	220V/50HZ / 1200W
Operating frequency	20KHZ
Sealing diameter	5-80mm
Sealing speed	20-40pcs/min
Cutter working stroke	70mm
Size (L x W x H)	1100 x 650 x 550mm
Weight	75 kg



PFS-350/450/650 PEDAL SEALING MACHINE

Specification :

Model	PFS-350	PFS-450	PFS-650
VOLTAGE	220V/50HZ	220V/50HZ	220V/50HZ
HEATING POWER	550W	650W	800W
SEALING LENGTH	350X8MM	450X8MM	650X8MM
HEATING TIME	0.2-3 SEC	0.2-3 SEC	0.2-3 SEC
WEIGHT	18 KG	19.2 KG	23 KG
DIMENSION (MM)	800x550x260	800x550x260	800x550x260



Specification :

MODEL	DZQ-600-1000F
POWER SUPPLY	220/380V/AC50HZ
MOTOR	900KW
HEATING POWER	2600W
VACUUM PUMP DISPLACEMENT	20M3/H
LIMIT VACUUM	0.08MPA
MATCHING AIR PRESSURE	0.5MP (5KG/CM2)
MAXIMUM SEALING LENGTH	600MM (CAN BE INCREASED TO 1000MM)
MAXIMUM HEIGHT OF VERTICAL PACKAGING	200-900MM
WEIGHT	145 KG
DIMENSION	900x780x1790 MM

DZQ-600-1000F TYPE EXTERNAL PUMPING VACUUM PACKING MACHINE



HL-8020 STRAPPING MACHINE



HL-8021 STRAPPING MACHINE

Specification :

MODEL	HL-8020	HL-8021
STRAPPING SPEED	1.6 SECOND/STRAP	
STRAPPING WIDTH	9-15MM	
POWER SUPPLY	220V / 250V 50HZ	
POWER	320W	
WEIGHT	74 KG	70 KG
DIMENSION	930x590x770 MM	930x590x560 MM



HL-8020T STRAPPING MACHINE



HL-8021T STRAPPING MACHINE

Specification :

MODEL	HL-8020T	HL-8021T
STRAPPING SPEED	1.6 SECOND/STRAP	
STRAPPING WIDTH	9-15MM	
POWER SUPPLY	220V / 250V 50HZ	
POWER	320W	
WEIGHT	81 KG	76 KG
DIMENSION	930x590x770 MM	930x590x560 MM



APM-770 CONTINUOUS BAND SEALER MS VERTICAL



APM-770 CONTINUOUS BAND SEALER MS HORIZONTAL

Specification :


Model	APM-770 M.S VER.	APM-770 MS HOR.
Voltage	220V/50 HZ	220V/50 HZ
Power	500 W	500 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	23 Kgs	21 Kgs
Size	880 x 430 x 360 mm	880 x 430 x 360 mm



Specification :

Model	FRD-770 M.S VER.	FRD-770 S.S VER.
Voltage	220V/50 HZ	220V/50 HZ
Power	500 W	500 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	29 Kgs	29 Kgs
Size	970 x 430 x 360 mm	970 x 430 x 360 mm

FRD-770 BAND SEALER WITH NITROGEN FLUSH M.S/S.S VERTICAL



Specification :

Model	MT-50
Voltage/Power	220V/50 HZ 120W
label accuracy	+0.5mm
Labeling speed	25-50 pcs/min
Label roll innder diameter	75mm
Max label roll out diameter	250 mm
Product size	10-150mm
Width of label	8-150mm 15-315mm
Weight	25 Kgs
Size	650 x 450 x 450 mm

MT-50 ROUND BOTTLE LABEL MACHINE



Specification :

Model	LB1180B M.S
Voltage	110v 60HZ / 220V/50 HZ
Power	685W
Sealing speed	0-12m/min
Sealing wide	6-12mm
Temperature range	0-300°C
Max transport weight	3 Kgs
Max thickness	<0.08 mm
Weight	75 Kgs
Size	1130 x 520 x 1140 mm

LB1180B CONTINOUS AIR SUCTION M.S BAND SEALER



Specification :

Model	MT-60
Voltage/Power	220V/50 HZ 120W
label accuracy	+/- 1mm
Labeling speed	25-50 pcs/min
Label roll innder diameter	75mm
Max label roll out diameter	250 mm
Product size	10-180mm
Width of label	10-120mm
Weight	38 Kgs
Size	610 x 340 x 520 mm

MT-60 FLATE LABEL MACHINE



Specification :

Model	LB1180B S.S
Voltage	110v 60HZ / 220V/50 HZ
Power	685W
Sealing speed	0-12m/min
Sealing wide	6-12mm
Temperature range	0-300°C
Max transport weight	3 Kgs
Max thickness	<0.08 mm
Weight	75 Kgs
Size	1130 x 520 x 1140 mm

LB1180B CONTINOUS AIR SUCTION S.S BAND SEALER



APM-770 CONTINUOUS BAND SEALER SS VERTICAL

Specification :

Model	APM-770 S.S VER.	APM-770 S.S HOR.
Voltage	220V/50 HZ	220V/50 HZ
Power	500 W	500 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	3 Kgs	3 Kgs
Print type	impress	impress
Weight	23 Kgs	21 Kgs
Size	880 x 430 x 360 mm	880 x 430 x 360 mm



APM-770 CONTINUOUS BAND SEALER SS HORIZONTAL



Specification :

Model	FRD-770 S.S HOR
Voltage	220V/50 HZ
Power	500 W
Sealing speed	0-12m/min
Sealing wide	6-12mm
Temperature range	0-300°C
Max transport weight	3 Kgs
Print type	impress
Weight	27 Kgs
Size	970 x 430 x 360 mm

FRD-770 BAND SEALER WITH NITROGEN FLUSH SS HORIZONTAL

Specification :

Model	MY-380F
Voltage	110v 60HZ / 220V/50 HZ
Power	180W
Ink roll size	35 x 30mm
Speed	less than 300 pcs/min
Object size	50-200L 30-300W
Printing Position	Width 60-250mm
Font size	2.0 / 2.5 / 3.0 mm Available
Weight	22 Kgs
Size	555 x 500 x 340 mm



MY 380F CODING MACHINE S.S 390MM

Specification :

Model	DBC800	DBC800S
Voltage	110v 60HZ / 220V/50 HZ	110v 60HZ / 220V/50 HZ
Power	120W	120W
Wrapping speed	30r/min	30r/min
Max.wrapping size	900 x 900 x 900 mm	900 x 900 x 900 mm
Max.loading weight	80 kgs	80 kgs
Paper roller diameter	3 "	3 "
Film type / Thickness	LLDPE / 17-35 um	LLDPE / 17-35 um
Weight	100 Kgs	120 Kgs
Size	1280 x 760 x 950 mm	1280 x 760 x 950 mm



DBC800 / 800S SEMI-AUTO STRETCH FILM WRAPPING MACHINE



Specification :

Model	JGS-880
Voltage	220V/50 HZ
Power	0.25 KW
Capacity	800 bottles/hour
Capper size	20-35mm
Bottle height	70-330mm
Weight	57 Kgs
Size	590 x 290 x 990 mm

JGS-880 MANUAL CAPPING MACHINE

Specification :

Model	G2WG500
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (2 filling nozzle)
Adjustable model	50-500ml
Filling accuracy	1%
Packing size	890 x 450 x 310 (mm)
WEIGHT	42.8 KG

G2WG500 PASTE FILLING MACHINE 50ML-500ML DOUBLE HEAD



Specification :

Model	G2WG1000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (2 filling nozzle)
Adjustable model	100-1000ml
Filling accuracy	1%
Packing size	1070 x 450 x 310 (mm)
WEIGHT	46.8 KG

G2WG1000 PASTE FILLING MACHINE 100ML-1000ML DOUBLE HEAD



Specification :

Model	G1WG2600
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	300-2600ml
Filling accuracy	1%
Packing size	1310 x 310 x 310 (mm)
WEIGHT	30 KG

G1WG2600 PASTE FILLING MACHINE 300ML-2600ML SINGLE HEAD





Specification :

Model	G1WG5000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	500-5000ml
Filling accuracy	1%
Packing size	1310 x 310 x 310 (mm)
WEIGHT	37.8 KG

G1WG5000 PASTE FILLING MACHINE 500ML-5000ML SINGLE HEAD



Specification :

Model	FZL-135
Voltage	220/110V50/60 HZ
Power	500 W
Bag size	0-80mm (W) , 0-150mm (L)
Film thickness	0.5-0.8mm
Precision	0.3 g
Packing size	490 x 590 x 950 (mm)
WEIGHT	76 KG

FZL-135 BACK SEALING AUTOMATIC PACKAGING MACHINE



Specification :

Model	ZH-FZJ-99.9
Voltage	220/110V50/60 HZ
Power	180 W
Filling Speed	10-20 pcs/min
Filling Range	1-99.9 g
Filling Accuracy	0.1 g
Packing size	430 x 320 x 570 (mm)
WEIGHT	9 KG

ZH-FZJ-99.9 DIGITAL CONTROL PARTICLE FILLING MACHINE



Specification :

Model	ZH-FZJ-3000
Voltage	220/110V50/60 HZ
Power	600 W
Filling Speed	8-20 pcs/min
Filling Range	30-3000 g
Filling Accuracy	0.3 g
Packing size	420 x 720 x 1050 (mm)
WEIGHT	50 KG

ZH-FZJ-3000 DIGITAL CONTROL PARTICLE FILLING MACHINE



Specification :

Model	ZH-FZJ-5000
Voltage	220/110V50/60 HZ
Power	700 W
Filling Speed	8-20 pcs/min
Filling Range	50-5000 g
Filling Accuracy	0.5 g
Packing size	420 x 720 x 1150 (mm)
WEIGHT	54 KG

ZH-FZJ-5000 DIGITAL CONTROL PARTICLE FILLING MACHINE



Specification :

Model	ZH-FZJ-1000
Voltage	220/110V50/60 HZ
Power	600 W
Filling Speed	8-20 pcs/min
Filling Range	10-1000 g
Filling Accuracy	0.3 g
Packing size	650 x 740 x 550 (mm)
WEIGHT	56 KG

ZH-FZJ-1000 DIGITAL CONTROL PARTICLE FILLING MACHINE DOUBLE HEAD



Specification :

Model	FZGU-135
Voltage	220/110V50/60 HZ
Power	800 W
Packing speed	5-15 bags/min
Packing volume	10-150ML
Precision	0.3 g
Packing size	1030 x 550 x 1100 (mm)
WEIGHT	92 KG

FZGU-135 THREE SIDE SEALING PASTE FILLING MACHINE



Specification :

Model	FZG-135
Voltage	220/110V50/60 HZ
Power	800 W
Packing speed	5-15 bags/min
Packing volume	10-150ML
Precision	0.3 g
Packing size	1030 x 550 x 1100 (mm)
WEIGHT	93 KG

FZG-135 THREE SIDE SEALING PASTE FILLING MACHINE



Specification :

Model	FZY-135 THREE SIDE / BACK SEALING
Voltage	220/110V50/60 HZ
Power	500 W
Bag size	0-80mm (W) , 0-150mm (L)
Film thickness	0.5-0.8mm
Precision	0.3 g
Packing size	490 x 590 x 1020 (mm)
WEIGHT	50 KG

FZY-135 THREE SIDE / BACK SEALING LIQUID FILLING MACHINE



Specification :

Model	PLC 150 BACK SEALING
Voltage	220/110V50/60 HZ
Power	1000 W
Filling Speed	10-35 pcs/min
Filling Range	1-200 g
Filling Accuracy	0.3 g
Packing size	860 x 770 x 1160 (mm)
WEIGHT	76 KG

PLC 150 BACK SEALING AUTOMATIC PACKAGING MACHINE / WITH NITROGEN



Specification :

Model	ZH-FZJ-3000
Voltage	220/110V50/60 HZ
Power	1200 W
Filling Speed	10-35 pcs/min
Filling Range	30-6000 g
Filling Accuracy	0.5 g
Packing size	700 x 720 x 1210 (mm)
WEIGHT	150 KG

ZH-FZJ-3000 DIGITAL CONTROL PARTICLE FILLING MACHINE DOUBLE HEAD



Specification :

Model	ZH-FZJ-999
Voltage	220/110V50/60 HZ
Power	180 W
Filling Speed	10-20 pcs/min
Filling Range	100-999 g
Filling Accuracy	0.1 g
Packing size	550 x 360 x 890 (mm)
WEIGHT	30 KG

ZH-FZJ-999 DIGITAL CONTROL PARTICLE FILLING MACHINE



Specification :

Model	ZH-FZJ-500
Voltage	220/110V50/60 HZ
Power	200 W
Filling Speed	10-20 pcs/min
Filling Range	50-500 g
Filling Accuracy	0.3 g
Packing size	430 x 320 x 800 (mm)
WEIGHT	11 KG

ZH-FZJ-500 DIGITAL CONTROL PARTICLE FILLING MACHINE



Specification :

Model	ZH-FZJ-999 COUNTING MACHINE
Voltage	220/110V50/60 HZ
Power	50 W
Counting Speed	10-20 pcs/min
Counting Range	1-999 g
Counting Accuracy	0.3 g
Packing size	430 x 450 x 480 (mm)
WEIGHT	18 KG

ZH-FZJ-999 COUNTING MACHINE



Specification :

Model	ZH-FZJ-199.9
Voltage	220/110V50/60 HZ
Power	180 W
Filling Speed	10-20 pcs/min
Filling Range	1-200 g
Filling Accuracy	0.3 g
Packing size	430 x 320 x 670 (mm)
WEIGHT	10 KG

ZH-FZJ-199.9 DIGITAL CONTROL PARTICLE FILLING MACHINE



Specification :

Model	ZH-FZJ-1000 COUNTING MACHINE
Voltage	220/110V50/60 HZ
Power	100 W
Counting Speed	10-20 pcs/min
Counting Range	1-1000 g
Counting Accuracy	0.3 g
Packing size	770 x 460 x 650 (mm)
WEIGHT	42 KG

ZH-FZJ-1000 COUNTING MACHINE DOUBLE HEAD



Specification :

Model	FZL-1000
Voltage	220/110V50/60 HZ
Power	500 W
Bag size	0-180mm (W) , 0-300mm (L)
Film thickness	0.5-0.8mm
Precision	0.3 g
Packing size	900 x 700 x 1420 (mm)
WEIGHT	90 KG

FZL-1000 BACK SEALING AUTOMATIC PACKAGING MACHINE WITHOUT HOPPER



CONVEYOR

Specification :

NAME	CONVEYOR
Voltage	220/110V50/60 HZ
Power	250 W
Belt width	200mm
Belt length	1000mm
Height	800 mm
Packing size	380 x 240 x 1230 (mm)
WEIGHT	15 KG



Specification :

Model	ZH-FZJ-199.9
Voltage	220/110V50/60 HZ
Power	400 W
Filling Speed	10-30 pcs/min
Filling Range	1-200 g
Filling Accuracy	0.3 g
Packing size	500 x 520 x 950 (mm)
WEIGHT	38 KG

ZH-FZJ-199.9 DIGITAL CONTROL PARTICLE FILLING MACHINE DOUBLE HEAD



Specification :

Model	PLC 23 WITH 3000 4 HEAD
Voltage	220/110V50/60 HZ
Power	2200 W
Filling Speed	10-35 pcs/min
Filling Range	30-12000 g
Filling Accuracy	0.5 g
Packing size	1170 x 1250 x 2470 (mm)
WEIGHT	325 KG

PLC 23 WITH NITROGEN ATTACHMENT 3000 4HEAD



Specification :

Model	PLC 23
Voltage	220/110V50/60 HZ
Power	1000 W
Filling Speed	10-35 pcs/min
Filling Range	30-3000 g
Filling Accuracy	0.5 g
Packing size	750 x 650 x 1200 (mm)
WEIGHT	130 KG

PLC 23 WITH NITROGEN ATTACHMENT



Specification :

Model	PLC EDGE
Voltage	220/110V50/60 HZ
Power	1000 W
Filling Speed	10-35 pcs/min
Filling Range	10-3000 g
Filling Accuracy	0.5 g
Packing size	800 x 650 x 1200 (mm)
WEIGHT	145 KG

PLC EDGE AUTOMATIC PACKAGING MACHINE



FZL-3000 AUTOMATIC PACKAGING MACHINE

Specification :

Model	FZL-3000
Voltage	220/110V50/60 HZ
Power	1000 W
Filling Speed	10-35 pcs/min
Filling Range	30-3000 g
Filling Accuracy	0.5 g
Packing size	420 x 720 x 1050 (mm)
WEIGHT	50 KG



FZL-1000 AUTOMATIC PACKAGING MACHINE

Specification :

Model	FZL-1000
Voltage	220/110V50/60 HZ
Power	1000 W
Filling Speed	10-35 pcs/min
Filling Range	10-1000 g
Filling Accuracy	0.5 g
Packing size	550 x 360 x 690 (mm)
WEIGHT	25 KG



FZL-100 3 SIDE SEALING AUTOMATIC PACKAGING MACHINE

Specification :

Model	FZL-100
Voltage	220/110V50/60 HZ
Power	500 W
Bag size	0-80mm (W) , 0-150mm (L)
Film thickness	0.5-0.8mm
Precision	0.3 g
Packing size	490 x 590 x 950 (mm)
WEIGHT	58 KG



Specification :

Model	PLC 14
Voltage	220V/50HZ
Power	1000W
Filling speed	10-35psc/min
Filling range	10-3000g
Filling Accuracy	0.5 g
Size (L x W x H)	760 x 560 x 1160mm
Weight	70 kg

PLC 14 BACK SEALING AUTOMATIC PACKAGING MACHINE



Specification :

MODEL	LX 6000A
VOLTAGE	220/100V50/60 HZ
POWER	1200 W
SPEED	0-10M/MIN
SEALING DIAMETER	20-80 MM
BOTTLE SIZE	20-280 MM
WEIGHT	30 KG
DIMENSION	960x550x470 MM


LX 6000A INDUCTION SEALER



Specification :

Model	TDFJ-160
Voltage	220V/50HZ
Power	370W
Diameter for can	8.5CM/10CM
Can Height range	4-20cm
Capacity	25 pcs/min
Size (L x W x H)	610 x 335 x 760mm
Weight	45.5 kg

TDFJ-160 ELECTRIC SEALING CANS OF MACHINE



Specification :

Model	XD6-241G
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma≤19MMx35mm
Hot printer width	Ma≤35mm
Size (L x W x H)	570 x 300 x 49mm
Weight	7.5 kg

XD6-241G COLOR RIBBON CODING MACHINE



Specification :

Model	ZH-FZJ-199.9
Voltage	220/110V50/60 HZ
Power	500 W
Filling Speed	10-40 pcs/min
Filling Range	1-200 g
Filling Accuracy	0.3 g
Packing size	870 x 560 x 1100 (mm)
WEIGHT	85 KG

ZH-FZJ-199.9 DIGITAL CONTROL PARTICLE FILLING MACHINE FOUR HEAD



Specification :

Model	ZH-FZJ-99
Voltage	220/110V50/60 HZ
Power	50 W
Counting Speed	10-20 pcs/min
Counting Range	1-99.9 g
Counting Accuracy	0.3 g
Packing size	450 x 470 x 500 (mm)
WEIGHT	18 KG

ZH-FZJ-99 PACKAGING MACHINE



XD4-241G COLOR RIBBON CODING MACHINE

Specification :

Model	XD4-241G
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma:16MMx35mm
Hot printer width	Ma:35mm
Size (L x W x H)	470 x 310 x 515mm
Weight	7.8 kg



XD5-241G COLOR RIBBON CODING MACHINE

Specification :

Model	XD5-241G
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma:16MMx35mm
Hot printer width	Ma:35mm
Size (L x W x H)	670 x 310 x 515mm
Weight	7.5 kg



DY8-4 COLOR RIBBON PRINTING MACHINE

Specification :

Model	DY8-4
Voltage	220V/50HZ
Power	40W
Printing speed	10-30psc/min
Printing area	Ma:16MMx35mm
Hot printer width	Ma:35mm
Size (L x W x H)	330 x 260 x 210mm
Weight	2.81 kg



SD-4 CONVEYOR

Specification :

Model	SD-4
Voltage	220V/50HZ
Power	120W
Product size	80mm x 280mm
Thickness	0.02-5mm
Machine Speed	40m/min
Size (L x W x H)	1380 x 480 x 400mm
Weight	32 kg



DGYF-600A MANUAL INDUCTION SEALING MACHINE

Specification :

Model	DGYF-600A
Voltage	220V/50HZ
Power	500W
Sealing Diameter	20mm x 100mm
Cap diameter	20mm x 85mm
Switch type	Button touch switch
Size (L x W x H)	340 x 290 x 150mm
Weight	2.75 kg



DGYF-600C MANUAL INDUCTION SEALING MACHINE

Specification :

Model	DGYF-600C
Voltage	220V/50HZ
Power	500W
Sealing Diameter	20mm x 130mm
Cap diameter	20mm x 130mm
Switch type	Button touch switch
Size (L x W x H)	340 x 290 x 150mm
Weight	3.0 kg



SD-5 CONVEYOR

Specification :

Model	SD-5
Voltage	220V/50HZ
Power	200W
Product size	80mm x 280mm
Thickness	0.02-5mm
Machine Speed	50m/min
Size (L x W x H)	1380 x 500 x 400mm
Weight	41 kg



PFS-200/250/300/400 PLASTIC BODY IMPULSE SEALER

Specification :

MODEL	PFS-200	PFS-250	PFS-300	PFS-400
VOLTAGE	110V/220-240V/50-60HZ			
POWER	180W	330W	430W	600W
SEALING LENGTH	2MM	2MM	2MM	2MM
HEATING TIME	0.2-1.3 SEC	0.2-1.3 SEC	0.2-1.3 SEC	0.2-1.3 SEC
WEIGHT	1.6 KG	1.7 KG	1.8 KG	3.3 KG
DIMENSION (MM)	52x35x37	52x40x38	56x48x40	100x56x66



Specification : HI-600/800/1000 IMPULSE SEALER

Model	HI-600	HI-800	HI-1000
POWER	800W	1050W	1400W
SEALING WIDTH	3MM	3MM	3MM
SEALING LENGTH	600MM	800MM	1000MM
SEALING THICKNESS	0.3MM	0.3MM	0.3MM
WEIGHT	5.5KG	6.5 KG	7.5 KG
DIMENSION (MM)	800x150x250	1100x200x250	1200x200x250



Specification : XD-230 HOT CODE MACHINE

MODEL	XD-230
PRINTING SPEED	60M/MIN
PRINTING HEIGHT	2-12.7MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN
PRINT RESOLUTION	600 DPI MAX
PRINTING DISTANCE	2-5MM
ADAPTER	AC INPUT 100-240V, DC OUTPUT 16.8V/2A
SCREEN DISPALY	4.3 INCH
SYSTEM SUPPORT	LINUX
LANGUAGE	CHINESE/ENGLISH
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC
WEIGHT	1 KG
DIMENSION	135x128x200 MM



DX-SA200/300 CONVEYOR

Specification :

Model	DX-SA200	DX-SA300
POWER	80W	90W
SPEED	0-35M/MIN	0-50M/MIN
LENGTH OF PRODUCT	65-500MM	65-500MM
WIDTH OF PRODUCT	50-200MM	50-350MM
WEIGHT	20KG	23.3 KG
DIMENSION (MM)	1520x385x215	1550x455x220



APM280 FILLING MACHINE / DOUBLE HEAD

Specification :

Model	APM-280	APM-280 DOUBLE HEADS
VOLTAGE	220V50HZ/30W	220V50HZ/30W
FILLING RANGE	5-3500ML	5-3500ML
MAX FLOW/HEIGHT	3.5L / 2M	3.5L / 2M
FILLING SPEED	1-25 B/M	15-30 B/M
WEIGHT	3.75KG	7.25KG
DIMENSION (MM)	330x420x380	490x320x210



XDAP-0530 CODING MACHINE
XDAP-0550 CODING MACHINE

Specification :

MODEL	XDAP-0530	XDAP-0550
PRINTING SPEED	60M/MIN	
PRINTING HEIGHT	2-12.7MM	2-25.4MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN	
PRINT RESOLUTION	600 DPI MAX	
PRINTING DISTANCE	2-10MM	
ADAPTER	AC INPUT 100-240V, DC OUTPUT 16.8V/2A	
SCREEN DISPALY	4.3 INCH	
SYSTEM SUPPORT	LINUX	
LANGUAGE	CHINESE/ENGLISH	
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC	
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC	
WEIGHT	1.8 KG	1.5 KG
DIMENSION	135x1100x205 MM	



Specification :

MODEL	FXJ4030
CONVEYOR SPEED	20M/MIN
CARTON SIZE L* W	120 x 80-320MM
CARTON SIZE H	90-400MM
WIDTH OF TAPE	30,36,48MM
VOLTAGE/POWER	110V/220V/50-60HZ 0.18KVA
WEIGHT	110 KG
DIMENSION	1112x730x890 MM

FXJ4030 SEMI-AUTOMATIC CARTON SEALER



APM 100 PAPER CUP MAKING MACHINE

Specification :

MODEL	APM 100
PAPER CUP SIZE	1.5-90Z
RAW MATERIAL	ONE SIDE PE
SPEED	90-100 PCS/MIN
PAPER WEIGHT RANGE	150-180g/m ² ; ±20g/m ²
VOLTAGE/POWER	380V 50 HZ / 3.5 KW
CUP SIZE	BOTTOM28-54mm TOP40-75mm HIGHT30-95mm
CUP SIDE SEALING	COPPER BAR HEATING
BOTTOM KNURLING	HEATING
WEIGHT	1350 KG
DIMENSION	2000x1110x1850 MM

Specification :

MODEL	XD-31	XD-41
PRINTING SPEED	2-80M/MIN	2-50M/MIN
PRINTING HEIGHT	12.7MM	25.4MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN	
PRINT RESOLUTION	600 DPI MAX	300 DPI MAX
PRINTING DISTANCE	2-5MM	
ADAPTER	AC INPUT 100-240V	
SCREEN DISPALY	7 INCH	
SYSTEM SUPPORT	LINUX	
LANGUAGE	CHINESE/ENGLISH	
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC	
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC	
WEIGHT	3.2 KG	3.2 KG
DIMENSION	210x110x40 MM	210x110x40 MM



XD-31/41 CODING MACHINE



Specification :

Model	JGS-980
Voltage	220V/50 HZ
Power	0.37 KW
Capacity	1000 bottles/hour
Capper size	20-35mm
Bottle height	20-350mm
Weight	75 Kgs
Size	700 x 340 x 1260 mm


JGS-980 MANUAL CAPPING MACHINE



APM-50 ROUND BOTTLE LABEL MACHINE

Specification :

Model	APM-50
Voltage	220V/50 HZ
Label size	10-110mm width 10-300mm length
Labelling speed	50 pcs/hour
Label Core Diameter	75mm
Bottle Diametert	15-120mm,Height less than 150mm
Weight	4.8 Kgs
Size	400 x 280 x 210 mm



G1WY500 LIQUID FILLING MACHINE 50ML-500ML SINGLE HEAD

Specification :


Model	G1WY500
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	50-500ml
Filling accuracy	1%
Packing size	920 x 340 x 330 (mm)
WEIGHT	17 KG



Specification :

Model	G2WG100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (2 filling nozzle)
Packing size	950 x530 x 370 (mm)
Filling accuracy	1%
Adjustable volumn	10-100ml
Weight	40.8 KG


G2WG100 PASTE FILLING MACHINE 10ML-100ML DOUBLE HEAD



Specification :

Model	G2WY500
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (2 filling nozzle)
Packing size	950 x530 x 370 (mm)
Filling accuracy	1%
Adjustable model	50-500ml
Weight	28 KG


G2WY500 LIQUID FILLING MACHINE 50ML-500ML DOUBLE HEAD



Specification :

Model	G1WY1000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (1 filling nozzle)
Packing size	1120 x340 x 340 (mm)
Filling accuracy	1%
Adjustable model	100-1000ml
Weight	18 KG

G1WY1000 LIQUID FILLING MACHINE 100ML-1000ML SINGLE HEAD



Specification :

Model	G2WY1000
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (2 filling nozzle)
Packing size	1200 x550 x 380 (mm)
Filling accuracy	1%
Adjustable model	100-1000ml
Weight	34 KG


G2WY1000 LIQUID FILLING MACHINE 100ML-1000ML DOUBLE HEAD



MODEL	TDY-300C
WORKING SPEED	LESS THAN 3600 TIMES/HOUR
PRINTING AREA	15MM * 50MM
PRINTING HEIGHT	380MM
SIZE	44*41*56MM
WEIGHT	17.6 KG

G2WY100 LIQUID FILLING MACHINE 10ML-100ML DOUBLE HEAD

TDY-300C CODING MACHINE



Specification :

Model	G2WY100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (2 filling nozzle)
Packing size	1200 x550 x 380 (mm)
Filling accuracy	1%
Adjustable model	10-100ml
Weight	26 KG

G2WY100 LIQUID FILLING MACHINE 10ML-100ML DOUBLE HEAD



FZL-135 4 SIDE SEAL WITHOUT HOPPER PACKAGING MACHINE

Specification :

Model	FZL-135 4 SIDE SEAL
Voltage	220/110V50/60 HZ
Power	500 W
Bag size	0-100mm (W) , 0-160mm (L)
Film thickness	0.5-0.8mm
Precision	0.3 g
Packing size	680 x 620 x 110 (mm)
WEIGHT	85 KG



FKR-200/300 HAND IMPULSE SEALING MACHINE

Specification :

Model	FKR-200	FKR-300
VOLTAGE	220V60HZ	220V60HZ
POWER	550W	550W
SEALING WIDTH	10MM	10MM
SEALING LENGTH	0-200MM	0-300MM
WEIGHT	1.67KG	1.83KG
DIMENSION (MM)	360x300x125	430x310x160



ZH-FZJ-99 DOUBLE HEAD PACKAGING MACHINE

Specification :

Model	ZH-FZJ-99
Voltage	220/110V50/60 HZ
Power	180 W
Filling Speed	10-20 pcs/min
Filling Range	1-99 g
Filling Accuracy	0.2 g
Packing size	770 x 460 x 650 (mm)
WEIGHT	45 KG



ZH-FZJ-1200 DIGITAL CONTROL PARTICLE FILLING MACHINE

Specification :

Model	ZH-FZJ-1200
Voltage	220/110V50/60 HZ
Power	600 W
Filling Speed	8-20 pcs/min
Filling Range	50-5000 g
Filling Accuracy	2-3 g
Packing size	71 x 480 x 111 (mm)
WEIGHT	50 KG



Specification :

Model	DGYF-900A
Voltage	150-270V
Power	0.8-1.2 KW
Sealing diameter (mm)	20-Φ100
Maximum ambient temperature	Less than 45 degree
Operating frequency (KHz)	30±5%
Packing size	280 x 217 x 205 (mm)
WEIGHT	1 KG


DGYF-900A MANUAL INDUCTION SEALER



DS-1188 CODING MACHINE

Specification :


Model	DS-1188
Voltage	220/110V50/60 HZ
Power	130 W
Printing Speed	less than 35 meter/min
Cycle rate	max 300 prints/min
Hot ink roll size	36mm*40mm
Packing size	350 x 280 x 205 (mm)
WEIGHT	8.7 KG



Specification :

Model	G1WY2600
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	300-5000ml
Filling accuracy	1%
Packing size	1350 x 330 x 350 (mm)
WEIGHT	25 KG

G1WY2600 LIQUID FILLNG MACHINE 300ML-2600ML SINGLE HEAD



Specification :

Model	DX5-241G
Voltage	220V/50HZ
Power	200W
Printing speed	20-120psc/min
Printing area	Ma:19MMx35mm
Hot printer width	Ma:35mm
Size (L x W x H)	670 x 310 x 515mm
Weight	7.5 kg


DX5-241G COLOR RIBBON CODING MACHINE



Specification :

Model	G1WY100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bottles/min (1 filling nozzle)
Adjustable model	10-100ml
Filling accuracy	1%
Packing size	950 x 310 x 310 (mm)
WEIGHT	15 KG

G1WY100 LIQUID FILLNG MACHINE 10ML-100ML SINGLE HEAD



Specification :

Model	HP-180
Voltage	220V/50HZ
Power	150W
Printing speed	180psc/min
Printing area	Ma:11MMx35mm
Hot ink roll	36*40 mm
Size (L x W x H)	550 x 280 x 230mm
Weight	8 kg

HP-180 CODING MACHINE



Specification :

Model	G2WY100
Voltage	220/100V50/60 HZ
Power	0.4-0.6 Mpa
Filling Speed	5-20 bots/min (2 filling nozzle)
Packing size	950 x450 x 320 (mm)
Filling accuracy	1%
Adjustable model	10-100ml
Weight	26 KG

G2WY100 LIQUID FILLNG MACHINE 10ML-100ML DOUBLE HEAD



AP-200 / 300 CONVEYOR

Specification :

Model	AP-200	AP-300
VOLTAGE	220V60HZ	220V60HZ
POWER	60W	120W
SPEED	10-30M/M	10-30M/M
WIDTH OF SUBJECT	50-200MM	50-300MM
WEIGHT	16.9KG	22.3KG
DIMENSION (MM)	1560x340x250	1560x430x250



AP-40 CONVEYOR

Specification :

Model	AP-40
Voltage	220V/50HZ
Power	120W
Product size	80mm x 280mm
Thickness	0.02-5mm
Machine Speed	30-70m/min
Size (L x W x H)	1610 x 560 x 450mm
Weight	30 kg



SF-1550 ELECTRIC PORTABLE SCREWING MACHINE

Specification :

Model	SF-1550
Voltage	220/100V50/60 HZ
CAPPING DIAMETER	10-50MM
PRODUCT CAPACITY	30-90 bottles/min
Packing size	70 x70 x 300 (mm)
Torque	50-25kgf.cm
Operating form	Hand hold
Weight	18 KG



XD-00/01 ROUND BOTTLE LABELLING MACHINE

Specification :

Model	XD-9
Voltage / Power	380V 750W
Bucket Volume	1.8 L
Production Capacity	4-6.5m3/H
Outlet Height	3296mm
Infeed Length	863mm
Size (L x W x H)	2050(L)*1350(W)*980mm(H)
Weight	350 kg

XD-9 CONVEYOR



Specification :

Model	XD-00/01
Voltage / Power	220V/50HZ / 1000W
Label height	15-150mm
Label Length	25-300mm
Bottle height	25-350mm
Machine Speed	50-200pcs/min
Size (L x W x H)	1255x 800 x 800mm
Weight	92 kg



Specification :

Model	XD-8
Voltage / Power	380V 750W
Bucket Volume	1.8 L
Production Capacity	2-4.5m3/H
Outlet Height	2800mm
Infeed Length	800mm
Size (L x W x H)	1850(L)*750(W)*850mm(H)
Weight	150 kg

XD-8 CONVEYOR

Specification :

Model	FZL-5000
Voltage	220/110V50/60 HZ
Power	1000 W
Filling Speed	10-35 pcs/min
Filling Range	10-3000 g
Filling Accuracy	0.5 g
Packing size	1110 x 760 x 1730 (mm)
WEIGHT	155 KG



FZL-5000 BACK SEALING AUTOMATIC PACKAGING MACHINE WITHOUT HOPPER

Specification :

Model	ZH-FZJ-3000
Voltage	220/110V50/60 HZ
Power	800 W
Filling Speed	10-40 pcs/min
Filling Range	1-200 g
Filling Accuracy	0.3 g
Packing size	1140 x 720 x 1030 (mm)
WEIGHT	160 KG



ZH-FZJ-3000 DIGITAL CONTROL PARTICLE FILLING MACHINE FOUR HEAD



Specification :

Model	XD-50
Voltage	220/100V50/60 HZ
Power	1.4 KW
Packing Speed	15-30 bags/min
Bag size width range	115-200mm
Max bag length	300 mm
Packing size	680 x 950 x 1180 (mm)
WEIGHT	220 KG

XD-50 POUCH PACKAGING MACHINE



Specification :

Model	XD-20W	XD-30W
Voltage	220V/50 HZ 5A	
Laser Power	20 W	30 W
Laser Wave length	1064nm	
Laser frequency	20KHZ-100KHZ	
Marking Area	110mm x 110mm	
Min. line width	0.01mm	
Laser beam Per Sq	less than 1.5	
Weight	70 KG	
Size	860 x 960 x 1250 mm	


XD-20W CODING MACHINE
XD-30W CODING MACHINE



Specification :

Model	FR-1100 MS VERTICAL
Voltage	220V/50 HZ
Power	1200 W
Sealing speed	0-12m/min
Sealing wide/Thickness	6-12mm/0.02-0.8mm
Temperature range	0-300°C
Max transport weight	18 Kgs
Coveyor table size	1285*240*310mm
Weight	75 Kgs
Size	1180 x 660 x 1520 mm


FR-1100 CONTINUOUS SEALER MACHINE MS VERTICAL



Specification :

Model	FR-1000 MS HORIZONTAL	FR-900 SS HORIZONTAL
Voltage	220V/50 HZ	220V/50 HZ
Power	770 W	770 W
Sealing speed	0-12m/min	0-12m/min
Sealing wide	6-12mm	6-12mm
Temperature range	0-300°C	0-300°C
Max transport weight	10 Kgs	10 Kgs
Print type	impress	impress
Weight	42 Kg	45 Kg
Size	1010 x 635 x 310 mm	1010 x 635 x 310 mm

FR-1000 CONTINUOUS SEALER MACHINE MS HORIZONTAL



Specification :

Model	HP-241B
Voltage	220V/50 HZ
Power	200 W
Printing speed	10-80pcs/min
Font size	2*4mm
Temperature range	0-200°C
Printing lines	3 / 4 / 5 lines
Pre-heating time	5-10 minutes
Weight	8 KG
Size	310 x 300 x 380 mm

HP-241B COLOR RIBBON CODE PRINTER



Specification :

Model	TDFJ-150
Voltage	220V/50 HZ
Power	270 W
Sealing speed	30pcs/min
Can diameter	50 & 53mm
Application	food
Sealing height	30-190mm
Display screen	2.8 inch
Weight	38 KG
Size	505 x 345 x 700 mm

TDFJ-150 CAN SEALING MACHINE



AP-05 CODING MACHINE

Specification :

MODEL	AP-05
PRINTING SPEED	60M/MIN
PRINTING HEIGHT	2-12.7MM
INK COLOR	BLACK,WHITE,RED,BLUE,YELLOW, GREEN
PRINT RESOLUTION	600 DPI MAX
PRINTING DISTANCE	2-10MM
ADAPTER	AC INPUT 100-240V, DC OUTPUT 16.8V/2A
SCREEN DISPALY	4.3 INCH
SYSTEM SUPPORT	LINUX
LANGUAGE	CHINESE/ENGLISH
PRINT CONTENT	TIME,DATE,COUNTER, QR CODE, LOGO,ETC
PRINT MEDIA	BOARDS, CARTONS, PIPES,METAL,PLASTIC,ETC
WEIGHT	1.5 KG
DIMENSION	135x1100x205 MM



LF-50 SEALING MACHINE

Specification :

Model	LF-50
Voltage	220/100V50/60 HZ
Power	300 W
Sealing Speed	5 m/min
Sealing temperature	0-200 degree
Material selection	metal & plastic
Packing size	285 x 268 x 2680 (mm)
WEIGHT	3.5 KG

Specification :

Model	FR-400
Voltage	220/100V50/60 HZ
Power	650 W
Sealing Speed	0-12 m/min
Sealing temperature	0-400 degree
Sealing Width	10mm
Packing size	400 x 255 x 240 (mm)
WEIGHT	9 KG



FR-400 SEALING MACHINE



Specification : AP- 350/450 POUCH PACKAGING MACHINE

Model	AP-350	AP-450
Voltage/Power	220V,50/60HZ,2.4KW	220V,50/60HZ,2.8KW
Film Width	Max.340mm	Max.440mm
Bag length	120-280mm	120-450mm
Bag width	50-160mm	80-200mm
Product Height	Max.45mm	Max.80mm
Film roll diameter	Max.320mm	Max.320mm
Packing speed	20-200 bags/min	40-100 bags/min
Machine size:L*W*H	3744 x 828 x 1558mm	4195 x 845 x 1405mm
Machine Weight	293 KGS	357 KGS



Specification :

Model	FZL-1000
Voltage	220/110V50/60 HZ
Power	500 W
Bag size	0-180mm (W) , 0-300mm (L)
Film thickness	0.5-0.8mm
Precision	0.3 g
Packing size	1330 x 1001 x 2200 (mm)
WEIGHT	140 KG

FZL-1000 BACK SEALING AUTOMATIC PACKAGING MACHINE



DX-108 PACKAGING MACHINE

Specification :

Model	DX-108
Voltage	220/100V50/60 HZ
Power	800 W
Packing Speed	10-25 bags/min
Weighing range	10-500g
Machine size	62 x 104 x 205 (mm)
Packing size	106 x 60 x 170 mm
WEIGHT	105 KG

APM280 FILLING MACHINE FIFTEEN HEAD

Specification :

Model	APM-280
VOLTAGE	220V50HZ/30W
FILLING RANGE	5-3500ML
MAX FLOW/HEIGHT	3.5L / 2M
FILLING SPEED	15-45 B/M
WEIGHT	26KG
DIMENSION (MM)	670x200x580



FZG-135 4 SIDE SEALING FILLING MACHINE

Specification :

Model	FZG-135
Voltage	220/110V50/60 HZ
Power	800 W
Packing speed	5-15 bags/min
Packing volume	10-150ML
Precision	0.3 g
Packing size	1030 x 550 x 1600 (mm)
WEIGHT	60 KG



LF1080B CONTINUES AIR SUCTION BAND SEALER

Specification :

Model	LF1080B
Voltage	220/100V50/60 HZ
Power	1405 W
Sealing Speed	0-12 m/min
Sealing Width	6-12mm
Max loading	less than 3 KGS
Packing size	1020 x 480 x 1065 mm
WEIGHT	85 KG



XD-60 POUCH PACKAGING MACHINE

Specification :

Model	XD-60
Voltage	220/100V50/60 HZ
Power	3.7 KW
Packing Speed	20-40 bags/min
Bag size width range	50-200mm
Max bag length	300 mm
Packing size	860 x 1470 x 1280 (mm)
WEIGHT	320 KG

ZH-FZJ-1000 DIGITAL CONTROL PARTICLE FILLING MACHINE FOUR HEAD

Specification :

Model	ZH-FZJ-1000
Voltage	220/110V50/60 HZ
Power	800 W
Filling Speed	10-40 pcs/min
Filling Range	10-1000 g
Filling Accuracy	0.3 g
Packing size	950 x 550 x 102 (mm)
WEIGHT	120 KG





Specification :

Model	XD-500 / XD-1000
Voltage	220/110V50/60 HZ
Power	300 W / 500 W
Packing Speed	1-40 bottles/min
Filling range	50-500ml /100-100ml
Bottle Diameter	25-100mm
Packing size	136 x 91 x 113 mm
WEIGHT	120 KG / 130 KG


XD-500 / XD-1000 AUTO PACKING MACHINE



Specification :

Model	XD-1100
Voltage	220/110V50/60 HZ
Power	300 W
Packing Speed	20-40 pcs/min
Capping height	5-35mm
Working air pressure	0.4-0.6 Mpa
Packing size	136 x 68 x 107 mm
WEIGHT	80 KG / 100 KG

XD-1100 AUTO CAPPING MACHINE



Specification :

Model	DZ 600 DESKTOP M.S
Voltage/Power	220V/50HZ / 0.8KW
Vacuum pump power	0.75KW
Sealing bar size	600mm x 8mm
Working table size	600mm x 400mm
Packing speed	1-3 times/min
Size (L x W x H)	700 x 340 x 430mm
Weight	35 KG

DZ-600 DESKTOP VACUUM PACKAGING MACHINE OUTSIDE M.S



Specification :

MODEL	FXJ5050
CONVEYOR SPEED	20M/MIN
CARTON SIZE L* W	120 x 80-320MM
CARTON SIZE H	90-400MM
WIDTH OF TAPE	30,36,48MM
VOLTAGE/POWER	110V/220V/50-60HZ 0.18KVA
WEIGHT	120 KG
DIMENSION	1010x900x1270 MM

FXJ5050 SEMI-AUTOMATIC CARTON SEALER



Specification :


Model	QL-550
Voltage/Power	220V/50HZ / 2.0KW
MAX PACK SIZE	430*450*250MM
MAX FILM/BELT	650MM/430MM
SPEED/PRESSURE	20/MIN 0.5MPA
MAX LOAD/CUTTER	15-20KG / 550MM
Size (L x W x H)	1839x 1022 x 1442mm
Weight	300 KG

QL550 AUTOMATIC L SEALER



Specification :

Model	APM-380/ APM-480
Voltage	220/110V50/60 HZ
Power	300 W / 500 W
Packing Speed	1-20 / 1-40 bottles/min
Filling range	100-10000G /10ML --- 100000ML
AIR PRESSURE	0.4-0.6 /0.4-0.9 MPA
Packing size	28 x 85 x 43 /61 x 31x36 mm
WEIGHT	20 KG / 27 KG



XD-30 BOX LABELLING MACHINE

Specification :


Model	XD-30
Voltage	220/110V50/60 HZ
Power	200 W
Labeling Speed	0-40 P/min
Label Size Range	20-50mm
Max Label size	O.D <200mm, I.D 76mm Thickness 0.05mm
Packing size	400 x 220 x 360 mm
WEIGHT	13 KG



XD-02 AUTO FLAT LABELLING MACHINE

Specification :

Model	XD-02
Voltage / Power	220V/50HZ / 1000W
Label min	30*30mm
Label max	150*180mm
Label out diameter	less than 250mm
Machine Speed	20-40pcs/min
Size (L x W x H)	1320x 760 x 950mm
Weight	95 kg



DBC-500 PACKING MACHINE

Specification :

Model	DBC-500
Voltage	220/110V50/60 HZ
Power	25 W
Diameter	40 cm
Max film height	40cm
Packing speed	30r/min
Packing size	89 x 47 x 26 mm
WEIGHT	12 KG



SPOUT POUCH PACKAGING MACHINE

Specification :

Model	Spout pouch
Voltage	220/110V50/60 HZ
Power	2000 W
Air pressure	0.5-0.8Mpa
Filling range	50-3000g
Filling speed	15-35 pc/min
Packing size	950 x 770 x 800 mm
WEIGHT	60 KG