





優質的標誌 信心的保證





簡化型細水口系統及細水口系統模架
Three Plate Type System and Pin Point Gate System Mould Base

		頁數 Page No.
簡化型細水口系統模架 Three Plate Type System Mould Base		TP1
訂貨名稱 How To Order		TP2
模架圖 Drawing	15系列 (15 Series)	TP3 - TP5
	18系列 (18 Series)	TP6 - TP8
	20系列 (20 Series)	TP9 - TP12
	23系列 (23 Series)	TP13 - TP15
	25系列 (25 Series)	TP16 - TP19
	27系列 (27 Series)	TP20 - TP21
	29系列 (29 Series)	TP22 - TP23
	30系列 (30 Series)	TP24 - TP28
	33系列 (33 Series)	TP29 - TP30
	35系列 (35 Series)	TP31 - TP34
	40系列 (40 Series)	TP35 - TP38
	45系列 (45 Series)	TP39 - TP41
	50系列 (50 Series)	TP42 - TP43




簡化型細水口系統模架
THREE PLATE TYPE SYSTEM MOULD BASE


訂貨名稱 How To Order :




FAI




FCI




GAI




GCI




FAH



FCH



GAH




GCH

面板闊度 / Plate Width	PW
直身模 / H-Type	150
工字模 / I-Type	200


A B 板厚度 / A B Plate Thickness							
25	30	35	40	50	60	70	80

標準方鐵 / Spacer Block	60
加高方鐵 / Higher Spacer Block	70


吊環絲孔 / Eyebolt	M12
----------------	-----




FAI



FCI




GAI




GCI

1515



1518




面板闊度/Plate Width	PW
直身模/H-Type	150
工字模/I-Type	200


A B 板厚度/A B Plate Thickness							
25	30	35	40	50	60	70	80

標準方鐵/Spacer Block	60
加高方鐵/Higher Spacer Block	70


吊環絲孔/Eyebolt	M12
--------------	-----




FAI



FCI




GAI




GCI

1520



1523




面板闊度 / Plate Width	PW
直身模 / H-Type	150
工字模 / I-Type	200


A B 板厚度 / A B Plate Thickness							
25	30	35	40	50	60	70	80

標準方鐵 / Spacer Block	60
加高方鐵 / Higher Spacer Block	70


吊環絲孔 / Eyebolt	M12
----------------	-----




FAI



FCI




GAI




GCI

1525



1530




面板闊度/Plate Width	PW
直身模/H-Type	180
工字模/I-Type	230


A B 板厚度/A B Plate Thickness							
25	30	35	40	50	60	70	80

標準方鐵/Spacer Block	60
加高方鐵/Higher Spacer Block	80


吊環絲孔/Eyebolt	M12
--------------	-----




FAI



FCI




GAI




GCI

1818



1820




面板闊度/Plate Width	PW
直身模/H-Type	180
工字模/I-Type	230


A B 板厚度/A B Plate Thickness							
25	30	35	40	50	60	70	80

標準方鐵/Spacer Block	60
加高方鐵/Higher Spacer Block	80


吊環絲孔/Eyebolt	M12
--------------	-----




FAI



FCI




GAI




GCI

1823



1825




面板闊度 / Plate Width	PW
直身模 / H-Type	180
工字模 / I-Type	230


A B 板厚度 / A B Plate Thickness							
25	30	35	40	50	60	70	80

標準方鐵 / Spacer Block	60
加高方鐵 / Higher Spacer Block	80


吊環絲孔 / Eyebolt	M12
----------------	-----




FAI



FCI




GAI




GCI

1830



1835




面板闊度/Plate Width	PW
直身模/H-Type	200
工字模/I-Type	250


A B 板厚度/A B Plate Thickness				
25	30	35	40	50
60	70	80	90	100

標準方鐵/Spacer Block	70
加高方鐵/Higher Spacer Block	90


吊環絲孔/Eyebolt	M12
--------------	-----




FAI



FCI




GAI




GCI

2020



2023




面板闊度 / Plate Width	PW
直身模 / H-Type	200
工字模 / I-Type	250


A B 板厚度 / A B Plate Thickness				
25	30	35	40	50
60	70	80	90	100

標準方鐵 / Spacer Block	70
加高方鐵 / Higher Spacer Block	90


吊環絲孔 / Eyebolt	M12
----------------	-----




FAI



FCI




GAI




GCI

2025



2030





2035

面板闊度/Plate Width	PW
直身模/H-Type	200
工字模/I-Type	250


A B 板厚度/A B Plate Thickness				
25	30	35	40	50
60	70	80	90	100

標準方鐵/Spacer Block	70
加高方鐵/Higher Spacer Block	90


吊環絲孔/Eyebolt	M12
--------------	-----




FAI



FCI



GAI




GCI

面板闊度 / Plate Width	PW
直身模 / H-Type	200
工字模 / I-Type	250


A B 板厚度 / A B Plate Thickness				
25	30	35	40	50
60	70	80	90	100

標準方鐵 / Spacer Block	70
加高方鐵 / Higher Spacer Block	90


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

2040



2045




面板闊度/Plate Width	PW
直身模/H-Type	230
工字模/I-Type	280


A B 板厚度/A B Plate Thickness				
25	30	35	40	50
60	70	80	90	100

標準方鐵/Spacer Block	80
加高方鐵/Higher Spacer Block	100


吊環絲孔/Eyebolt	M16
--------------	-----




FAI



FCI




GAI




GCI

2323



2325




面板闊度 / Plate Width	PW
直身模 / H-Type	230
工字模 / I-Type	280


A B 板厚度 / A B Plate Thickness				
25	30	35	40	50
60	70	80	90	100

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

2327



2330




面板闊度 / Plate Width	PW
直身模 / H-Type	230
工字模 / I-Type	280


A B 板厚度 / A B Plate Thickness				
25	30	35	40	50
60	70	80	90	100

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

2335



2340




面板闊度 / Plate Width	PW
直身模 / H-Type	250
工字模 / I-Type	300


AB 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

2525



2527




面板闊度 / Plate Width	PW
直身模 / H-Type	250
工字模 / I-Type	300


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

2530



2535




面板闊度 / Plate Width	PW
直身模 / H-Type	250
工字模 / I-Type	300


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

2540



2545




面板厚度/Plate Width	PW
直身模/H-Type	250
工字模/I-Type	300


A B 板厚度/A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵/Spacer Block	80	
加高方鐵/Higher Spacer Block	100	120


吊環絲孔/Eyebolt	M16
--------------	-----




FAI



FCI




GAI



GCI

2550




面板闊度 / Plate Width	PW
直身模 / H-Type	270
工字模 / I-Type	320


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

2730



2735





2740

面板闊度 / Plate Width	PW
直身模 / H-Type	270
工字模 / I-Type	320


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80	
加高方鐵 / Higher Spacer Block	100	120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI



GAI




GCI

面板闊度/Plate Width	PW
直身模/H-Type	290
工字模/I-Type	350


A B 板厚度/A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵/Spacer Block	90
加高方鐵/Higher Spacer Block	100 120


吊環絲孔/Eyebolt	M16
--------------	-----




FAI



FCI




GAI




GCI

2930



2935




面板闊度 / Plate Width	PW
直身模 / H-Type	290
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	90
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI



GCI

2940




面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI




GCI

3030



3032




面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120


吊環絲孔 / Eyebolt	M16
----------------	-----




FAI



FCI




GAI



GCI

3035




面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M20
----------------	-----




FAI



FCI




GAI




GCI

3040



3045




面板闊度/Plate Width	PW
直身模/H-Type	300
工字模/I-Type	350


A B 板厚度/A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵/Spacer Block	90	
加高方鐵/Higher Spacer Block	100	120


吊環絲孔/Eyebolt	M20
--------------	-----




FAI



FCI




GAI



GCI

3050




面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120


吊環絲孔 / Eyebolt	M24
----------------	-----




FAI



FCI




GAI




GCI

3055



3060




面板闊度 / Plate Width	PW
直身模 / H-Type	330
工字模 / I-Type	400


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120


吊環絲孔 / Eyebolt	M20
----------------	-----




FAI



FCI




GAI




GCI

3335



3340




面板闊度 / Plate Width	PW
直身模 / H-Type	330
工字模 / I-Type	400


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M20
----------------	-----




FAI



FCI




GAI




GCI

3345



3350




面板闊度 / Plate Width	PW
直身模 / H-Type	350
工字模 / I-Type	400


A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	100
加高方鐵 / Higher Spacer Block	120 150


吊環絲孔 / Eyebolt	M20
----------------	-----




FAI



FCI




GAI




GCI

3535



3540




面板闊度/Plate Width	PW
直身模/H-Type	350
工字模/I-Type	400


A B 板厚度/A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵/Spacer Block	100	
加高方鐵/Higher Spacer Block	120	150


吊環絲孔/Eyebolt	M24
--------------	-----




FAI



FCI




GAI



GCI

3545




面板闊度 / Plate Width	PW
直身模 / H-Type	350
工字模 / I-Type	400


A B 板厚度 / A B Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150

標準方鐵 / Spacer Block	100
加高方鐵 / Higher Spacer Block	120 150


吊環絲孔 / Eyebolt	M24
----------------	-----




FAI



FCI




GAI




GCI

3550



3555




面板闊度 / Plate Width	PW
直身模 / H-Type	350
工字模 / I-Type	400


A B 板厚度 / A B Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150

標準方鐵 / Spacer Block	100
加高方鐵 / Higher Spacer Block	120 150


吊環絲孔 / Eyebolt	M24
----------------	-----




FAI



FCI




GAI




GCI

3560



3570




面板厚度/Plate Width	PW
直身模/H-Type	400
工字模/I-Type	450


A B 板厚度/A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵/Spacer Block	120
加高方鐵/Higher Spacer Block	150 180


吊環絲孔/Eyebolt	M24
--------------	-----




FAI



FCI




GAI



GCI

4040




面板闊度 / Plate Width	PW
直身模 / H-Type	400
工字模 / I-Type	450


A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M24/M12
----------------	---------




FAI



FCI




GAI




GCI

4045



4050




面板闊度 / Plate Width	PW
直身模 / H-Type	400
工字模 / I-Type	450


A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M12
----------------	---------




FAI



FCI




GAI




GCI

4055



4060




面板闊度/Plate Width	PW
直身模/H-Type	400
工字模/I-Type	450


A B 板厚度/A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵/Spacer Block	120	
加高方鐵/Higher Spacer Block	150	180


吊環絲孔/Eyebolt	M30/M12
--------------	---------




FAI



FCI




GAI



GCI

4070




面板闊度 / Plate Width	PW
直身模 / H-Type	450
工字模 / I-Type	550


A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




FAI



FCI




GAI




GCI

4545



4550




面板闊度/Plate Width	PW
直身模/H-Type	450
工字模/I-Type	550


A B 板厚度/A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵/Spacer Block	120
加高方鐵/Higher Spacer Block	150 180


吊環絲孔/Eyebolt	M30/M16/M12
--------------	-------------




FAI



FCI




GAI




GCI

4555



4560




面板闊度 / Plate Width	PW
直身模 / H-Type	450
工字模 / I-Type	550


A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




FAI



FCI




GAI



GCI

4570




面板闊度 / Plate Width	PW
直身模 / H-Type	500
工字模 / I-Type	600


A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




FAI



FCI




GAI




GCI

5050



5055




面板闊度 / Plate Width	PW
直身模 / H-Type	500
工字模 / I-Type	600


A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




FAI



FCI




GAI




GCI



5060



5070





		頁數 Page No.
細水口系統模架 Pin Point Gate System Mould Base		PP1
訂貨名稱 How To Order		PP2
模架圖 Drawing	20系列 (20 Series)	PP3 - PP5
	23系列 (23 Series)	PP6 - PP8
	25系列 (25 Series)	PP9 - PP12
	27系列 (27 Series)	PP13 - PP14
	29系列 (29 Series)	PP15 - PP16
	30系列 (30 Series)	PP17 - PP21
	33系列 (33 Series)	PP22 - PP23
	35系列 (35 Series)	PP24 - PP27
	40系列 (40 Series)	PP28 - PP31
	45系列 (45 Series)	PP32 - PP34
	50系列 (50 Series)	PP35 - PP36




細水口系統模架
PIN POINT GATE SYSTEM MOULD BASE


訂貨名稱 How To Order :




DAI




DBI




DCI




DDI




EAI




EBI




ECI




EDI




DAH




DBH




DCH




DDH




EAH



EBH



ECH







EDH

面板闊度 / Plate Width	PW
直身模 / H-Type	200
工字模 / I-Type	250


A B 板厚度 / A B Plate Thickness									
25	30	35	40	50	60	70	80	90	100

標準方鐵 / Spacer Block	70
加高方鐵 / Higher Spacer Block	90


吊環絲孔 / Eyebolt	M12
----------------	-----



2025



2030








面板闊度 / Plate Width	PW
直身模 / H-Type	200
工字模 / I-Type	250

A B 板厚度 / A B Plate Thickness									
25	30	35	40	50	60	70	80	90	100

標準方鐵 / Spacer Block	70
加高方鐵 / Higher Spacer Block	90

吊環絲孔 / Eyebolt	M12
----------------	-----

2035




面板闊度 / Plate Width	PW
直身模 / H-Type	200
工字模 / I-Type	250

A B 板厚度 / A B Plate Thickness									
25	30	35	40	50	60	70	80	90	100


標準方鐵 / Spacer Block	70
加高方鐵 / Higher Spacer Block	90

吊環絲孔 / Eyebolt	M16
----------------	-----




DAI

EAI




DBI

EBI



DCI


ECI




DDI

EDI

2040



2045







面板闊度 / Plate Width	PW
直身模 / H-Type	230
工字模 / I-Type	280


A B 板厚度 / A B Plate Thickness									
25	30	35	40	50	60	70	80	90	100

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100


吊環絲孔 / Eyebolt	M16
----------------	-----



2327



2330







面板闊度 / Plate Width	PW
直身模 / H-Type	230
工字模 / I-Type	280


A B 板厚度 / A B Plate Thickness									
25	30	35	40	50	60	70	80	90	100

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100


吊環絲孔 / Eyebolt	M16
----------------	-----



2335



2340




面板闊度 / Plate Width	PW
直身模 / H-Type	250
工字模 / I-Type	300

A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	


標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120

吊環絲孔 / Eyebolt	M16
----------------	-----




DAI

EAI




DBI

EBI



DCI


ECI




DDI

EDI

2525



2527







面板闊度 / Plate Width	PW
直身模 / H-Type	250
工字模 / I-Type	300


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----



2530



2535







面板闊度 / Plate Width	PW
直身模 / H-Type	250
工字模 / I-Type	300


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----



2540



2545








面板闊度 / Plate Width	PW
直身模 / H-Type	250
工字模 / I-Type	300

A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80	
加高方鐵 / Higher Spacer Block	100	120

吊環絲孔 / Eyebolt	M16
----------------	-----

2550







面板闊度 / Plate Width	PW
直身模 / H-Type	270
工字模 / I-Type	320


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----



2730



2735








面板闊度 / Plate Width	PW
直身模 / H-Type	270
工字模 / I-Type	320

A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	80	
加高方鐵 / Higher Spacer Block	100	120

吊環絲孔 / Eyebolt	M16
----------------	-----

2740




面板闊度 / Plate Width	PW
直身模 / H-Type	290
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120


吊環絲孔 / Eyebolt	M16
----------------	-----




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

2930



2935








面板闊度 / Plate Width	PW
直身模 / H-Type	290
工字模 / I-Type	350

A B 板厚度 / A B Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120

吊環絲孔 / Eyebolt	M16
----------------	-----

2940




面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90
加高方鐵 / Higher Spacer Block	100 120


吊環絲孔 / Eyebolt	M16
----------------	-----




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

3030



3032












面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350

A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120

吊環絲孔 / Eyebolt	M16
----------------	-----

3035




面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120


吊環絲孔 / Eyebolt	M20
----------------	-----




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

3040



3045





面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350

A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	


標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120

吊環絲孔 / Eyebolt	M20
----------------	-----


3050




DAI




EAI




DBI




EBI




DCI



ECI



DDI




EDI

面板闊度 / Plate Width	PW
直身模 / H-Type	300
工字模 / I-Type	350


A B 板厚度 / A B Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	

標準方鐵 / Spacer Block	90	
加高方鐵 / Higher Spacer Block	100	120


吊環絲孔 / Eyebolt	M24
----------------	-----




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

3055



3060












面板闊度 / Plate Width	PW
直身模 / H-Type	350
工字模 / I-Type	400

A B 板厚度 / A B Plate Thickness				
40	50	60	70	80
90	100	110	120	130

標準方鐵 / Spacer Block	100	
加高方鐵 / Higher Spacer Block	120	150

吊環絲孔 / Eyebolt	M24
----------------	-----

3545




面板厚度/Plate Width	PW
直身模/H-Type	350
工字模/I-Type	400


A B 板厚度/A B Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150

標準方鐵/Spacer Block	100
加高方鐵/Higher Spacer Block	120 150


吊環絲孔/Eyebolt	M24
--------------	-----




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

3550



3555




面板闊度 / Plate Width	PW
直身模 / H-Type	350
工字模 / I-Type	400


A B 板厚度 / A B Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150

標準方鐵 / Spacer Block	100
加高方鐵 / Higher Spacer Block	120 150


吊環絲孔 / Eyebolt	M24
----------------	-----




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

3560



3570





面板闊度 / Plate Width	PW
直身模 / H-Type	400
工字模 / I-Type	450

A B 板厚度 / A B Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150


標準方鐵 / Spacer Block	120	
加高方鐵 / Higher Spacer Block	150	180

吊環絲孔 / Eyebolt	M24
----------------	-----


4040




DAI




EAI




DBI




EBI




DCI



ECI



DDI




EDI

面板闊度 / Plate Width	PW
直身模 / H-Type	400
工字模 / I-Type	450


A B 板厚度 / A B Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M24/M12
----------------	---------




DAI




EAI



DBI




EBI




DCI



ECI




DDI




EDI

4045



4050




面板厚度/Plate Width	PW
直身模/H-Type	400
工字模/I-Type	450


A B 板厚度/A B Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150

標準方鐵/Spacer Block	120
加高方鐵/Higher Spacer Block	150 180


吊環絲孔/Eyebolt	M30/M12
--------------	---------




DAI




EAI



DBI




EBI




DCI



ECI




DDI




EDI

4055



4060




面板闊度 / Plate Width	PW
直身模 / H-Type	450
工字模 / I-Type	550


A B 板厚度 / A B Plate Thickness						
50	60	70	80	90	100	110
120	130	140	150	160	170	180

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

4545



4550




面板闊度 / Plate Width	PW
直身模 / H-Type	450
工字模 / I-Type	550


A B 板厚度 / A B Plate Thickness						
50	60	70	80	90	100	110
120	130	140	150	160	170	180

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

4555



4560












面板闊度 / Plate Width	PW
直身模 / H-Type	450
工字模 / I-Type	550

A B 板厚度 / A B Plate Thickness						
50	60	70	80	90	100	110
120	130	140	150	160	170	180

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180

吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------

4570




面板闊度 / Plate Width	PW
直身模 / H-Type	500
工字模 / I-Type	600


A B 板厚度 / A B Plate Thickness						
50	60	70	80	90	100	110
120	130	140	150	160	170	180

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




DAI




EAI




DBI




EBI




DCI



ECI




DDI




EDI

5050



5055




面板闊度 / Plate Width	PW
直身模 / H-Type	500
工字模 / I-Type	600


A B 板厚度 / A B Plate Thickness						
50	60	70	80	90	100	110
120	130	140	150	160	170	180

標準方鐵 / Spacer Block	120
加高方鐵 / Higher Spacer Block	150 180


吊環絲孔 / Eyebolt	M30/M16/M12
----------------	-------------




DAI




EAI



DBI




EBI




DCI



ECI




DDI




EDI

5060




5070



拉桿
SUPPORT PIN

材料 Material : GCr 15 / 20 CrMo
硬度 Hardness : HRC60±2




尺寸公差 Dimension

型號 Nom. Size	d		d1		D	H	M	I
	直徑 Size	公差 Tolerance	直徑 Size	公差 Tolerance				
16	16	-0.015 -0.027	16	+0.020 +0.010	21	8	M10	20
20	20	-0.020 -0.033	20	+0.025 +0.015	25	10	M12	23
25	25		25		30	12	M14	25
30	30		30		35	14	M16	29
35	35	-0.025 -0.040	35	+0.030 +0.020	40	16		
40	40		40		45	18		

拉桿介子
SUPPORT PIN COLLAR


材料 Material : S45C



尺寸公差 Dimension

型號 Nom. Size	d	T	d2	d3	N	S
16	16	8	20	10.5	21	M10X25
20	20	10	26	12.5	26	M12X30
25	25	12	31	14.5	30	M14X35
30	30	14	38	16.5	34	M16X40
35	35	16	43	16.5	36	M16X40
40	40	18	48	16.5	38	M16X45

拉桿
SUPPORT PIN




拉桿尺寸總覽表
Specification of Support Pin

L \ Ød	Ø16	Ø20	Ø25	Ø30	Ø35	Ø40
110	★					
120	★					
130	★	★	★			
140	★	★	★	★		
150	★	★	★	★		
160	★	★	★	★	★	
170	★	★	★	★	★	
180	★	★	★	★	★	
190	★	★	★	★	★	
200	★	★	★	★	★	★
210	★	★	★	★	★	★
220	★	★	★	★	★	★
230	★	★	★	★	★	★
240	★	★	★	★	★	★
250	★	★	★	★	★	★
260		★	★	★	★	★
270		★	★	★	★	★
280		★	★	★	★	★
290		★	★	★	★	★
300		★	★	★	★	★
310			★	★	★	★
320			★	★	★	★
330			★	★	★	★
340			★	★	★	★
350			★	★	★	★
360				★	★	★
370				★	★	★
380				★	★	★
390				★	★	★
400				★	★	★
410					★	★
420					★	★
430					★	★
440					★	★
450					★	★
460					★	★
480					★	★
500					★	★

★ 庫存 Stock

導柱 (簡化型細水口系統)
GUIDE PIN (Three Plate Type System)

材料 Material : GCr 15 / 20 CrMo
硬度 Hardness : HRC60±2



尺寸公差 Dimension

型號 Nom. Size	d		d1		D	H
	直徑 Size	公差 Tolerance	直徑 Size	公差 Tolerance		
16	16	-0.015 -0.027	16	+0.020 +0.010	21	8
20	20	-0.020 -0.033	20	+0.025 +0.015	25	10
25	25		25		30	12
30	30		30		35	14
35	35	-0.025 -0.040	35	+0.030 +0.020	40	16
40	40		40		45	18

導柱尺寸總覽表 (簡化型細水口系統)
Specification of Guide Pin (Three Plate Type System)

L	Ød	Ø16	Ø20	Ø25	Ø30	Ø35	Ø40
110		★	★				
120		★	★	★			
130		★	★	★	★		
140		★	★	★	★		
150		★	★	★	★		
160		★	★	★	★	★	
170		★	★	★	★	★	
180		★	★	★	★	★	★
190		★	★	★	★	★	★
200		★	★	★	★	★	★
210		★	★	★	★	★	★
220		★	★	★	★	★	★
230		★	★	★	★	★	★
240		★	★	★	★	★	★
250		★	★	★	★	★	★
260		★	★	★	★	★	★
270		★	★	★	★	★	★
280		★	★	★	★	★	★
290			★	★	★	★	★
300			★	★	★	★	★
320			★	★	★	★	★
340			★	★	★	★	★
360			★	★	★	★	★
380				★	★	★	★
400				★	★	★	★
420					★	★	★
440					★	★	★
460					★	★	★
480					★	★	★
500						★	★

★ 庫存 Stock

圓柱度 (d) Cylindricity of d

L	≤100	> 100
公差 Tolerance	0.003	0.004

真圓度 (d) Roundness of d

d	≤30	> 30
公差 Tolerance	0.002	0.003

集團總公司 (Head Office)

龍記五金有限公司

LUNG KEE METAL LTD

香港新界沙田安群街1號京瑞廣場2期15樓A室

Unit A, 15/F, Kings Wing Plaza 2, No.1 On Kwan Street,
Sha Tin, New Territories, Hong Kong

總 機 電話 Tel : (852) 2342 2248, 傳真 Fax : (852) 2341 8544

接單部 電話 Tel : (852) 2341 2321, 傳真 Fax : (852) 2343 0990

河源龍記金屬製品有限公司 (Heyuan Factory, PRC)

HEYUAN LUNG KEE METAL PRODUCTS CO LTD

中國廣東省河源市高新技術開發區龍記大道 郵編 : 517003

Long Ji Da Dao, Hi-tech Development Zone, Heyuan,
Guangdong Province, China 517003

電話 Tel : (86) 0762-3210 502 傳真 Fax : (86) 0762-3210 501

杭州龍記金屬製品有限公司 (Hangzhou Factory, PRC)

HANGZHOU LUNG KEE METAL PRODUCTS CO LTD

中國浙江省杭州市蕭山區杭州江東工業園區江東三路7711號 郵編 : 311222

7711 Jiangdong 3rd Road, Hangzhou Jiangdong Industrial Park,
Xiaoshan District, Hangzhou, Zhejiang Province, China 311222

電話 Tel : (86) 0571-8213 3283 傳真 Fax : (86) 0571-8213 3293

馬來西亞辦事處 (Malaysia Office and Factory)

LUNG KEE METAL (MALAYSIA) SDN. BHD

Lot 825(1 & 2A), Persiaran Subang, Kawasan Perindustrian Subang
Jaya, 47600 Subang Jaya, Selangor Darul Ehsan, Malaysia

電話 Tel : (60) 3-5633 9862 傳真 Fax : (60) 3-5633 2659

電郵 E-mail : lkm@lkmm.com

日本辦事處 (Japan Office and Factory)

LUNG KEE METAL JAPAN CO LTD

ルンキーメタルジャパン株式会社

日本東京都墨田区両国1-8-8 BBビル 2 階 〒130-0026

2F, BB Building, 1-8-8, Ryogoku 1-Chome, Sumida-Ku,
Tokyo, Japan 〒130-0026

電話 Tel : (81) 3-5625 5020 傳真 Fax : (81) 3-5625 5021

日本群馬県邑楽郡大泉町吉田914-1 〒370-0523

914-1 Yoshida, Oizumi-machi, Oura-gun, Gunma-ken,
Japan 〒370-0523

電話 Tel : (81) 276-20 3900 傳真 Fax : (81) 276-20 3901

電郵 E-mail : lkmsales@lkmj.co.jp

網頁 Website : <http://www.lkmj.co.jp>

台灣辦事處 (Taiwan Office and Factory)

仕霸工業股份有限公司

TAIWAN SUPERTECH INDUSTRIAL CO LTD

台灣台中縣大雅鄉民生路三段267巷28號

No. 28, Lane 267, Section 3, Min Sheng Road, Ta Ya
Hsiang, Taichung Hsien, Taiwan

電話 Tel : (886) 4-2568 1155 傳真 Fax : (886) 4-2568 1160

電郵 E-mail : tssales@lkm-taiwan.com.tw /

ts-taichung@mail.moldbase.com.tw

Local Distributor



www.lkm.com.hk
lkmsales@lkm.com.hk