

LIGHTING PRODUCTS CATALOUGE

20 25

WHO WE ARE

LYD for LED Technology



LYD is your one-stop shop for all your lighting needs. We are a leading provider of high-quality, energy-efficient and affordable led lighting products and services. Whether you need indoor or outdoor lighting, residential or commercial lighting, decorative or functional lighting, we have it all. We offer a wide range of products, such as led bulbs, strips, panels, tubes, spotlights, floodlights, downlights, track lights and more. We also provide installation, maintenance and repair services for your convenience. Our team of experts can help you design and customize your lighting project according to your preferences and budget.

Contact us today and let us brighten up your space with our led lighting solutions.

OUR PARTNERS





















OUR VISION

LYD for LED Technology



At LED Light Solutions, we believe that lighting is more than just illumination. It is a powerful tool that can enhance the mood, atmosphere and functionality of any space. That's why we are committed to providing our customers with the best led lighting solutions that suit their needs and expectations. Our vision is to become the leading led lighting company in the industry, by offering innovative, reliable and ecofriendly products and services. We aim to create long-term relationships with our customers, partners and suppliers, based on trust, quality and satisfaction. We also strive to contribute to the social and environmental well-being of our community, by reducing our carbon footprint and supporting various causes. Join us in our journey to make the world a brighter place with led lighting.







Recessed / Surface
Diffuser
Opal
IP
40
Wattage :
36W / 40W



Installation

Recessed / Surface
Diffuser
Opal
IP
54
Wattage :

25W / 35W / 50W



Installation

Recessed	
Diffuser	
PMMA.	
IP	
65	
Wattage :	

25W / 35W / 50W



Installation

Surface or Suspended
Diffuser
PMMA
IP
44
Wattage :

8W / 10W / 15W / 20W



Installation

Surface
Diffuser
Polycarbonte
IP
40 / 44
Wattage :
15W / 25W



Installation
Surface
Diffuser
Polycarbonte
IP
54
Wattage :
15W / 20W



Installation

Recessed	
Diffuser	
Glass.	
IP	
44 / 54	
Wattage :	

9W / 14W / 20W / 24W



Installation

mstana	ition
Wall m	nounted
Diffuse	r
Ribbe	d Glass, Clear
IP	
65	
Wattag	e :
2x5W	/ 2x7W





Surface

Diffuser

Aluminium reflector

ΙP

40 / 44

Wattage:

6W / 12W / 18W



Installation

Surface

Diffuser

Polycarbonate

ΙP

40

Wattage:

69W / 16W / 24W



Installation

Surface or Suspended

Diffuser

Polycarbonate.

ΙP

20 / 44

Wattage:

15W / 20W



Installation

Wall mounted

Diffuser

Glass.

ΙP

65

Wattage:

5W / 10W



Installation

on Track

Diffuser

Glass

ΙP

20

Wattage:

12W / 18W / 24W



Installation

Surface

Diffuser

Glass

ΙP

20 Wattage:

15W



Installation

Susoended

Diffuser

Diffiused

ΙP 20

Wattage:

3X9W



Installation

Susoended

Diffuser

Diffiused

ΙP

20

Wattage:

3X9W





Diffuser
Diffiused

ΙP

20

Wattage:

3X9W



Installation

Wall mounted

Diffuser

Diffiused

ΙP

65

Wattage:

36W



Body

silicon

Diffuser

Silicon Tube

IΡ

20 / 66

Wattage:

5W / 10W



Body

silicon

Diffuser

Silicon Tube

IΡ

67

Wattage :

5W / 10W



Body

silicon

Diffuser

Silicon Tube

ΙP

20

Wattage:

5W / 10W



Body

silicon

Diffuser

Silicon Tube

ΙP

67

Wattage:

5W / 10W



Installation

Surface mounted

Diffuser

Polycarbonate.

ΙP

65

Wattage:

18W / 36W



Installation

Surface mounted

Diffuser

Polycarbonate.

ΙP

65

Wattage:

18W / 36W /52W





Surface

Diffuser

Glass

ΙP

65

Wattage:

9W / 12W / 15W / 18W



Installation

Surface

Diffuser

Glass

ΙP

65

Wattage:

9W / 12W



Installation

Surface

Diffuser

Polycarbonate

65

Wattage:

9W / 12W / 15W / 18W



Installation

Surface

Diffuser

Polycarbonate

ΙP

65

Wattage:

9W / 12W / 15W / 18W



Installation

Suspended

Diffuser

Tempered glass

ΙP

65

Wattage:

50W / 100W / 150W / 200W



Installation

Wall mounted / on Pole

Diffuser

Tempered glass

ΙP

65

Wattage:

50W / 100W / 150W / 200W



Installation

Suspended

Diffuser

Tempered glass

ΙP

65

Wattage:

50W / 100W / 150W / 200W



Installation

Suspended

Diffuser

Tempered glass

ΙP

65

Wattage:

50W / 100W / 150W / 200W





Suspended

Diffuser

Tempered glass

ΙP

65

Wattage:

50W / 100W / 150W / 200W



Installation

Wall mounted

Diffuser

Glass

ΙP

65

Wattage:

2x5W / 2x9W / 2x11W / 2x13W



Installation

Wall mounted

Diffuser

Glass

ΙP

65

Wattage:

2x5W / 2x7W



Installation

Wall mounted

Diffuser

Glass.

IP

65

Wattage:9W / 14W / 18W



Installation

Ground mounted

Diffuser

Glass

ΙP

65

Wattage:

10W / 14W / 18W



Installation

Ground mounted

Diffuser

Glass

IP

65

Wattage:

9W / 14W / 18W



Installation

Ground mounted

Diffuser

Glass

ΙP

65

Wattage:

10W / 14W / 18W



Installation

Surface mounted

Diffuser

Glass

IP

65

Wattage:

80W / 105W







Installation

installation
Pole mounted
Diffuser
Glass
IP
65
Wattage :
30W / 50W



Installation

30W / 50W

Pole mounted
Diffuser
Glass
IP
65
Wattage :
30W / 50W



Inetallation

Installation	
Pole mounted	
Diffuser	
Glass	
IP	
65	
Wattage :	
30W / 50W	



Installation

Ilistaliation		
Pole mounted		
Diffuser		
Glass		
IP		
65		
Wattage :		
30W / 50W		



Installation
Pole mounted
Diffuser
Glass
IP
65
Wattage :
30W / 50W



Installation

Ground Mounted
Diffuser
plastic
IP
65
Wattage :
10W / 14W / 18W



Installation
Ground Mounted
Diffuser
plastic
IP
65
Wattage :
10W / 14W / 18W





Ground Mounted	
Diffuser	
Glass	
IP	
65	
Wattage :	
10W / 14W / 18W	



Installation

installation	
Ground Mounted	
Diffuser	
Opal	
IP	
65	
Wattage :	
10W / 14W / 18W	



Installation

IIIStaliation	
On ground	
Diffuser	
Glass or Polycarbonate.	
IP	
65	
Wattage :	
30W / 50W	



Installation

	installation		
	On ground		
	Diffuser		
Glass or Polycarbonate IP 65 Wattage:			
			30W / 50W



Installation

	installation
	On ground
	Diffuser
Glass or Polycarbonat	
Wattage :	
	30W / 50W



Installation

	motanation
	On ground
	Diffuser
	Glass or Polycarbonate.
	IP
	65
Wattage :	
	30W / 50W



Installation

IIIStaliation
Recessed
Diffuser
Lens
IP
44
Wattage :
2x5W / 2x10W



Installati	Installation	
Recess	ed	
Diffuser		
Tempered glass.		
		67
Wattage :		
3W / 6V 24W / 3	V / 14W / 20W / 86W /	





Recessed

Diffuser

Tempered glass.

ΙP

67

Wattage:

9W / 14W / 20W / 24W / 36W /



Installation

Recessed

Diffuser

Tempered glass.

ΙP

67

Wattage:

3W / 6W



Installation

Surface

Diffuser

Tempered glass.

IΡ

67

Wattage :

3W / 6W



Installation

Recessed

Diffuser

Tempered glass.

ΙP

67

Wattage:

3W / 6W / 14W / 20W / 24W / 36W /



Installation

Recessed

Diffuser

Tempered glass.

ΙP

67

Wattage:

3W / 7W / 14W / 20W / 24W / 36W /



Installation

Recessed

Diffuser

Tempered glass.

ΙP

40

Wattage:

3W / 6W / 14W / 20W / 24W / 36W /



Installation

Recessed

Diffuser

Tempered glass.

IP

67

Wattage:

10W / 14W



Installation

Recessed

Diffuser

Tempered glass.

ΙP

65

Wattage :

3W / 6W / 10W / 20W / 24W / 36W /





Recessed
Diffuser
Glass
IP
65
Wattage :
2W / 4W



Installation

Surface
Diffuser
Acrylic
IP
40
Wattage :
6W



Installation

Fence or Wall mounted
Diffuser
Glass / Polycarbonate
IP
54
Wattage :



Installation
Fence or Wall mounted
Diffuser
Glass / Polycarbonate
IP
65
Wattage :



Installation

9W / 15W

Wattage:
IP
Glass / Polycarbonate
Diffuser
Fence or Wall mounted

9W / 15W



Thank you



CONTACT US

⊕ www.lyd-eg.com

technical.office@lyd-eg.com