

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

 Revision date:
 23/10/2024

 Version:
 17.1, from batch 1032xx

 Replaces version:
 17.0

 Language:
 en-GB

 Date of print:
 24/10/2024

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

Page: 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Special cleaning granulate

This safety data sheet pertains to the following products:

Special cleaning granulate - Coffee

Special cleaning granules - AutoClean Coffee

UFI: 74D0-J039-R00G-3WDU

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent

### 1.3 Details of the supplier of the safety data sheet

Company name: IBEDA-CHEMIE Klaus P. Christ GmbH

Street/POB-No.: Am Eichelgärtchen 32
Postal Code, city: 56283 Halsenbach

Germany

E-mail: info@ibeda-chemie.com
Telephone: +49 (0)6747-9501-0
Telefax: +49 (0)6747-9501-11

Department responsible for information:

Herr Dohmann, Telephone: +49 (0)6747-9501-16 (Only available during office hours.)

### 1.4 Emergency telephone number

**National Poisons Information Service (Birmingham Unit)** 

Telephone: 844 892 0111

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.

### 2.2 Label elements

#### Labelling (CLP)



Signal word: Warning

Hazard statements: H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

 Revision date:
 23/10/2024

 Version:
 17.1, from batch 1032xx

 Replaces version:
 17.0

 Language:
 en-GB

 Date of print:
 24/10/2024

2 of 10

Page:

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

Precautionary statements:

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling

Text for labelling: Contains: 15% - <30% oxygen-based bleaching agents

Special provisions concerning the labelling of certain mixtures:

In case of handling larger quantities:

P280 Wear protective gloves/protective clothing/eye protection.

#### 2.3 Other hazards

No risks worthy of mention.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Mixture of inorganic salts with organic materials

#### Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119485498-19-xxxx EC No. 207-838-8 CAS 497-19-8	Sodium carbonate Eye Irrit. 2; H319.	30 - 40 %
REACH 01-2119457268-30-xxxx EC No. 239-707-6 CAS 15630-89-4	Sodium percarbonate Ox. Sol. 3; H272. Acute Tox. 4; H302. Eye Dam. 1; H318. Specific concentration limits (SCL): Eye Dam. 1; H318: C > 25 % Eye Irrit. 2; H319: 7.5 % ≤ C < 25 %	< 25 %
REACH 01-2119457026-42-xxxx EC No. 201-069-1 CAS 77-92-9	Citric acid, anhydrous Eye Irrit. 2; H319. STOT SE 3; H335.	10 - 15 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains Polyethylene glycol and Sodium sulfate anhydrous. The maximum workplace

exposure limits are, where necessary, listed in section 8.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

 Revision date:
 23/10/2024

 Version:
 17.1, from batch 1032xx

 Replaces version:
 17.0

 Language:
 en-GB

 Date of print:
 24/10/2024

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

Page: 3 of 10

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information: First aider: Pay attention to self-protection!

If medical advice is needed, have product container or label at hand. Take off

contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin

reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do not induce vomiting. Seek medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours. In case of fire may be liberated: Sodium compounds, sulphur oxides, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: -

Fire water reacts alkaline. Do not allow water used to extinguish fire to enter drains, ground or waterways. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities. Use fine water

spray to cool endangered containers.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Version: 17.1, from batch 1032xx 17.0 Replaces version: en-GB Language: 24/10/2024 Date of print:

23/10/2024

Revision date:

Special cleaning granulate Material number 33.4550.2000/ 33.4550.4000

Page: 4 of 10

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe dust. Avoid generation of dust. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Wash spill area with plenty of water.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe dust. Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.

> Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight.

Do not store together with: Strong acids, alkalis. Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Occupational exposure limit values:

Туре	Limit value	
Great Britain: WEL-TWA	10 mg/m³ (Dust limit value, inhalable fraction)	
Great Britain: WEL-TWA	4 mg/m³ (Dust limit value, respirable fraction)	



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 23/10/2024 Version: 17.1, from batch 1032xx 17.0 Replaces version: Language: en-GB 24/10/2024 Date of print:

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

Page: 5 of 10

### 8.2 Exposure controls

Provide adequate ventilation. Vent dust from the work area.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: In case of dust formation: Dust mask/Particulates filter P1 according to EN 143. The filter

class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product.

Protective gloves according to BS EN ISO 374:1. Hand protection:

Glove material: Nitrile rubber or butyl caoutchouc (butyl rubber).

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eve protection: Tightly sealed goggles according to BS EN ISO 16321-1:2022.

Wear suitable protective clothing. Body protection:

General protection and hygiene measures:

Do not breathe dust. Avoid generation of dust. Do not get in eyes, on skin, or on clothing.

Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Have eye wash bottle or eye rinse ready at work place.

#### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: solid

Colour: white

odourless

Odour threshold No data available

pH: 10.5

No data available Melting point/freezing point: Initial boiling point and boiling range: No data available Flash point/flash point range: Not applicable Evaporation rate: No data available Flammability. No data available **Explosion limits:** No data available Vapour pressure: No data available Vapour density: No data available Density: approx. 2 g/cm3

Water solubility: soluble

Partition coefficient: n-octanol/water: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity, kinematic No data available Explosive properties: No data available Oxidizing characteristics: No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: Version: 17.1, from batch 1032xx Replaces version: 17.0 en-GB Language: 24/10/2024 Date of print:

23/10/2024

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

6 of 10 Page:

### 9.2 Other information

Additional information: No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

### 10.5 Incompatible materials

Strong acids and alkalis

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are

observed.

No data available Thermal decomposition:



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

 Revision date:
 23/10/2024

 Version:
 17.1, from batch 1032xx

 Replaces version:
 17.0

 Language:
 en-GB

 Date of print:
 24/10/2024

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

Page: 7 of 10

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological

data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): 2,000 mg/kg < ATE <= 5,000 mg/kg.

Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: Information about Sodium percarbonate (CAS: 15630-89-4):

LD50 Rat, oral: 1,034 - 2,000 mg/kg

#### **Symptoms**

In case of inhalation: May cause irritations.

In case of ingestion:

Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal

tract.

May be harmful if swallowed.

After contact with skin: May cause irritations.

After eye contact: Reddening, pain

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: Harmful effects on water organisms by modification of pH-value.

### 12.2 Persistence and degradability

Further details: Information about Sodium percarbonate (CAS: 15630-89-4):

The product hydrolyses quickly in the presence of water to: Sodium carbonate and

hydrogen peroxide (H2O2)

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: Version: 17.1, from batch 1032xx Replaces version: 17.0 en-GB Language: 24/10/2024 Date of print:

23/10/2024

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

Page: 8 of 10

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

The product contains no components classified as PBT or as vPvB at concentrations of 0.1% or higher.

### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Product** 

Waste key number: 20 01 29\* = Detergents containing hazardous substances.

\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Smaller amounts: Dilute with plenty of water.

**Package** 

Recommendation: Waste key number 150101 - paper and cardboard packaging

Waste key number 150102 - Plastic packaging: PVC/PVDC Waste key number 150104 - metallic packaging: Aluminium

Dispose of waste according to applicable legislation.

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR

not applicable

#### 14.5 Environmental hazards

Marine pollutant: nο



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

### Special cleaning granulate

Material number 33.4550.2000/ 33.4550.4000

 Revision date:
 23/10/2024

 Version:
 17.1, from batch 1032xx

 Replaces version:
 17.0

 Language:
 en-GB

 Date of print:
 24/10/2024

Page: 9 of 10

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code:

No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 75

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

### **SECTION 16: Other information**

### **Further information**

Wording of the H-phrases under paragraph 2 and 3:

H319 = Causes serious eye irritation.

H272 = May intensify fire; oxidiser.

H302 = Harmful if swallowed.

H318 = Causes serious eye damage.

H335 = May cause respiratory irritation.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

## Special cleaning granulate Material number 33.4550.2000/ 33.4550.4000

Revision date: 23/10/2024 Version: 17.1, from batch 1032xx Replaces version: 17.0 Language: en-GB 24/10/2024 Date of print:

Page: 10 of 10

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

ATE: Acute toxicity estimate CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard EQ: Excepted quantities Eye Dam.: Eye damage Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LD50: Lethal dose 50%

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration

Ox. Sol.: Oxidising solids

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

STOT SE: Specific target organ toxicity - single exposure TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 1: Material number

Date of first version: 30/3/2004 Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

> Most recent product information is available at: http://sumdat.net/83dsq6gl

