

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
High-Performance Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) Method for the Determination of Acrylamide in Foods		
Acrylamide	173 mcg/kg	
Yeast and Mold Plate Count *		
Yeast Plate Count	<10 CFU/g	
Mold Plate Count	<10 CFU/g	
Elements by ICP Mass Spectrometry		
Lead	<5.00 ppb	<0.0750 mcg/Serving Size
Mercury	<5.00 ppb	<0.0750 mcg/Serving Size
Cadmium	6.44 ppb	0.0966 mcg/Serving Size
Arsenic	<10.0 ppb	<0.150 mcg/Serving Size
Mycotoxins in Raw Materials		
Aflatoxin B1	<0.500 ppb	
Aflatoxin B2	<0.500 ppb	
Aflatoxin G1	<0.500 ppb	
Aflatoxin G2	<0.500 ppb	
Aflatoxin M1	<0.500 ppb	
Aflatoxin M2	<0.500 ppb	
Deoxynivalenol	<100 ppb	
T-2 Toxin	<10.0 ppb	
HT-2 Toxin	<100 ppb	
Fumonisin B1	<25.0 ppb	
Fumonisin B2	<25.0 ppb	
Ochratoxin A	<1.00 ppb	
Zearalenone	<30.0 ppb	
Sum of B1 B2 G1 and G2	<2.00 ppb	
Glyphosate and AMPA		
Glyphosate	<100 ng/g	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 1 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Glyphosate and AMPA		
AMPA	<100 ng/g	
Multi-Residue Analysis (500+ Compounds)		
Matrix Type - To Determine Limit of Quantification (LOQ)	Spices - Botanicals - and other	
	Specialty Samples	
Abamectin	<0.10 mg/kg	
Acephate	<0.10 mg/kg	
Acetamiprid	<0.10 mg/kg	
Acetochlor	<0.10 mg/kg	
Acibenzolar-S-methyl	<0.10 mg/kg	
Aclonifen	<0.10 mg/kg	
Acrinathrin	<0.10 mg/kg	
Alachlor	<0.10 mg/kg	
Aldicarb	<0.10 mg/kg	
Aldicarb sulfone (Aldoxycarb)	<0.10 mg/kg	
Aldicarb sulfoxide	<0.10 mg/kg	
Aldrin	<0.10 mg/kg	
Allethrin	<0.10 mg/kg	
Ametryn	<0.10 mg/kg	
Amidosulfuron	<0.10 mg/kg	
Aminocarb	<0.10 mg/kg	
Amitraz metabolite DMF	<0.10 mg/kg	
Amitraz metabolite DMPF	<0.10 mg/kg	
Anilofos	<0.10 mg/kg	
Atrazine	<0.10 mg/kg	
Azaconazole	<0.10 mg/kg	
Azamethiphos	<0.10 mg/kg	
Azinphos-ethyl	<0.10 mg/kg	
Azinphos-methyl	<0.10 mg/kg	

*** This analysis or component is not ISO accredited.**

Printed: 25-Jun-2024 5:33 pm

Page 2 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Azoxystrobin	<0.10 mg/kg	
Beflubutamid	<0.10 mg/kg	
Benalaxyl	<0.10 mg/kg	
Bendiocarb	<0.10 mg/kg	
Benfluralin	<0.10 mg/kg	
Benoxacor	<0.10 mg/kg	
Bensulide	<0.10 mg/kg	
Benzoximate	<0.10 mg/kg	
Bifenazate	<0.10 mg/kg	
Bifenox	<0.10 mg/kg	
Bifenthrin	<0.10 mg/kg	
Bispyribac	<0.10 mg/kg	
Bitertanol	<0.10 mg/kg	
Bixafen	<0.10 mg/kg	
Boscalid	<0.10 mg/kg	
Bromacil	<0.10 mg/kg	
Bromophos-ethyl	<0.10 mg/kg	
Bromophos-methyl	<0.10 mg/kg	
Bromopropylate	<0.10 mg/kg	
Bromuconazole (2 diastereoisomers)	<0.10 mg/kg	
Bupirimate	<0.10 mg/kg	
Buprofezin	<0.10 mg/kg	
Butachlor	<0.10 mg/kg	
Butafenacil	<0.10 mg/kg	
Butocarboxim	<0.10 mg/kg	
Butocarboxim sulfoxide	<0.10 mg/kg	
Butoxycarboxim	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 3 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Butylate	<0.10 mg/kg	
Cadusafos	<0.10 mg/kg	
Captan (as THPI)	<0.10 mg/kg	
Carbaryl	<0.10 mg/kg	
Carbendazim	<0.10 mg/kg	
Carbetamide	<0.10 mg/kg	
Carbofuran	<0.10 mg/kg	
Carbofuran-3-hydroxy-	<0.10 mg/kg	
Carbophenothion	<0.10 mg/kg	
Carboxin	<0.10 mg/kg	
Carfentrazone-ethyl	<0.10 mg/kg	
Chlorantraniliprole	<0.10 mg/kg	
Chlorbromuron	<0.10 mg/kg	
Chlordane, cis-	<0.10 mg/kg	
Chlordane, trans-	<0.10 mg/kg	
Chlordimeform	<0.10 mg/kg	
Chlorfenapyr	<0.10 mg/kg	
Chlorfenvinphos (E- and Z-isomers)	<0.10 mg/kg	
Chlorfluazuron	<0.10 mg/kg	
Chloridazon (Pyrazon)	<0.10 mg/kg	
Chlorimuron-ethyl (Classic)	<0.10 mg/kg	
Chlorobenzilate	<0.10 mg/kg	
Chlorotoluron (Chlortoluron)	<0.10 mg/kg	
Chloroxuron	<0.10 mg/kg	
Chlorpropham (CIPC)	<0.10 mg/kg	
Chlorpyrifos	<0.10 mg/kg	
Chlorpyrifos-methyl	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 4 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Chlorsulfuron	<0.10 mg/kg	
Clethodim (E- and Z-isomers)	<0.10 mg/kg	
Clodinafop-propargyl	<0.10 mg/kg	
Clofentezine	<0.10 mg/kg	
Clomazone	<0.10 mg/kg	
Cloquintocet-mexyl	<0.10 mg/kg	
Clothianidin	<0.10 mg/kg	
Coumaphos	<0.10 mg/kg	
Cyanazine	<0.10 mg/kg	
Cyanofenphos	<0.10 mg/kg	
Cyazofamid	<0.10 mg/kg	
Cycloate	<0.10 mg/kg	
Cycloxydim	<0.10 mg/kg	
Cycluron	<0.10 mg/kg	
Cyflufenamid	<0.10 mg/kg	
Cyfluthrin	<0.10 mg/kg	
Cyhalothrin, lambda-	<0.10 mg/kg	
Cymiazole	<0.10 mg/kg	
Cymoxanil	<0.10 mg/kg	
Cypermethrin	<0.10 mg/kg	
Cyproconazole (2 diastereoisomers)	<0.10 mg/kg	
Cyprodinil	<0.10 mg/kg	
Cyromazine	<0.10 mg/kg	
Dacthal (Chlorthal-dimethyl, DCPA)	<0.10 mg/kg	
DDD, o,p'-	<0.10 mg/kg	
DDD, p,p'-	<0.10 mg/kg	
DDE, o,p'-	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 5 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
DDE, p,p'-	<0.10 mg/kg	
DDT, o,p'-	<0.10 mg/kg	
DDT, p,p'-	<0.10 mg/kg	
DEET (Diethyltoluamide)	<0.10 mg/kg	
Deltamethrin	<0.10 mg/kg	
Demeton-O	<0.10 mg/kg	
Demeton-S	<0.10 mg/kg	
Demeton-S-methyl	<0.10 mg/kg	
Demeton-S-methyl sulfone	<0.10 mg/kg	
Desmedipham	<0.10 mg/kg	
Dialifos (Dialifor)	<0.10 mg/kg	
Diazinon	<0.10 mg/kg	
Diazinon oxon	<0.10 mg/kg	
Dichlobenil	<0.10 mg/kg	
Dichlofenthion	<0.10 mg/kg	
Dichlofluanid	<0.10 mg/kg	
Dichlorvos	<0.10 mg/kg	
Diclobutrazol	<0.10 mg/kg	
Diclocymet (2 diastereoisomers)	<0.10 mg/kg	
Dicloran (DCNA)	<0.10 mg/kg	
Dicofol	<0.10 mg/kg	
Dicrotophos	<0.10 mg/kg	
Dieldrin	<0.10 mg/kg	
Diethofencarb	<0.10 mg/kg	
Difenoconazole (cis- and trans-)	<0.10 mg/kg	
Diflubenzuron	<0.10 mg/kg	
Diflufenican	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 6 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Dimethachlor	<0.10 mg/kg	
Dimethametryn	<0.10 mg/kg	
Dimethenamid	<0.10 mg/kg	
Dimethoate	<0.10 mg/kg	
Dimethomorph (E- and Z-isomers)	<0.10 mg/kg	
Dimetilan	<0.10 mg/kg	
Dimoxystrobin	<0.10 mg/kg	
Diniconazole	<0.10 mg/kg	
Dinitramine	<0.10 mg/kg	
Dinotefuran	<0.10 mg/kg	
Dioxacarb	<0.10 mg/kg	
Diphenamid	<0.10 mg/kg	
Diphenylamine	<0.10 mg/kg	
Dipropetryn	<0.10 mg/kg	
Disulfoton	<0.10 mg/kg	
Disulfoton sulfone	<0.10 mg/kg	
Disulfoton sulfoxide	<0.10 mg/kg	
Diuron	<0.10 mg/kg	
DMST (Dimethylaminosulfotoluidide)	<0.10 mg/kg	
Dodemorph (cis- and trans-)	<0.10 mg/kg	
Dodine	<0.10 mg/kg	
Doramectin	<0.10 mg/kg	
Enamectin benzoate	<0.10 mg/kg	
Endosulfan I (alpha-isomer)	<0.10 mg/kg	
Endosulfan II (beta-isomer)	<0.10 mg/kg	
Endosulfan sulfate	<0.10 mg/kg	
Endrin	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 7 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
EPN	<0.10 mg/kg	
Epoxiconazole	<0.10 mg/kg	
Eprinomectin	<0.10 mg/kg	
Ethaboxam	<0.10 mg/kg	
Ethalfuralin	<0.10 mg/kg	
Ethidimuron (Sulfadiazole)	<0.10 mg/kg	
Ethiofencarb	<0.10 mg/kg	
Ethiofencarb sulfone	<0.10 mg/kg	
Ethiofencarb sulfoxide	<0.10 mg/kg	
Ethion	<0.10 mg/kg	
Ethiprole	<0.10 mg/kg	
Ethirimol	<0.10 mg/kg	
Ethofumesate	<0.10 mg/kg	
Ethoprophos (Ethoprop)	<0.10 mg/kg	
Etofenprox	<0.10 mg/kg	
Etoxazole	<0.10 mg/kg	
Etrimfos	<0.10 mg/kg	
Famoxadone	<0.10 mg/kg	
Fenamidone	<0.10 mg/kg	
Fenamiphos	<0.10 mg/kg	
Fenamiphos sulfone	<0.10 mg/kg	
Fenamiphos sulfoxide	<0.10 mg/kg	
Fenarimol	<0.10 mg/kg	
Fenazaquin	<0.10 mg/kg	
Fenbuconazole	<0.10 mg/kg	
Fenbutatin oxide	<0.10 mg/kg	
Fenchlorphos (Ronnel)	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 8 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Fenchlorphos oxon	<0.10 mg/kg	
Fenhexamid	<0.10 mg/kg	
Fenitrothion	<0.10 mg/kg	
Fenobucarb	<0.10 mg/kg	
Fenoxanil (sum of isomers)	<0.10 mg/kg	
Fenoxycarb	<0.10 mg/kg	
Fenpropathrin	<0.10 mg/kg	
Fenpropidin	<0.10 mg/kg	
Fenpropimorph	<0.10 mg/kg	
Fenpyroximate	<0.10 mg/kg	
Fensulfothion	<0.10 mg/kg	
Fensulfothion oxon	<0.10 mg/kg	
Fensulfothion oxon sulfone	<0.10 mg/kg	
Fensulfothion sulfone	<0.10 mg/kg	
Fenthion	<0.10 mg/kg	
Fenthion oxon	<0.10 mg/kg	
Fenthion oxon sulfone	<0.10 mg/kg	
Fenthion oxon sulfoxide	<0.10 mg/kg	
Fenthion sulfone	<0.10 mg/kg	
Fenthion sulfoxide	<0.10 mg/kg	
Fentin	<0.10 mg/kg	
Fentrazamide	<0.10 mg/kg	
Fenuron	<0.10 mg/kg	
Fenvalerate/Esfenvalerate (sum of isomers)	<0.10 mg/kg	
Fipronil	<0.10 mg/kg	
Fipronil desulfinyl	<0.10 mg/kg	
Fipronil sulfone	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 9 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Flazasulfuron	<0.10 mg/kg	
Flonicamid	<0.10 mg/kg	
Fluazifop-butyl	<0.10 mg/kg	
Flubendiamide	<0.10 mg/kg	
Flucarbazone-sodium	<0.10 mg/kg	
Flucythrinate (sum of isomers)	<0.10 mg/kg	
Fludioxonil	<0.10 mg/kg	
Flufenacet	<0.10 mg/kg	
Flufenoxuron	<0.10 mg/kg	
Flumethrin	<0.10 mg/kg	
Flumetsulam	<0.10 mg/kg	
Flumioxazin	<0.10 mg/kg	
Fluometuron	<0.10 mg/kg	
Fluopicolide	<0.10 mg/kg	
Fluopyram	<0.10 mg/kg	
Fluoxastrobin	<0.10 mg/kg	
Fluquinconazole	<0.10 mg/kg	
Fluridone	<0.10 mg/kg	
Flusilazole	<0.10 mg/kg	
Flutolanil	<0.10 mg/kg	
Flutriafol	<0.10 mg/kg	
Fluvalinate tau- (sum of isomers)	<0.10 mg/kg	
Fonofos	<0.10 mg/kg	
Foramsulfuron	<0.10 mg/kg	
Forchlorfenuron	<0.10 mg/kg	
Formetanate hydrochloride	<0.10 mg/kg	
Formothion	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 10 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Fosthiazate (sum of isomers)	<0.10 mg/kg	
Fuberidazole	<0.10 mg/kg	
Furalaxyl	<0.10 mg/kg	
Furathiocarb	<0.10 mg/kg	
Griseofulvin	<0.10 mg/kg	
Halofenozide	<0.10 mg/kg	
Halosulfuron-methyl	<0.10 mg/kg	
Haloxyfop-methyl	<0.10 mg/kg	
HCH, alpha- (alpha-BHC)	<0.10 mg/kg	
HCH, beta- (beta-BHC)	<0.10 mg/kg	
HCH, delta- (delta-BHC)	<0.10 mg/kg	
Heptachlor	<0.10 mg/kg	
Heptachlor endo-epoxide	<0.10 mg/kg	
Heptachlor exo-epoxide	<0.10 mg/kg	
Hexachlorobenzene (HCB)	<0.10 mg/kg	
Hexaconazole	<0.10 mg/kg	
Hexaflumuron	<0.10 mg/kg	
Hexazinone	<0.10 mg/kg	
Hexythiazox	<0.10 mg/kg	
Hydramethylnon	<0.10 mg/kg	
Hydroprene, S- (sum of isomers)	<0.10 mg/kg	
Imazalil	<0.10 mg/kg	
Imazamethabenz-methyl	<0.10 mg/kg	
Imazethapyr	<0.10 mg/kg	
Imidacloprid	<0.10 mg/kg	
Indoxacarb	<0.10 mg/kg	
Ipconazole	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 11 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Iprodione	<0.10 mg/kg	
Iprodione isomer	<0.10 mg/kg	
Iprodione metabolite	<0.10 mg/kg	
Iprovalicarb	<0.10 mg/kg	
Isocarbamid	<0.10 mg/kg	
Isocarbophos	<0.10 mg/kg	
Isofenphos	<0.10 mg/kg	
Isofenphos-methyl	<0.10 mg/kg	
Isoprocarb	<0.10 mg/kg	
Isoprothiolane	<0.10 mg/kg	
Isoproturon	<0.10 mg/kg	
Isoxaben	<0.10 mg/kg	
Isoxadifen-ethyl	<0.10 mg/kg	
Isoxaflutole	<0.10 mg/kg	
Isoxathion	<0.10 mg/kg	
Ivermectin	<0.10 mg/kg	
Kresoxim-methyl	<0.10 mg/kg	
Lactofen	<0.10 mg/kg	
Lenacil	<0.10 mg/kg	
Lindane (gamma-HCH, gamma-BHC)	<0.10 mg/kg	
Linuron	<0.10 mg/kg	
Lufenuron	<0.10 mg/kg	
Malaoxon	<0.10 mg/kg	
Malathion	<0.10 mg/kg	
Mandipropamid	<0.10 mg/kg	
Mecarbam	<0.10 mg/kg	
Mepanipyrim	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 12 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Mepanipyrim-2-hydroxypropyl	<0.10 mg/kg	
Mephosfolan	<0.10 mg/kg	
Mesosulfuron-methyl	<0.10 mg/kg	
Metaflumizone	<0.10 mg/kg	
Metalaxyl	<0.10 mg/kg	
Metamitron	<0.10 mg/kg	
Metazachlor	<0.10 mg/kg	
Metconazole	<0.10 mg/kg	
Methabenzthiazuron	<0.10 mg/kg	
Methacrifos	<0.10 mg/kg	
Methamidophos	<0.10 mg/kg	
Methidathion	<0.10 mg/kg	
Methiocarb	<0.10 mg/kg	
Methiocarb sulfone	<0.10 mg/kg	
Methiocarb sulfoxide	<0.10 mg/kg	
Methomyl	<0.10 mg/kg	
Methoprotryne	<0.10 mg/kg	
Methoxychlor	<0.10 mg/kg	
Methoxyfenozide	<0.10 mg/kg	
Metobromuron	<0.10 mg/kg	
Metolachlor	<0.10 mg/kg	
Metolcarb	<0.10 mg/kg	
Metosulam	<0.10 mg/kg	
Metoxuron	<0.10 mg/kg	
Metrafenone	<0.10 mg/kg	
Metribuzin	<0.10 mg/kg	
Metsulfuron-methyl	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 13 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Mevinphos (E- and Z-isomers)	<0.10 mg/kg	
Mexacarbate	<0.10 mg/kg	
MGK 264 (sum of isomers)	<0.10 mg/kg	
Mirex	<0.10 mg/kg	
Molinate	<0.10 mg/kg	
Monocrotophos	<0.10 mg/kg	
Monolinuron	<0.10 mg/kg	
Moxidectin	<0.10 mg/kg	
Myclobutanil	<0.10 mg/kg	
Naled (Dibrom)	<0.10 mg/kg	
Naphthol, 1-	<0.10 mg/kg	
Napropamide	<0.10 mg/kg	
Neburon	<0.10 mg/kg	
Nicosulfuron	<0.10 mg/kg	
Nitenpyram	<0.10 mg/kg	
Nitralin	<0.10 mg/kg	
Nitrofen	<0.10 mg/kg	
Nonachlor, cis-	<0.10 mg/kg	
Nonachlor, trans-	<0.10 mg/kg	
Norflurazon	<0.10 mg/kg	
Norflurazon-desmethyl	<0.10 mg/kg	
Novaluron	<0.10 mg/kg	
Nuarimol	<0.10 mg/kg	
Ofurace	<0.10 mg/kg	
Omethoate	<0.10 mg/kg	
Oxadiazon	<0.10 mg/kg	
Oxadixyl	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 14 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Oxamyl	<0.10 mg/kg	
Oxamyl oxime	<0.10 mg/kg	
Oxasulfuron	<0.10 mg/kg	
Oxycarboxin	<0.10 mg/kg	
Oxychlorane	<0.10 mg/kg	
Oxydemeton-methyl	<0.10 mg/kg	
Oxyfluorfen	<0.10 mg/kg	
Paclobutrazol	<0.10 mg/kg	
Paraoxon	<0.10 mg/kg	
Paraoxon-methyl	<0.10 mg/kg	
Parathion	<0.10 mg/kg	
Parathion-methyl	<0.10 mg/kg	
Penconazole	<0.10 mg/kg	
Pencycuron	<0.10 mg/kg	
Pendimethalin	<0.10 mg/kg	
Penoxsulam	<0.10 mg/kg	
Pentachloroaniline	<0.10 mg/kg	
Pentachloroanisole	<0.10 mg/kg	
Pentachlorobenzene	<0.10 mg/kg	
Pentachlorobenzonitrile	<0.10 mg/kg	
Pentachlorothioanisole	<0.10 mg/kg	
Permethrin (sum of isomers)	<0.10 mg/kg	
Perthane (Ethylan)	<0.10 mg/kg	
Phenmedipham	<0.10 mg/kg	
Phenthoate	<0.10 mg/kg	
Phenylphenol, 2- (OPP)	<0.10 mg/kg	
Phorate	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 15 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Phorate sulfone	<0.10 mg/kg	
Phorate sulfoxide	<0.10 mg/kg	
Phosalone	<0.10 mg/kg	
Phosmet	<0.10 mg/kg	
Phosmet oxon	<0.10 mg/kg	
Phosphamidon (E- and Z-isomers)	<0.10 mg/kg	
Phoxim	<0.10 mg/kg	
Picolinafen	<0.10 mg/kg	
Picoxystrobin	<0.10 mg/kg	
Piperonyl butoxide	<0.10 mg/kg	
Piperophos	<0.10 mg/kg	
Pirimicarb	<0.10 mg/kg	
Pirimicarb-desmethyl	<0.10 mg/kg	
Pirimiphos-ethyl	<0.10 mg/kg	
Pirimiphos-methyl	<0.10 mg/kg	
Pirimiphos-methyl, N-desethyl-	<0.10 mg/kg	
Prallethrin	<0.10 mg/kg	
Pretilachlor	<0.10 mg/kg	
Primisulfuron-methyl	<0.10 mg/kg	
Prochloraz	<0.10 mg/kg	
Procymidone	<0.10 mg/kg	
Prodiamine	<0.10 mg/kg	
Profenofos	<0.10 mg/kg	
Profluralin	<0.10 mg/kg	
Promecarb	<0.10 mg/kg	
Prometon	<0.10 mg/kg	
Prometryn	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 16 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Propamocarb	<0.10 mg/kg	
Propanil	<0.10 mg/kg	
Propaquizafop	<0.10 mg/kg	
Propargite	<0.10 mg/kg	
Propetamphos	<0.10 mg/kg	
Propham	<0.10 mg/kg	
Propiconazole (sum of isomers)	<0.10 mg/kg	
Propoxur	<0.10 mg/kg	
Propyzamide (Pronamide)	<0.10 mg/kg	
Proquinazid	<0.10 mg/kg	
Prosulfocarb	<0.10 mg/kg	
Prothioconazole-desthio	<0.10 mg/kg	
Prothiofos	<0.10 mg/kg	
Pymetrozine	<0.10 mg/kg	
Pyracarbolid	<0.10 mg/kg	
Pyraclostrobin	<0.10 mg/kg	
Pyraflufen-ethyl	<0.10 mg/kg	
Pyrazophos	<0.10 mg/kg	
Pyrethrum (total)	<1.0 mg/kg	
Pyridaben	<0.10 mg/kg	
Pyridalyl	<0.10 mg/kg	
Pyridaphenthion	<0.10 mg/kg	
Pyridate	<0.10 mg/kg	
PyrifenoX (E- and Z-isomers)	<0.10 mg/kg	
Pyrimethanil	<0.10 mg/kg	
Pyriproxyfen	<0.10 mg/kg	
Pyroquilon	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 17 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Pyroxsulam	<0.10 mg/kg	
Quinalphos	<0.10 mg/kg	
Quinmerac	<0.10 mg/kg	
Quinoclamine	<0.10 mg/kg	
Quinoxifen	<0.10 mg/kg	
Quintozene	<0.10 mg/kg	
Quizalofop	<0.10 mg/kg	
Quizalofop-ethyl	<0.10 mg/kg	
Resmethrin (sum of isomers)	<0.10 mg/kg	
Rimsulfuron	<0.10 mg/kg	
Rotenone	<0.10 mg/kg	
S421	<0.10 mg/kg	
Schradan (Octamethylpyrophosphoramidate)	<0.10 mg/kg	
Secbumeton	<0.10 mg/kg	
Sethoxydim (E- and Z-isomers)	<0.10 mg/kg	
Siduron	<0.10 mg/kg	
Silthiofam	<0.10 mg/kg	
Simazine	<0.10 mg/kg	
Simeconazole	<0.10 mg/kg	
Simetryn	<0.10 mg/kg	
Spinetoram (spinosyns J and L)	<0.10 mg/kg	
Spinosad (spinosyns A and D)	<0.10 mg/kg	
Spirodiclofen	<0.10 mg/kg	
Spiromesifen	<0.10 mg/kg	
Spiromesifen enol	<0.10 mg/kg	
Spirotetramat	<0.10 mg/kg	
Spiroxamine (2 diastereoisomers)	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 18 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Sulfallate	<0.10 mg/kg	
Sulfentrazone	<0.10 mg/kg	
Sulprofos	<0.10 mg/kg	
Tebuconazole	<0.10 mg/kg	
Tebufenozide	<0.10 mg/kg	
Tebufenpyrad	<0.10 mg/kg	
Tebupirimfos	<0.10 mg/kg	
Tebuthiuron	<0.10 mg/kg	
Tecnazene	<0.10 mg/kg	
Teflubenzuron	<0.10 mg/kg	
Tefluthrin	<0.10 mg/kg	
Temephos	<0.10 mg/kg	
Tepraloxydim (E- and Z-isomers)	<0.10 mg/kg	
Terbacil	<0.10 mg/kg	
Terbufos	<0.10 mg/kg	
Terbufos sulfone	<0.10 mg/kg	
Terbufos sulfoxide	<0.10 mg/kg	
Terbumeton	<0.10 mg/kg	
Terbuthylazine	<0.10 mg/kg	
Terbutryn	<0.10 mg/kg	
Tetrachloroaniline, 2,3,5,6-	<0.10 mg/kg	
Tetrachloroanisole, 2,3,4,5-	<0.10 mg/kg	
Tetrachlorvinphos	<0.10 mg/kg	
Tetraconazole	<0.10 mg/kg	
Tetradifon	<0.10 mg/kg	
Tetramethrin (sum of isomers)	<0.10 mg/kg	
Thiabendazole	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 19 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Thiabendazole-5-hydroxy-	<0.10 mg/kg	
Thiacloprid	<0.10 mg/kg	
Thiamethoxam	<0.10 mg/kg	
Thiazopyr	<0.10 mg/kg	
Thidiazuron	<0.10 mg/kg	
Thifensulfuron-methyl	<0.10 mg/kg	
Thiobencarb (Benthiocarb)	<0.10 mg/kg	
Thiodicarb	<0.10 mg/kg	
Thiofanox	<0.10 mg/kg	
Thiofanox sulfone	<0.10 mg/kg	
Thiofanox sulfoxide	<0.10 mg/kg	
Thionazin (Zinophos)	<0.10 mg/kg	
Thiophanate-methyl	<0.10 mg/kg	
Tolclofos-methyl	<0.10 mg/kg	
Tolfenpyrad	<0.10 mg/kg	
Tolyfluanid	<0.10 mg/kg	
Tralkoxydim	<0.10 mg/kg	
Triadimefon	<0.10 mg/kg	
Triadimenol	<0.10 mg/kg	
Triasulfuron	<0.10 mg/kg	
Triazophos	<0.10 mg/kg	
Tribenuron-methyl	<0.10 mg/kg	
Tribufos (DEF)	<0.10 mg/kg	
Trichlorfon (Metrifonate)	<0.10 mg/kg	
Trichloroanisole, 2,4,6-	<0.10 mg/kg	
Tricyclazole	<0.10 mg/kg	
Trietazine	<0.10 mg/kg	

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 20 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3

Greenville South Carolina 29601 United States

Sample Name:	FLOW 2024 CONTAMINANTS	Eurofins Sample:	14192123
Project ID	PURITY_COF-20240610-0010	Receipt Date	11-Jun-2024
Lot Number	2024 products	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	10-Jun-2024
Description	contaminant testing	Date Started	11-Jun-2024
		Sampled	Sample results apply as received
		Online Order	901-2024-E042210

Analysis	Result	Result per Serving
Multi-Residue Analysis (500+ Compounds)		
Trifloxystrobin	<0.10 mg/kg	
Trifloxysulfuron	<0.10 mg/kg	
Triflumizole	<0.10 mg/kg	
Triflumuron	<0.10 mg/kg	
Trifluralin	<0.10 mg/kg	
Triforine	<0.10 mg/kg	
Trimethacarb	<0.10 mg/kg	
Triticonazole	<0.10 mg/kg	
Uniconazole	<0.10 mg/kg	
Vamidothion	<0.10 mg/kg	
Vinclozolin	<0.10 mg/kg	
Zoxamide	<0.10 mg/kg	
Benzyladenine	<0.10 mg/kg	
Cyantraniliprole	<0.10 mg/kg	
Cyflumetofen	<0.10 mg/kg	
Florylpicoxamid	<0.10 mg/kg	
Fluxapyroxad	<0.10 mg/kg	
Mefentrifluconazole	<0.10 mg/kg	
Mesotrione	<0.10 mg/kg	
Pyroxasulfone	<0.10 mg/kg	
Fluazaindolizine	<0.10 mg/kg	
Gluten Allergen *		
Gluten Allergen (Product)	<5.0 ppm	

Method References	Testing Location
Elements by ICP Mass Spectrometry (ICP_MS_S)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Method References	Testing Location
Elements by ICP Mass Spectrometry (ICP_MS_S) Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Gluten Allergen (GLUTENRIDA) AOAC 2012.01 (19th Ed) Glyphosate and AMPA (GLY_AMPA_S) Internally developed method.	Eurofins Microbiology Laboratories 55 Hamblin Ave. East Battle Creek, MI 49017 USA Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
High-Performance Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) Method for the Determination of Acrylamide in Foods (ACMS2_S) [1] European Standard EN 16618:2015. Food analysis - Determination of acrylamide in food by liquid chromatography tandem mass spectrometry (LC-ESI-MS/MS) (modified)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Multi-Residue Analysis (500+ Compounds) (PS05_S) <i>Official Methods of Analysis, AOAC Official Method 2007.01</i> , Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate, AOAC INTERNATIONAL (modified). <i>CEN Standard Method EN 15662</i> : Food of plant origin - Determination of pesticide residues using GC-MS and/or LC-MS/MS following acetonitrile extraction/partitioning and clean-up by dispersive SPE - QuEChERS method. List of the tested pesticides and their limits of quantification (LOQs) are available upon request.	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Mycotoxins in Raw Materials (MYCO_REG_S) Varga, E., Glauner, T., Koppen, R., Mayer, K., Sulyok, M., Schumacher, R., Krska, R. and Berthiller, F., "Stable isotope dilution assay for the accurate determination of mycotoxins in maize by UHPLC-MS/MS," Analytical and BioAnalytical Chemistry, 402:2675-2686 (2012).	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Yeast and Mold Plate Count (YM_SPRD) FDA BAM Chapter 18 (modified)	EML New Berlin 2345 S 170th St New Berlin, WI 53151 USA

* This analysis or component is not ISO accredited.

Printed: 25-Jun-2024 5:33 pm

Page 22 of 23

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Edward Ladwig - President Eurofins Food
Chemistry Testing Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.