MiMA® Min Space, Max Performance

Since 1994

AGV FORKLIFT BODY SELECTION GUIDE





BANYITONGSCIE&TECHNOLOGY DEVELOPING.,LTD TEL:4006-526-926/0551-6211 3990 E-mail:market@mimachina.com Address:Crossing of Daihe Road and Cailun Road,Xinzhan district,Hefei,China



PROFESSIONAL AGV FORKLIFT BODY! WHY MIMA?

NO.1 Fast Delivery

- More than 90% of MiMA's design, manufacture, inspection, and testing are done within the company.
- The Whole Process Control is used in the design process and all aspects of the production process. Providing the fastest delivery time according to AGV customer project orders.
- At the same time, MIMA can better control design, manufacturing and various costs through modular design.



Factory Area	Employees	Senior Sales Engineers	R & D Engineers over 8 years experience	History
72000m ² +	550+	90+	80+	SINCE1994

NO.2 Strong Manufacturing Capacity

- MiMA owns 5 major production workshops, which are scientifically arranged according to the forklift manufacturing process.
- With more than 20 years of experience in manufacturing specialized electric forklifts, MiMA can easily handle the rapid manufacturing of AGV forklift vehicle bodies.







Welding workshop

Raw material cutting workshop

Material processing workshop







Painting workshop

Assembly workshop

Quality Inspection

NO.3 Professional Technical and Sales Team

- MiMA R&D engineers and sales engineers know what AGV customers are most concerned about.
- Timely project delivery, high security, high reliability and high performance.
- The sales team provides professional pre-sales technical support to help AGV customers quickly implement projects .
- The technical team provides professional design solutions and uses the best R&D software to meet the technical requirements of the AGV forklift vehicle body





NO.4 Powerful Customized Design and Technical Docking Capabilities

- MIMA'S professional technical design team can provide the best solution according to customer requirements in the shortest time.
- Mechanical engineer 30+, electrical engineer 20+, PLC vehicle control software engineer 10+.





TECHNOLOGY DOCKING PROCESS

1.Customer demand	2.Preliminary version scheme	3. Confirmation of technical solutions
4.Detailed digital model and scheme	5.Confirmation of digital model and scheme	6.Issue drawings and production

NO.5 More than 10,000 Units of Customized Products Project Experience

- MiMA has delivered more than 10,000 customized vehicles to thousands of customers
- Rich experience in non-standard projects is a worry-free guarantee for AGV forklift projects.



NO.6 More than 1,000 Units of AGV Forklift Vehicle Bodies Have Been Delivered

- Since 2012, MiMA has provided various types of specialized AGV forklift vehicle bodies for AGV manufacturers.
- Over 1,000 AGV forklift vehicle bodies have been delivered.



COMPANY PROFILE

BANYITONG SCIENCE&TECHNOLOGY DEVELOPING CO., LTD. was founded in 1994. It is a high-tech enterprise that specialized in designing and manufacturing electric material handling equipment and customized products.

"Safe, durable, comfortable, and low-carbon" is the design concept. Relying on a strong technical team, the company provides customers with 500Kg-100000Kg application solutions, full-range material handling equipment and related services. After years of technological innovation and patents accumulation, now the products have involved more than 50 varieties in 12 categories. Products are widely used in logistics, machinery, chemical, food and other industries. Especially in the fields of intensive storage in narrow aisles, long material handling, large tonnage handling and AGV forklift vehicle bodies, we have more than 15 years of industry experience, and we have basically determined our position as a leader in the segmented industry.Products are widely used in logistics, machinery, food and other industries.

MiMA is the brand of the company. "Minimum Space, Maximum Performance". Help customers through professional material handling equipment, bring higher application value to customers, and realize their expected dreams. In the future, MiMA will stand in the east of the world with a more proud posture, and present it to customers with a more excellent design concept and comprehensive service system, so that customers can shake hands once and become friends for life.



Professional Material Handling Solutions







LONG MATERIAL HANDLING

HEAVY-DUTY HANDLING

Product Catelog (VEHICLE FOR AGV)

Pallet Truck



MEV20 Pallet Truck Rated Load:2000kg Lift Stroke:110mm



Lift Stroke:115mm



Rated Load:5000kg/6000kg

MBV20 Pro/MBV25 Pro

Counter Balance Stacker

Lift Height:2500-4500mm

MKV30/35/40

Counter Balance Stacker

Lift Height:2000-6000mm

Rated Load:3000kg/3500kg/4000kg

Rated Load:2000kg/2500kg

Lift Stroke:110mm



MEA100 Pallet Truck Rated Load:10000kg Lift Stroke:100mm

MBV30

Rated Load:3000kg

Lift Height:2500-4500mm

Pallet Stacker



SLIM Type MB14 Pallet Stacker Rated Load:1400kg Lift Stroke:1600-3500mm



Heavy-duty Type TM30 Pallet Stacker Rated Load:3000kg Lift Stroke:1600-3500mm

Counter Balance Stacker



MBV15 Counter Balance Stacker Rated Load:1500kg Lift Height:2000-3500mm







MKV20/25 Counter Balance Stacker Rated Load:2000kg/2500kg Lift Height:2000-6000mm

Tow Tractor

Rated Load:1500kg

Counter Balance Stacker

Lift Height: 2500-4500mm

TKA15



MG30 Tow Tractor Rated Traction Capacity:3000kg



MGA40 Tow Tractor Rated Traction Capacity:4000kg





MGA100 Tow Tractor Rated Traction Capacity:10000kg

Reach Truck







MF15/MF20 Reach Truck Rated Load:1500kg/2000kg Rated Load:2500kg/3000kg Rated Load:1600kg/2000kg Lift Height:3000-7500mm

MF25/MF30 Reach Truck Lift Height: 3000-8000mm

MFZ16/MFZ20 Reach Truck MFZ25 Reach Truck Rated Load:2500kg Lift Height:46000-12000mm Lift Height:4500-8000mm

MFV16/MFV20 Reach Truck Rated Load:1600kg-2500kg Lift Height:4600-8000mm

Multi-directional Forklift









MQV15 Muliti-directional Forklift Lift Height:2500-4500mm

(Double drive four point, 24V) Rated Load:2000kg Lift Height:2000-5000mm

(Double drive four point, 48V) (Double drive four point, 48V) Rated Load:3000kg Lift Height:3000-8000mm

Rated Load:2500kg Lift Height:3000-8000mm

(Double drive four point, 48V) Rated Load:3500kg Lift Height:3000-8000mm

VNA3 WAY Forklift



VNA 3 way Forklift MC10/MC15 (Four Point) Rated Load:1000kg/1500kg Lift Height:3000-9000mm

(Three Point) Rated Load:1600kg Lift Height:4500-12000mm

Heavy -Duty Stacker/Truck



TM30J-TM130J Heavy-Duty Coil Stacker Rated Load:3000kg-13000kg Lift Height: 1600-5000mm



TM30-TM130 Heavy-Duty Coil Stacker Rated Load:3000kg-13000kg Lift Height:1600-5000mm





Heavy-Duty Coil Stacker (Fixed Platform) Rated Load:8000kg-25000kg



MEA80-MEA250 Heavy Duty Stacker (Lift Platfrom) Rated Load:8000kg-25000kg



ME80-ME250





Lift Height:3000-14200mm

Rated Load:1600kg



VNA 3 way Forklift MCC16

(Three Point)

Lift Height: 120-300mm

05/06



VNA 3 way Forklift MCA16

Counter Balance Stacker

Rated Load:1500kg

MQV20 Muliti-directional Forklift MQV30 Muliti-directional Forklift MQC25 Muliti-directional Forklift MQC35 Muliti-directional Forklift





(Double drive four point, 24V)

VEHICLE FOR AGV



Pallet Stacker SLIM type 1.4t MB14

Pallet Stacker Standard Type/ Heavy-duty Type 2t-3t MB20/TM30

1.5t-3t



Indoor/Outdoor

MKV30/35/40

TKA15 MKV20/25

1.5t-4t

Counter Balance Stacker Indoor Working Condition MBV15/MBV20/MBV30 MBV20 Pro/MBV25 Pro



Stand on Type Four Point 1.5t-3t MF15/MF20 MF25/MF30 MFV16/MFV20





Multi-Directional Forklift Double Drive Four Point 1.5t-3.5t MQV15/MQV20/MQV30 MQC25/MQ35

VNA 3 Way Forklift 1.0t-1.6t MC10/MC15 MCA16/MCC16

VEHICLE FOR AGV

How to adapt applications

Applications			and the second s		WINN			
	Horizontal Handling	Horizontal Carrying/ Low Stacking	Horizontal Carrying/ Medium-Low Stacking	Narrow Aisle Storage/ Medium-High Stacking	Very Narrow Aisle Storage / High Stacking	Long Material Handling/ Low&Medium&High Stacking	Truck loading&unloading operation/ Indoor&Outdoor	Horizontal Traction/ Indoor&Outdoor
Pallet truck MEV20 ME25/30/40 ME50/60 MEA100	•							
Pallet stacker MB14 MB20 TM30	•	•	•					
Counter Balance Stacker MBV15/20/30 MBV20 Pro/MBV25 Pro TKA15 MKA20/25 MKV30/35/40	•	•	•				O Indoor	
Reach Truck Stand-on Type MF15/MF20 MF25/MF30/ MFV16/MFV20	•	•	•	•			O Indoor	
Reach Truck Seated Type MFZ16/20/25	•	•	•	• VNA, Higher Position			O Indoor	
Multi-Directional Forklift Double Drive Four Point MQV15/MQV20/MQV30 MQC25/MQC35	•	•	•	 VNA, Higher Position 	0	•	O Indoor	
VNA 3 way forklift MC10/MC15 MCA16/MCC16	•	•	•	• VNA, Higher Position	•	•	•	
Tow tractor MGA30/40/60/100								•

Remarks: • Adaptation O According to true working condition to choose adaptation, Please ask MiMA sale engineer for more customization.

VEHICLE FOR AGV

How pallet and parts adapted?

Pallet & Attachments	Single-deck pallet	Double-deck pallet	Sideshifter	Fork positionner	Rotator	Paper rolled clamp	Universal clamp	Paper box clamp	Double forks
Pallet truck ME20/25/30 ME40/50/60	•								
Pallet stacker MB12/14 MB15/20	•	O Straddle leg	O Straddle leg	O Straddle leg	O Straddle leg	O Straddle leg	O Straddle leg	O Straddle leg	
Counter Balance Stacker MBV12/15 MBV20/30 MKV20/MKC320	•	•	•	•	•	•	•	•	•
Reach Truck Stand on Type Four Point MF15/MF20 MF25/MF30	•	•	•	•	0	0	0	0	0
Reach Truck Seated Type Three Point MFZ16/20/25	•	•	•	•	0	0	0	0	Ο
Multi-Directional Forklift Double Drive Four Point MQV20/MQA20 MQC25/MQC35	•	•	•	•	0	0	0	0	Ο
VNA 3 Way Forklift MC10/MC15 MCA15/MCC16	•	•							
Tow Tractor MGA30/40/60/100									

Remarks:
Adaptation O According to true working condition to choose adaptation, Please ask MiMA sale engineer for more customization.

PALLET TRUCK

PALLET STACKER



MEV20 Pallet Truck



MEV25/ME30/ME40 Pallet Truck

ME50/ME60 Pallet Truck



MEA100 Pallet Truck





SLIM type MB14 Pallet Truck Standard type MB20 Pallet Truck

Heavy-duty Type TM30 Pallet Truck

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork Size (mm)	Customization
MEV20	2000	110	(Pallet 1000x1200) 1775	LxWxH:1150/175/65 Fork outside width:650	Long forks/wide forks customized fork outside width& customized beveled fork
MEV25/30	2500-3000	110	(Pallet 1000x1200) 2150	LxWxH:1150/175/65 Fork outside width:685	Long forks/wide forks customized fork outside width& customized beveled fork
ME40	4000	115	(Pallet 1000x1200) 2150	LxWxH:1150/225/56 Fork outside width:685	Long forks/wide forks customized fork outside width& customized beveled fork
ME50/60	5000-6000	110	(Pallet 1000x1200) 2250	LxWxH:1200/255/87 Fork outside width:715	Long forks/wide forks customized fork outside width& customized beveled fork
MEA100	10000	100	Decide based on the situation	Decide based on the situation	Customized according to customer needs

Adaption: Open pallet

• Working function:Handling,adapted in medium distance cargo transportation in warehouse



Customization solutions&Please consult with sale engineers according to your actual working condition. MiMA provides the most professional service to you!

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork Size (mm)	Customization
MB14	1400	1600-3500	(Pallet 1000x1200) 2100	LxWxH:1150/180/60 Fork outside width:685	Long forks/wide forks customized fork outside width& customized beveled fork
MB20	2000	1600-3500	(Pallet 1000x1200) 2490	LxWxH:1150/190/56 Fork outside width:680/560	Long forks/wide forks customized fork outside width& customized beveled fork
TM30	3000	1600-3500	Decide based on the situation	Decide based on the situation	Customized according to customer needs

Applications: Open pallet

• Working function: transportation+stacking, adapted in medium distance cargo transshipment and medium-low level position stacking in warehouse



Customization solutions&Please consult with sale engineers according to your actual working condition. MiMA provides the most professional service to you!

COUNTER BALANCE STACKER (Indoor)

COUNTER BALANCE STACKER (Indoor&Outdoor)







MBV 20 Pro/MBV 25 Pro



MBV15 Counter Balance Stacker

MBV20 Counter Balance Stacker

acker Counter Balance Stacker

MBV30 Counter Balance Stacker

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork Size (mm)	Customization
MBV15	1500	2000-4500	(Pallet 1000x1200) 2900	L×W×H:1070/122/40 Fork outside width:264-732	Long forks/wide forks customized fork outside width& customized beveled fork
MBV20	2000	2000-4500	(Pallet 1000x1200)3200	L×W×H:1070/122/40 Fork outside width:264-732	Long forks/wide forks customized fork outside width& customized beveled fork
MBV20 Pro	2000	2500-4500	(Pallet 1000x1200) 3300	L×W×H:1070/122/40 Fork outside width:750	Long forks/wide forks customized fork outside width& customized beveled fork
MBV25 Pro	2500	2500-4500	(Pallet 1000x1200) 3450	L×W×H:1070/122/40 Fork outside width:750	Long forks/wide forks customized fork outside width& customized beveled fork
MBV30	3000	1600-4500	(Pallet 1000x1200) 3450	L×W×H:1070/125/45 Fork outside width:750	Long forks/wide forks customized fork outside width& customized beveled fork

Applications.....

Adapted in Open pallet /Closed pallet Adapted in stacking, carrying internal and external of the warehouse; Working function: Stacking+Carrying+Loading & Unloading





TKA15

Counter Balance stacker



MKV20/25

Counter Balance stacker



MKV30/35/40 Counter Balance stacker

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork Size (mm)	Customization
TKA15	1500	2500-4500	(Pallet 1000x1200) 2845	LxWxH:920/100/35 Fork outside width:220-680	Adapt in kinds of attachments
MKV20/25	2000/2500	2000/6000	(Pallet 1000x1200) 3500	LxWxH:1070/122/40 Fork outside width:250~1100	Adapt in kinds of attachments
MKV30/35/40	3000/3500/4000	3000-4500	(Pallet 1000x1200) 3760	LxWxH:1070/125/50 Fork outside width:250~1100	Adapt in kinds of attachments

Applications.....

Adapted in Open pallet /Closed pallet Adapted in stacking, carrying internal and external of the warehouse; Working function: Stacking+Carrying+Loading&Unloading





Customization solutions&Please consult with sale engineers according to your actual working condition. MiMA provides the most professional service to you!

REACH TRUCK









MF15 Reach Truck

MF20 Reach Truck MF25 Reach Truck MF30 Reach Truck



Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork size (mm)	Customization
MF15	1500	3000-7500	(Pallet 1000x1200)2663	L×W×H:1070/100/35 Fork outside width: 222-650	According to requirements
MF20	2000	3000-7500	(Pallet 1000x1200)2746	L×W×H:1070/122/40 Fork outside width: 244-772	According to requirements
MF25	2500	3000-8000	(Pallet 1000x1200)2894	L×W×H:1070/122/40 Fork outside width: 244-772	According to requirements
MF30	3000	3000-8000	(Pallet 1000x1200)3045	L×W×H:1070/125/45 Fork outside width: 250-750	According to requirements

Applications:

Adapted in Open pallet /Closed pallet Adapted in stacking, carrying internal and external of the warehouse; Working function: Stacking+Carrying+Loading & Unloading













MFZ16 Reach Truck

MFZ20 Reach Truck

MFZ25 Reach Truck

MFV16/MFV20 Reach Truck

Mc	odel	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork Size (mm)	Customization
MF2	Z16	1600	4600-12000	(Pallet 1000x1200)2764	L×W×H:1070/100/35 Fork Outside Width:222-750	According to requirements
MF2	Z20	2000	4600-12000	(Pallet 1000x1200)2838	L×W×H:1070/122/40 Fork Outside Width:266-772	According to requirements
MF2	Z25	2500	4500-8000	(Pallet 1000x1200)2973	L×W×H:1070/125/45 Fork Outside Width:250-750	According to requirements
MFV16/	MFV20	1600/2000	4600-8000	(Pallet 1000x1200) 2700 (1.6t) 2742 (2t)	L×W×H:1070/122/40	According to requirements

Applications:





VNA 3-WAY FORKLIFT

NARROW AISLE&HIGH STORAGE CAPACITY





1.80



VNA 3 way Forklift MC10/MC15 (four point)


VNA 3 way Forklift MCA16 (three point)

VNA 3 way Forklift MCC16 (three point)

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork Size (mm)	Customization
MC10	1000	3000-7500	(Pallet 1000x1000)1500	L×W×H:1000/125/50 Fork outside width:265-760	According to requirements
MC15	1500	3000-9000	(Pallet 1200x1200) 1600	L×W×H:1200/125/50 Fork outside width:265-760	According to requirements
MCA16 (three point)	1600	3000-10000	(Pallet 1200x1200)1600	L×W×H:1200/125/50 Fork outside width:270-780	According to requirements
MCC16 (three point)	1600	3000-14200	(Pallet 1200x1200)1650	L×W×H:1200/125/50 Fork outside width:260-725	According to requirements

Applications.....







Use counterbalance forklift Aisle width 3.8m

Use reach truck forklift Aisle width 2.8m






2.8	m	



The number of pallets is small The rack height is low Large rack aisle width Single pallet cost is high


Use counterbalance forklift



The number of rack layers is increased by 80% The rack height is increased by 40% aisle width is reduced by 25% Lower the cost of a single pallet based on the same storage area by 40%

Use reach truck forklift

The number of rack layers is increased by 200% The rack height is increased100% Aisle width is reduced by 55% Lower the cost of a single pallet based on the same storage area by 60%



Use 3-way forklift



MULTI-DIRECTIONAL FORKLIFT

LONG MATERIAL& HIGH STORAGE CAPACITY









MQV15 Multi-Direction Forklift (Double drive four point ,48V)

MQV20 MQV30 Multi-Direction Forklift Multi-Direction Forklift (Double drive four point ,48V) (Double drive four point ,48V)

Multi-Direction Forklift (Double drive four point ,48V)


MQC25


MQC35 Multi-Direction Forklift (Double drive four point ,48V)

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork Size (mm)
MQV15 (Double drive four point ,48V)	1500	2500-4500	(Pallet 1000x800) 2080	L×W×H:920/122/40 Fork outside width:600
MQV20 (Double drive four point ,48V)	2000	1600-4500	(Pallet 1000x1000) 2340	L×W×H:920/100/50 Fork outside width:600
MQV30 (Double drive four point ,48V)	3000	3000-8000	(Pallet 1200x800) 2680	L×W×H:1200/150/50 Fork outside width:1100
MQC25 (Double drive four point ,48V)	2500	3000-8000	(Pallet 1000x1000) 2700	L×W×H:1070/125/45 Fork outside width:550~2100
MQC35 (Double drive four point ,48V)	3500	3000-8000	(Pallet 1200x1000) 2700	L×W×H:1200/150/50 Fork outside width:610~2800

Applications.....









Use ordinary forklift Lift height reach to 6m

Use multi- directional forklift Lift height reach to 8m



Use ordinary forklift rack channel 7.5m



Use multi- directional forklift rack channel 1.8m







Forward move mode

Side move mode

360° center rotate

21/22

TOW TRACTOR

HEAVY-DUTY STACKER









MG30 tow tractor

MGA40 tow tractor

MGA60 tow tractor

MGA100 tow tractor

Model	Rated Load (kg)	Traction	Customization
MG30	3000	750	According to requirements
MGA40	4000	800	According to requirements
MGA60	6000	1200	According to requirements
MGA100	10000	2000	According to requirements

Applications.....



Customization solutions&Please consult with sale engineers according to your actual working condition. MiMA provides the most professional service to you!




TM30J-TM100J Heavy-duty stacker

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork size (mm)	Customization
TM30J-TM100J	3000-10000	Up to 3500	According to requirements	According to requirements	According to requirements



TM30-TM130 Heavy-duty stacker

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork size (mm)	Customization
TM30-TM130	3000-10000	Up to 3500	According to requirements	According to requirements	According to requirements



TM30A-TM130A Heavy-duty straddle stacker

Model	Rated Load (kg)	Lift Height (mm)	Aisle Width (mm)	Fork size (mm)	Customization
TM30A-TM130A	3000-10000	Up to 3500	According to requirements	According to requirements	According to requirements

HEAVY-DUTY TRUCK



ME80-ME250 Heay-duty truck (fixed platform)

Model	Rated Load (kg)	Platform Size LxW(mm)	Customization
ME80-ME250	8000-250000	L:1000-3000 W:800-2000	According to requirements

Applications.....

Large mold, Non-ferrous metal coiled material, non-ferrous metal rough material, large steel structure, Heavy equipment and other large tonnage heavy materials





Customization solutions&Please consult with sale engineers according to your actual working condition. MiMA provides the most professional service to you!



MEA80-MEA250 Heay-duty truck (Lifting platform)

Model	Rated Load (kg)	Lift Height (mm)	Platform Size LxW(mm)	Customization
MEA80-MEA250	8000-250000	120-200	L:1000-3000 W:800-2000	According to requirements



Customization solutions&Please consult with sale engineers according to your actual working condition. MiMA provides the most professional service to you!

CUSTOMER CASES.....

Pallet truck (customized)



Pallet stacker (customized)



Electric forklift(customized)































CUSTOMER CASES.....

Various customized forklifts

Various customized forklifts



















