



رؤية  
VISION  
2030  
المملكة العربية السعودية  
KINGDOM OF SAUDI ARABIA

# ARABIAN DESERT PIPE TRADING CO.



EXP 2030

E-mail : [info@arabian-dp.com](mailto:info@arabian-dp.com)

Mob : +966 54 134 2090

Website : <https://arabian-dp.com>

National Address : Building No. 3607 ♦ Street - 2 ♦ 1st Industrial Dist. ♦ Damman 3223

العنوان الوطني : مبنى رقم 3607 ♦ الشارع - 2 ♦ حي الصناعية الاولى ♦ الدمام 3223

# **ABOUT COMPANY**

To be the top provider of construction materials and a reliable partner for premium equipment rental services in Saudi Arabia, delivering excellence in every aspect of our operations.

## **OUR VISION**

Arabian Development & Projects, operating as Arabian Desert Pipe Trading Company (ADP GROUP), has established itself as a premier provider of construction materials and equipment rental services in Saudi Arabia. The company has evolved to become a trusted name in the construction industry, focusing on delivering high-quality products and services to meet the demanding needs of construction projects across the region.

## **OUR MISSION**

To be the top provider of construction materials and a reliable partner for premium equipment rental services in Saudi Arabia, delivering excellence in every aspect of our operations.

## **CORE VALUES**

**EXCELLENCE: PRIORITIZING QUALITY FROM PRODUCT CONCEPTION TO FINALIZATION**

**RELIABILITY: SERVING AS A DEPENDABLE PARTNER FOR CONSTRUCTION NEEDS**

**QUALITY ASSURANCE: PROVIDING ONLY PREMIUM-GRADE MATERIALS AND EQUIPMENT**

**CUSTOMER SATISFACTION: FOCUSING ON MEETING CLIENT NEEDS AND EXCEEDING EXPECTATIONS**

**COLLABORATION: WORKING CLOSELY WITH CLIENTS TO UNDERSTAND AND FULFILL THEIR REQUIREMENTS**

## **CORE OFFERINGS**

**Equipment Rental : Lifting Equipments, Civil Equipments, Earth Moving Equipments, Light & Heavy Vehicles & Power Generators.**

**Steel Pipes: ERW, SMLS, CS & HDG Pipe, Scaffolding Pipe (BS/EN10219, UL/FM, API-Approved)**

**Security Systems: Galvanized Chain Link Fence Post, (Galvanized & PVC Coated), Firefighting Pipes & Fittings.**

**Scaffolding: Galvanized Pipe (BS/EN10219), Forged Couplers, Aluminum Beam & Ladder, LVL OSHA Boards, Korean Frames.**

**Building Materials: Epoxy Coated Steel Rebars, Construction Chemicals, Waterproofing Solutions, Adhesives, Formwork & Plastering Accessories, Insulation, Industrial Supply.**



# EQUIPMENT RENTAL LOGISTICS SERVICES

## EQUIPMENT RENTAL DIVISION

OUR EQUIPMENT RENTAL DIVISION OFFERS A COMPREHENSIVE RANGE OF HIGH-QUALITY, RELIABLE, AND WELL-MAINTAINED EQUIPMENT TO SUPPORT A WIDE SPECTRUM OF INDUSTRIES, INCLUDING CONSTRUCTION, OIL & GAS, PETROCHEMICALS, MANUFACTURING ETC. WE PROVIDE TAILORED RENTAL SOLUTIONS DESIGNED TO MEET THE SPECIFIC OPERATIONAL NEEDS OF EACH CLIENT, ENSURING MAXIMUM UPTIME AND PERFORMANCE.

OUR TEAM CONSISTS OF PROFESSIONALLY TRAINED OPERATORS WHO ARE CERTIFIED BY TÜV AND SAUDI ARAMCO, ENSURING THE HIGHEST STANDARDS OF SAFETY, COMPLIANCE, AND OPERATIONAL EXCELLENCE ACROSS ALL PROJECTS.

### CRANES

ROUGH TERRAIN, ALL TERRAIN, TRUCK MOUNTED, MOBILE CRANES CRAWLER CRANE, TOWER CRANE

### HEAVY EQUIPMENT

BOOM TRUCKS, FORKLIFTS (ELECTRIC, LPG, DIESEL), TELE HANDLER, MANLIFTS, SCISSOR LIFT

### LIGHT EQUIPMENT

AIR COMPRESSORS, DIESEL GENERATORS, WELDING MACHINES, TOWER LIGHTS (DIESEL/ELECTRIC)

### EARTH MOVING EQUIPMENT

WHEEL LOADERS, BACKHOE LOADERS, EXCAVATORS, MINI EXCAVATORS, WHEEL EXCAVATORS, LONG BOOM EXCAVATOR, BULLDOZER, GRADERS, DUMP TRUCKS, SKID LOADERS, ROLLER COMPACTORS, TRENCHERS

### HEAVY AND LIGHT VEHICLES

TRAILERS (FLAT BED, LOW BED, HYDRAULIC LOWBED, SPMT), BUSES (LUXURY, STANDARD, COASTERS, MINIBUS), WATER TANKERS, DIESEL TANKERS, VACUUM TANKER, PICKUPS, SUVS, DYNA TRUCKS



# SCAFFOLDING PIPES ACCESSORIES



Sleeve Coupler  
Size: 48.3\*48.3mm



Drop Forged Swivel Coupler  
Size: 48.3MM



Fixed Girder Coupler  
Size: 48.3MM



Ladder Clamp  
Weight: 0.5kg



Tie Nut  
Weight: 0.6kg



Screw tube  
Weight: 0.6kg



Ductile Iron Jack Nut  
Weight: 0.8kg



Ringlock Blade  
Weight: 0.38kg



Ringlock Blade  
Weight: 0.38kg



Putlog Coupler  
Size: 48.3 MM  
Weight: 0.6-0.63KG



Pin Coupler  
Size: 48.3\*48.3mm  
Weight: 0.62-0.65KG



Drop Forged Swivel Coupler  
Size: 48.3MM  
Weight: 1.5KG



Drop Forged Swivel Coupler  
Size: 48.3MM



Fixed Girder Coupler  
Size: 48.3MM



Drop Forged Double Coupler  
Size: 48.3MM



# STEEL PIPES




ISO 65- Carbon Steel Tubes Suitable for Scaffolding in acc. ISO 771

DN	Length of Pipe (m)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)
10	1.8	1.2	21.3	2.0	17.3	0.847	1.8	2.0	17.3	0.847
15	1.8	1.2	26.7	2.0	22.7	1.047	1.8	2.0	22.7	1.047
20	1.8	1.2	32.5	2.0	28.5	1.247	1.8	2.0	28.5	1.247
25	1.8	1.2	38.1	2.0	34.1	1.447	1.8	2.0	34.1	1.447
30	1.8	1.2	42.7	2.0	38.7	1.647	1.8	2.0	38.7	1.647
35	1.8	1.2	47.3	2.0	43.3	1.847	1.8	2.0	43.3	1.847
40	1.8	1.2	51.9	2.0	47.9	2.047	1.8	2.0	47.9	2.047
45	1.8	1.2	56.5	2.0	52.5	2.247	1.8	2.0	52.5	2.247
50	1.8	1.2	61.1	2.0	57.1	2.447	1.8	2.0	57.1	2.447
55	1.8	1.2	65.7	2.0	61.7	2.647	1.8	2.0	61.7	2.647
60	1.8	1.2	70.3	2.0	66.3	2.847	1.8	2.0	66.3	2.847
65	1.8	1.2	74.9	2.0	70.9	3.047	1.8	2.0	70.9	3.047
70	1.8	1.2	79.5	2.0	75.5	3.247	1.8	2.0	75.5	3.247
75	1.8	1.2	84.1	2.0	80.1	3.447	1.8	2.0	80.1	3.447
80	1.8	1.2	88.7	2.0	84.7	3.647	1.8	2.0	84.7	3.647
85	1.8	1.2	93.3	2.0	89.3	3.847	1.8	2.0	89.3	3.847
90	1.8	1.2	97.9	2.0	93.9	4.047	1.8	2.0	93.9	4.047
95	1.8	1.2	102.5	2.0	98.5	4.247	1.8	2.0	98.5	4.247
100	1.8	1.2	107.1	2.0	103.1	4.447	1.8	2.0	103.1	4.447




ASTM A795 Black and Red and Hot Dipped Zinc-Coated, Welded Steel Pipe for Fire Protection Use

DN	Length of Pipe (m)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)
10	1.8	1.2	21.3	2.0	17.3	0.847	1.8	2.0	17.3	0.847
15	1.8	1.2	26.7	2.0	22.7	1.047	1.8	2.0	22.7	1.047
20	1.8	1.2	32.5	2.0	28.5	1.247	1.8	2.0	28.5	1.247
25	1.8	1.2	38.1	2.0	34.1	1.447	1.8	2.0	34.1	1.447
30	1.8	1.2	42.7	2.0	38.7	1.647	1.8	2.0	38.7	1.647
35	1.8	1.2	47.3	2.0	43.3	1.847	1.8	2.0	43.3	1.847
40	1.8	1.2	51.9	2.0	47.9	2.047	1.8	2.0	47.9	2.047
45	1.8	1.2	56.5	2.0	52.5	2.247	1.8	2.0	52.5	2.247
50	1.8	1.2	61.1	2.0	57.1	2.447	1.8	2.0	57.1	2.447
55	1.8	1.2	65.7	2.0	61.7	2.647	1.8	2.0	61.7	2.647
60	1.8	1.2	70.3	2.0	66.3	2.847	1.8	2.0	66.3	2.847
65	1.8	1.2	74.9	2.0	70.9	3.047	1.8	2.0	70.9	3.047
70	1.8	1.2	79.5	2.0	75.5	3.247	1.8	2.0	75.5	3.247
75	1.8	1.2	84.1	2.0	80.1	3.447	1.8	2.0	80.1	3.447
80	1.8	1.2	88.7	2.0	84.7	3.647	1.8	2.0	84.7	3.647
85	1.8	1.2	93.3	2.0	89.3	3.847	1.8	2.0	89.3	3.847
90	1.8	1.2	97.9	2.0	93.9	4.047	1.8	2.0	93.9	4.047
95	1.8	1.2	102.5	2.0	98.5	4.247	1.8	2.0	98.5	4.247
100	1.8	1.2	107.1	2.0	103.1	4.447	1.8	2.0	103.1	4.447



ASTM A795 Black and Red and Hot Dipped Zinc-Coated, Welded Steel Pipe for Fire Protection Use

DN	Length of Pipe (m)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)
10	1.8	1.2	21.3	2.0	17.3	0.847	1.8	2.0	17.3	0.847
15	1.8	1.2	26.7	2.0	22.7	1.047	1.8	2.0	22.7	1.047
20	1.8	1.2	32.5	2.0	28.5	1.247	1.8	2.0	28.5	1.247
25	1.8	1.2	38.1	2.0	34.1	1.447	1.8	2.0	34.1	1.447
30	1.8	1.2	42.7	2.0	38.7	1.647	1.8	2.0	38.7	1.647
35	1.8	1.2	47.3	2.0	43.3	1.847	1.8	2.0	43.3	1.847
40	1.8	1.2	51.9	2.0	47.9	2.047	1.8	2.0	47.9	2.047
45	1.8	1.2	56.5	2.0	52.5	2.247	1.8	2.0	52.5	2.247
50	1.8	1.2	61.1	2.0	57.1	2.447	1.8	2.0	57.1	2.447
55	1.8	1.2	65.7	2.0	61.7	2.647	1.8	2.0	61.7	2.647
60	1.8	1.2	70.3	2.0	66.3	2.847	1.8	2.0	66.3	2.847
65	1.8	1.2	74.9	2.0	70.9	3.047	1.8	2.0	70.9	3.047
70	1.8	1.2	79.5	2.0	75.5	3.247	1.8	2.0	75.5	3.247
75	1.8	1.2	84.1	2.0	80.1	3.447	1.8	2.0	80.1	3.447
80	1.8	1.2	88.7	2.0	84.7	3.647	1.8	2.0	84.7	3.647
85	1.8	1.2	93.3	2.0	89.3	3.847	1.8	2.0	89.3	3.847
90	1.8	1.2	97.9	2.0	93.9	4.047	1.8	2.0	93.9	4.047
95	1.8	1.2	102.5	2.0	98.5	4.247	1.8	2.0	98.5	4.247
100	1.8	1.2	107.1	2.0	103.1	4.447	1.8	2.0	103.1	4.447



API SL Line Pipe

DN	Length of Pipe (m)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)	Outer Diameter (mm)	Wall Thickness (mm)	Inner Diameter (mm)	Weight (kg)
10	1.8	1.2	21.3	2.0	17.3	0.847	1.8	2.0	17.3	0.847
15	1.8	1.2	26.7	2.0	22.7	1.047	1.8	2.0	22.7	1.047
20	1.8	1.2	32.5	2.0	28.5	1.247	1.8	2.0	28.5	1.247
25	1.8	1.2	38.1	2.0	34.1	1.447	1.8	2.0	34.1	1.447
30	1.8	1.2	42.7	2.0	38.7	1.647	1.8	2.0	38.7	1.647
35	1.8	1.2	47.3	2.0	43.3	1.847	1.8	2.0	43.3	1.847
40	1.8	1.2	51.9	2.0	47.9	2.047	1.8	2.0	47.9	2.047
45	1.8	1.2	56.5	2.0	52.5	2.247	1.8	2.0	52.5	2.247
50	1.8	1.2	61.1	2.0	57.1	2.447	1.8	2.0	57.1	2.447
55	1.8	1.2	65.7	2.0	61.7	2.647	1.8	2.0	61.7	2.647
60	1.8	1.2	70.3	2.0	66.3	2.847	1.8	2.0	66.3	2.847
65	1.8	1.2	74.9	2.0	70.9	3.047	1.8	2.0	70.9	3.047
70	1.8	1.2	79.5	2.0	75.5	3.247	1.8	2.0	75.5	3.247
75	1.8	1.2	84.1	2.0	80.1	3.447	1.8	2.0	80.1	3.447
80	1.8	1.2	88.7	2.0	84.7	3.647	1.8	2.0	84.7	3.647
85	1.8	1.2	93.3	2.0	89.3	3.847	1.8	2.0	89.3	3.847
90	1.8	1.2	97.9	2.0	93.9	4.047	1.8	2.0	93.9	4.047
95	1.8	1.2	102.5	2.0	98.5	4.247	1.8	2.0	98.5	4.247
100	1.8	1.2	107.1	2.0	103.1	4.447	1.8	2.0	103.1	4.447





# Security System



**ARABIAN DESERT  
TRD CO.**  
SECURITY SOLUTION



**Smart City Surveillance Camera**  
See our inventive Technology



## OUR SERVICES

- Security Cameras Install
- CCTV Cameras Install
- IP Cameras Install
- Commercial Cameras +
- Residential Cameras
- Home & Business CCTV


## FENCING SOLUTION



**FENCING ACCESSORIES**

**HOT DIP GALVANIZED  
PIPE**

**CONCERTINA RAZOR WIRE**



**GALVANIIZED CHAIN  
LINK FENCE**

**PVC COATED CHAIN  
LINK FENCE.**

**FENCING ACCESSORIES**

**HOT DIP GALVANIZED  
FENCE POST**

**FENCE BARBED WIRE**



# FLANGES & VALVES

رؤية  
VISION  
2030  
المملكة العربية السعودية  
KINGDOM OF SAUDI ARABIA

## Stainless Steel 304L Flanges

Standards :

WERKSTOFF NR. : 1.4306 / 1.4307  
JIS : SUS 304L  
BS : 3304S11  
UNS : S30403  
AISI 304L



## BRASS BALL VALVE SERIES



RB-1010  
Size:  
1/4" 3/8" 1/2" 3/4"  
1" 1-1/4"  
1-1/2" 2"



RB-1011  
Size:  
15mm 18mm 22mm 28mm  
35mm 42mm



RB-1012  
Size:  
1/2" 3/4" 1" 1-1/4"  
1-1/2" 2"



RB-1013  
Size:  
1/2" 3/4" 1" 1-1/4"  
1-1/2" 2"



RB-1014  
Size:  
1/2" 3/4" 1" 1-1/4"  
1-1/2" 2"



RB-1015  
Size:  
1/2" 3/4" 1" 1-1/4"  
1-1/2" 2"



RB-1016  
Size:  
1/2" 3/4"



RB-1017  
Size:  
1/2" 3/4" 1" 1-1/4"  
1-1/2" 2"



RB-1018  
Size:  
1/2" 3/4" 1"



RB-1019  
Size:  
1/2" 3/4" 1" 1-1/4"  
1-1/2" 2"



RB-1020  
Size: 1/2" 3/4"



RB-1021  
Size:  
F1/2"xM1/2" F3/4"xM3/4"

[www.studykorner.com](http://www.studykorner.com)

## TYPE OF FLANGES

chemicalengineeringworld.com



PIPE FLANGES



PIPE FLANGES



WELDING NECK FLANGES



SLIP ON FLANGES



SOCKET WELD FLANGES



THREADED FLANGES




LAP JOINT FLANGES



WELDED FLANGES



PLATE FLANGE



SCREWED FLANGES



REDUCING FLANGES



DIN FLANGES



ANSI FLANGES



FORGED STEEL FLANGES



METAL FLANGES



LONG WELD NECK FLANGES



RING JOINT FLANGES



WELDING FLANGES



ASME FLANGE



STEEL LAP JOINT FLANGES



ASTM FLANGES



PN FLANGES



PUDDLE FLANGES



RUDDLE FLANGES



SPLIT FLANG



CAST FLANGES



ORIFICE FLANGE ASSEMBLY



PTFE LINED REDUCING FLANGE



SO FLANGE



FLANGE CONNECTOR



E-mail : [info@arabian-dp.com](mailto:info@arabian-dp.com)

Website : <https://arabian-dp.com>

National Address : Building No. 3607 ♦ Street - 2 ♦ 1st Industrial Dist. ♦ Dammam 3223



رؤية  
VISION 2030

المملكة العربية السعودية  
KINGDOM OF SAUDI ARABIA



## CONTACT US :



+966 54 134 2090



[sales@arabian-dp.com](mailto:sales@arabian-dp.com)



<https://arabian-dp.com>